



# Status Report

FALCON 2000

S/N 174 N53NJ

OWNER: SHORT HILLS AVIATION SERVICES, INC.  
 ADDRESS: 18 AIRPORT ROAD MORRISTOWN NJ 07960  
 OFFICE: 973-292-3395  
 FAX:

OPERATOR: SHORT HILLS AVIATION SERVICES, INC.  
 ADDRESS: 18 AIRPORT ROAD MORRISTOWN NJ 07960  
 OFFICE: 973-292-3395  
 FAX:

ANALYST: JON KURMANCHIK  
 EMAIL: JKURMANCHIK@CAMPSYSTEMS.COM

631-619-4563 (DIRECT)  
 +1-631-588-3200 (MAIN)  
 WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)  
 631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 174/N53NJ MODEL: FALCON 2000 MANUFACTURER: DASSAULT AVIATION S.A.

CERTIFICATION DATE: 22-JAN-2002

LAST ACTUALS:  
 13825.4 A/C HRS as of 02-APR-2024  
 9104 AFL as of 02-APR-2024  
 8753 APH as of 02-APR-2024

APU SERIAL/PART: P-402/3800548-2 MODEL: GTCP36-150(F2M) MANUFACTURER: HONEYWELL

INSTALLED ON: 25-APR-2014  
 5431 APU HRS 9480.7 A/C HRS  
 6622 APUS

LAST ACTUALS:  
 8753 APU HRS as of 02-APR-2024  
 11539 APUS as of 02-APR-2024

ENGINE NO. 1 SERIAL/PART: P105163/3050000-5 MODEL: CFE738-1-1B MANUFACTURER: CFE

INSTALLED ON: 30-JUN-2021  
 13773.3 ENG. HRS 12299.4 A/C HRS  
 8987 ENC

LAST ACTUALS:  
 15319.8 ENG. HRS as of 02-APR-2024  
 9878 ENC as of 02-APR-2024

ENGINE NO. 2 SERIAL/PART: P105160/3050000-5 MODEL: CFE738-1-1B MANUFACTURER: CFE

INSTALLED ON: 30-JUN-2021  
 13636.7 ENG. HRS 12299.4 A/C HRS  
 8943 ENC

LAST ACTUALS:  
 15146.6 ENG. HRS as of 02-APR-2024  
 9827 ENC as of 02-APR-2024



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00-00-910-903-01 <sup>U</sup>	PERFORM FLAG FAULT MESSAGES CANCELLING							Service	ATA:00
	MOS/MSC		A/R						
	HRS								
WC#: 45.010	AFL								
PROC. REF: GENERIC NO REF									
A008-150717	APU - REVIEW CAMP CHANGE FORM - HONEYWELL, GTCP36-150[F2M] MAINTENANCE MANUAL REVISION 7 DATED JULY 17, 2015							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A008									
A008-161102	APU - REVIEW SIL APU-56 REV 2							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A008									
A008-161215	APU - REVIEW GTCP36-150(F2M) MM REV 7 TR 49-27							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A008									
A008-170109	APU - REVIEW GTCP36-150(F2M) MM REV 7 TR 49-28							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A008									
A008-170120	APU - REVIEW GTCP36-150(F2M) MM REV 7 TR 49-26							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A008									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A008-170124	APU - REVIEW GTCP36-150(F2M) MM TR 49-29							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
					PROC. REF: RCF A008			
A008-170203	APU - REVIEW REVIEW GTCP36-150(F2M) MM TR 49-30							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
					PROC. REF: RCF A008			
A008-171115	APU - REVIEW GTCP36-150(F2M) MM REV 08							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
					PROC. REF: RCF A008			
A008-180112	APU - REVIEW HONEYWELL GTCP 36-150(F) APU-49 SIL REV 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
					PROC. REF: RCF APU-SIL-49			
A008-180730	APU - REVIEW HONEYWELL GTCP36-150(F2M) MM TR 49-32							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
					PROC. REF: RCF A008			
A008-200319	APU - REVIEW GTCP36-150(F2M) MM REV 09							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
					PROC. REF: RCF A008			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
FA2M-141217	REVIEW FALCON 2000 MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 5 - OCTOBER 2014 - REVISION SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	22-Jan-02	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
	PROC. REF: RCF FA2M								
FA2M-141217C	REVIEW FALCON 2000 - MAINTENANCE MANUAL DOCUMENTATION DISCREPANCIES 1-238850492 AND 1-239637769 - REVISION SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	22-Jan-02	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
	PROC. REF: RCF FA2M								
FA2M-150708	REVIEW DASSAULT AVIATION FALCON 2000 SMM REVISION G & H, DATED MAR-15-2015							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF FA2M								
FA2M-151021	REVIEW FALCON 2000 MPD REVISION DATED 21 OCT 2015							Service	ATA:00
	MOS/MSC	22-Jan-02	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
FA2M-151203	REVIEW SUPPLEMENTAL MAINTENANCE MANUAL CHAPTER 05 FOR FALCON 2000 REVISION NO. I, DATED AUGUST 27/2015-CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF FA2M								
FA2M-160427	REVIEW FA2M MPD REV 6 - SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF FA2M								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA2M-160627	REVIEW AMM REVISION 36 DATED APR 20/2016							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
FA2M-161021	REVIEW MPD REVISION 7 DATED SEPTEMBER 2016							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
FA2M-170222A	REVIEW MPD REVISION 8 DATED DECEMBER 2016							Service ATA:00
	MOS/MSC	22-Jan-02	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
FA2M-170222B	REVIEW CHANGES TO 5-40 FROM MPD REVISION 8 DATED DECEMBER 2016							Service ATA:00
	MOS/MSC	22-Jan-02	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
FA2M-171101	REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 9 DATED NOVEMBER 2017							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF FA2M								
FA2M-171101A	REVIEW MAINTENANCE MANUAL CHAPTER 5-40 AIRWORTHINESS LIMITATIONS - REVISION 19 - NOVEMBER 2017							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
FA2M-171101L	REVIEW DASSAULT FALCON 2000 MPD REVISION 9 + ALD 05-40 REV 19 DATED NOV, 2017 (LIGHT RSCF FOR TRANSITION)							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA2M-180205	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCY (DD) 1-309445121							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF FA2M							
FA2M-180322	REVIEW DOCUMENT DISCREPANCIES DD 1-305056891, 1-309702391, 1-310213413, 1-306775364, AND 1-307191003							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: MPD FA2M							
FA2M-180409	REVIEW FALCON 2000 DOCUMENT DISCREPANCY 1-311025631							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF FA2M							
FA2M-180612	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCIES (DD) RESPONSE DATE 12-JUN-2018							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF FA2M, RCF FA2M							
FA2M-181101	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 10 - NOVEMBER 2018							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF FA2M							
FA2M-181101A	REVIEW MAINTENANCE MANUAL CHAPTER 5-40-00 REVISION 20 - NOVEMBER 2018							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF FA2M							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
FA2M-190412								Service ATA:00
	MOS/MSC	22-Jan-02	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
					PROC. REF: RCF FA2M			
FA2M-190808								Service ATA:00
	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) DOCUMENT DISCREPANCY (DD) 1-345369346							REQUIREMENT CHANGE FORMS
	MOS/MSC		-					
	HRS							
	AFL							
					PROC. REF: RCF FA2M			
FA2M-191201								Service ATA:00
	REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 11 - DECEMBER 2019							REQUIREMENT CHANGE FORMS
	MOS/MSC		-					
	HRS							
	AFL							
					PROC. REF: RCF FA2M			
FA2M-191201A								Service ATA:00
	REVIEW MAINTENANCE MANUAL CHAPTER 5-40 REVISION 21 - DECEMBER 2019							REQUIREMENT CHANGE FORMS
	MOS/MSC		-					
	HRS							
	AFL							
					PROC. REF: RCF FA2M			
FA2M-200401								Service ATA:00
	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 11-01 - APRIL 2020							REQUIREMENT CHANGE FORMS
	MOS/MSC		-					
	HRS							
	AFL							
					PROC. REF: RCF FA2M			
FA2M-200610								Service ATA:00
	REVIEW TASK 71-20-02-250-801 TOLERANCE CORRECTION							REQUIREMENT CHANGE FORMS
	MOS/MSC		-					
	HRS							
	AFL							
					PROC. REF: RCF FA2M			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 00 - INFORMATION</b>								
FA2M-200612	REVIEW TASK 28-00-00-290-801-02 TOLERANCE CORRECTION							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
				PROC. REF: RCF FA2M				
FA2M-201101	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 12 - NOVEMBER 2020							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
				PROC. REF: RCF FA2M				
FA2M-STORAGE	REVIEW STORAGE / RETURN TO SERVICE OF AIRCRAFT REQUIREMENTS							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
				PROC. REF: RCF FA2M				
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
05-08-00-200-800-05	12M/800FH INSPECTION							Package ATA:05
	MOS	30-Jan-24	12 (+1m)	Adj -74d	17-Nov-24	17-Dec-24	225 d (+30)	
	HRS	13780	800 (+40)		14580	14620	754.6 (+40)	
	AFL	9075						
				PROC. REF: MPD 05-10-00				PKG:5
05-08-00-200-800-06	24M/1600FH INSPECTION							Package ATA:05
	MOS	05-Jun-23	24 (+1m)	Adj -100d	25-Feb-25	25-Mar-25	325 d (+28)	
	HRS	13436.3	1600 (+40)		15036.3	15076.3	1210.9 (+40)	
	AFL	8866						
				PROC. REF: MPD 05-10-00				PKG:6
05-08-00-200-800-07	36M/2400FH INSPECTION							Package ATA:05
	MOS	28-Feb-24	36 (+1m)	Adj -3d	25-Feb-27	25-Mar-27	1055 d (+28)	
	HRS	13817.9	2400 (+40)		16217.9	16257.9	2392.5 (+40)	
	AFL	9101						
				PROC. REF: MPD 05-10-00				PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
05-08-00-200-800-15	12M INSPECTION							Package ATA:05
	MOS	28-Feb-24	12 (+1m)	Adj -3d	25-Feb-25	25-Mar-25	325 d (+28)	
	HRS	13817.9						
	AFL	9101						
				PROC. REF: MPD 05-10-00				PKG:15
05-08-00-200-800-16	24M INSPECTION							Package ATA:05
	MOS	05-Jun-23	24 (+1m)	Adj -100d	25-Feb-25	25-Mar-25	325 d (+28)	
	HRS	13436.3						
	AFL	8866						
				PROC. REF: MPD 05-10-00				PKG:16
05-08-00-200-800-17	36M INSPECTION							Package ATA:05
	MOS	28-Feb-24	36 (+1m)	Adj -3d	25-Feb-27	25-Mar-27	1055 d (+28)	
	HRS	13817.9						
	AFL	9101						
				PROC. REF: MPD 05-10-00				PKG:17
05-08-00-200-800-21	1B INSPECTION							Package ATA:05
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)		13899.4	13939.4	74 (+40)	
	AFL	8209						
				PROC. REF: MPD 05-10-00				PKG:21
05-08-00-200-800-22	2B INSPECTION							Package ATA:05
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)	Adj -476.1	13899.4	13939.4	74 (+40)	
	AFL	7526						
				PROC. REF: MPD 05-10-00				PKG:22
05-08-00-200-800-23	3B INSPECTION							Package ATA:05
	MOS	09-Mar-12						
	HRS	8230	4800 (+40)	Adj 869.4	13899.4	13939.4	74 (+40)	
	AFL	5554						
				PROC. REF: MPD 05-10-00				PKG:23

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-00-200-800-31	1C INSPECTION							Package ATA:05
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	
	HRS	12299.4						
	AFL	8209	3750		11959		2855	
				PROC. REF: MPD 05-10-00				PKG:31
05-08-00-200-800-32	2C INSPECTION							Package ATA:05
	MOS	25-Apr-14	144 (+2m)		25-Apr-26	25-Jun-26	749 d (+61)	
	HRS	9480.7						
	AFL	6374	7500		13874		4770	
				PROC. REF: MPD 05-10-00				PKG:32
05-08-00-200-800-33	3C INSPECTION							Package ATA:05
	MOS	25-Feb-21	216 (+2m)		25-Feb-39	25-Apr-39	5438 d (+59)	
	HRS	12299.4						
	AFL	8209	11250		19459		10355	
				PROC. REF: MPD 05-10-00				PKG:33
05-50-00-100-801-01	CLEANING AFTER ELECTROLYTE SPILLAGE							Service ATA:05
	MOS/MSC		A/R					
	HRS							
WC#: 24.160	AFL							
				PROC. REF: AMM 05-50-00-100-801				
05-50-00-200-801-01	CHECK AFTER A TOWING INCIDENT							Service ATA:05
	MOS/MSC	11-Nov-15	A/R					
	HRS	10295.8						
WC#: 09.010	AFL	6952						
				PROC. REF: AMM 05-50-00-200-801				
05-50-00-200-802-01	CHECK AFTER HAILSTORM							Service ATA:05
	MOS/MSC		A/R					
	HRS							
WC#: 51.050	AFL							
				PROC. REF: AMM 05-50-00-200-802				
05-50-00-200-803-01	CHECK AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC		A/R					
	HRS							
WC#: 51.040	AFL							
				PROC. REF: AMM 05-50-00-200-803				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-200-804-01	CHECK AFTER A REJECTED TAKE-OFF OR EMERGENCY BRAKING							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 32.840	AFL								
PROC. REF: AMM 05-50-00-200-804									
05-50-00-200-805-01	CHECK AFTER FLYING UNDER EXCESSIVE LOAD FACTOR OR THROUGH EXCESSIVE TURBULENCE							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 51.030	AFL								
PROC. REF: AMM 05-50-00-200-805									
05-50-00-200-806-01	CHECK AFTER AIRCRAFT TILTING BACKWARD DURING MAINTENANCE OR POWER BACK OPERATIONS							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM 05-50-00-200-806									
05-50-00-200-809-01	INSPECTION AFTER SLAT OPERATION IN OVERSPEED CONDITION							Service	ATA:05
	MOS/MSC	26-Nov-08	A/R						
	HRS	6177.7							
WC#: 57.200	AFL	4163							
PROC. REF: AMM 05-50-00-200-809									
05-50-00-200-810-01	INSPECTION AFTER FLAP OPERATION IN OVERSPEED CONDITION							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 57.210	AFL								
PROC. REF: AMM 05-50-00-200-810									
05-50-00-200-812-01	INSPECTION AFTER LANDING GEAR EXTENSION IN OVERSPEED CONDITION							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 53.420	AFL								
PROC. REF: AMM 05-50-00-200-812									
05-50-00-200-813-01	CHECK AFTER WHEEL IMPACT WITH AN OBSTACLE AT TAKE OFF OR LANDING - CHECK AFTER WHEEL SHOCK AT TAKE-OFF OR LANDING							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM 05-50-00-200-813									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
05-50-00-200-817-01	CHECK AFTER COLLISION WITH FOREIGN OBJECT							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-00-200-817								
05-50-00-200-822-01	OPERATION TO BE PERFORMED AFTER VMO/MMO EXCEEDANCE							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-00-200-822								
05-50-00-200-823-01	CHECK OF THE SLATS AFTER OVERHEATING - LH WING							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-00-200-823								
05-50-00-200-823-02	CHECK OF THE SLATS AFTER OVERHEATING - RH WING							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-00-200-823								
05-50-00-620-801-01	SPECIFIC MAINTENANCE FOR A/C OPERATING IN CORROSIVE AMBIENT CONDITIONS							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-00-620-801								
05-50-00-620-801-02 <sup>U</sup>	PERFORM SPECIFIC MAINTENANCE FOR A/C OPERATING IN CORROSIVE AMBIENT CONDITIONS - INSPECTIONS AND ANTI-CORROSION TREATMENTS AT MEDIUM TIME INTERVALS							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
05-50-00-620-803-01	SPECIFIC MAINTENANCE FOR A/C OPERATING IN COLD WEATHER							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 05.030	AFL								
	PROC. REF: AMM 05-50-00-620-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-620-804-01	PROCEDURE FOR AIRCRAFT PROLONGED OPERATION AT LOW TEMPERATURES							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 51.070	AFL								
PROC. REF: AMM 05-50-00-620-804									
05-50-00-620-805-01	SPECIFIC MAINTENANCE TO PREVENT FUEL CONTAMINATION - CRITERIA TO DEFINE A/C AT RISK OF FUEL CONTAMINATION							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-620-805									
05-50-00-620-805-02	SPECIFIC MAINTENANCE TO PREVENT FUEL CONTAMINATION							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-620-805									
05-50-00-700-801-01	CHECK AND DECONTAMINATION OF THE AIR CONDITIONING SYSTEM AFTER POLLUTION							Service	ATA:05
	MOS/MSC	26-Jul-12	A/R						
	HRS	8536.4							
WC#: 21.410	AFL	5747							
PROC. REF: AMM 05-50-00-700-801									
05-50-00-700-803-01	CHECK AFTER FIRE EXTINGUISHER PERCUSSION							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 20.010	AFL								
PROC. REF: SL 20-350, AMM 05-50-00-700-803									
05-50-00-700-806-01	CHECK AFTER LANDING ON A TAR-MACADAM RUNWAY IN VERY HOT WEATHER							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 32.830	AFL								
PROC. REF: AMM 05-50-00-700-806									
05-50-00-700-807-01	CHECK AFTER LANDING ON A DRY AND DIRTY RUNWAY							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 32.810	AFL								
PROC. REF: AMM 05-50-00-700-807									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-700-808-01	CHECK AFTER HARD / OVERWEIGHT LANDING							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
WC#: 32.800	AFL								
PROC. REF: AMM 05-50-00-700-808									
05-50-00-700-810-01	CHECK AFTER SAND CONDITION - CHECKS AFTER EACH FLIGHT THROUGH SAND							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-700-810									
05-50-00-700-810-02	CHECK AFTER SAND CONDITION - FURTHER INSPECTIONS IN CASE OF SAND DEPOSITS AFTER FLIGHT THROUGH SAND							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-700-810									
05-50-00-700-810-03	CHECK AFTER SAND CONDITION - PERIODIC INSPECTIONS AND CHECKS AFTER FLIGHTS THROUGH SAND							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-700-810									
05-50-00-700-810-04	CHECK AFTER SAND CONDITION - INSPECTIONS AND CHECKS AFTER A SANDSTORM (AIRCRAFT PARKED)							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-700-810									
05-50-00-700-818-01	CHECK AFTER AN ELECTRICAL FIRE							Service	ATA:05
	MOS/MSC	21-Feb-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-700-818									
05-50-00-700-822-01	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - CHECKS AFTER A FLIGHT THROUGH A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA							Service	ATA:05
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-00-700-822									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-700-822-02	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - FURTHER CHECKS AFTER A FLIGHT THROUGH A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA						Service	ATA:05
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822								
05-50-00-700-822-03	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - OPERATIONS AND CHECKS AFTER EXCEPTIONAL FLIGHT THROUGH A HIGH VOLCANIC ASH CONCENTRATION AREA						Service	ATA:05
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822								
05-50-00-700-822-04	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - OPERATIONS AND CHECKS ON AN AIRCRAFT PARKED IN A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA						Service	ATA:05
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822								
05-50-00-700-822-05	CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - OPERATIONS AND CHECKS ON AN AIRCRAFT PARKED IN A HEAVY VOLCANIC ASH FALLOUT AREA						Service	ATA:05
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822								
05-50-00-730-801-01	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - FILTER CLOGGING						Service	ATA:05
	MOS/MSC		A/R					
	HRS							
WC#: 29.260	AFL							
PROC. REF: AMM 05-50-00-730-801								
05-50-00-730-801-02	CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - PUMP FAILURE						Service	ATA:05
	MOS/MSC		A/R					
	HRS							
WC#: 29.270	AFL							
PROC. REF: AMM 05-50-00-730-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
05-50-00-730-802-01	CHECK OF THE BRAKING SYSTEM AT ACCELERATION/STOP AFTER TROUBLESHOOTING							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM 05-50-00-730-802									
05-50-00-910-801-01 <sup>S</sup>	AIRCRAFT CHECK FLIGHT							Service	ATA:05
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 05.020	AFL	8209	3750						
PROC. REF: AMM 05-50-00-910-801									
PKG:31									
05-60-00-200-801-01	BASIC INSPECTION							Service	ATA:05
	MOS	02-Jan-24	12 (+1m)		02-Jan-25	02-Feb-25	271 d (+31)		
	HRS	13736.2	400 (+40)	Adj -120	14016.2	14056.2	190.8 (+40)		
WC#: 05.010	AFL	9052							
PROC. REF: MPD 05-10-00, AMM 05-60-00-200-801									
05-60-00-200-801-03	BASIC INSPECTION - GROUND SERVICING CHECKS							Service	ATA:05
	MOS	02-Jan-24	12 (+1m)		02-Jan-25	02-Feb-25	271 d (+31)		
	HRS	13736.2	400 (+40)	Adj -120	14016.2	14056.2	190.8 (+40)		
WC#: 05.010	AFL	9052							
PROC. REF: MPD 05-10-00, AMM 05-60-00-200-801									
05-60-00-200-801-04	BASIC INSPECTION - CHECK OF MAGNETIC INDICATORS							Service	ATA:05
	MOS/MSC	17-Nov-21	O/C						
	HRS	12416.2							
WC#: 05.010	AFL	8288							
PROC. REF: MPD 05-10-00, AMM 05-60-00-200-801									
05-60-00-200-801-07	BASIC INSPECTION - CABIN WARNING TEST							Service	ATA:05
	MOS	27-Feb-24	12 (+1m)		27-Feb-25	27-Mar-25	327 d (+28)		
	HRS	13817.9	400 (+40)	Adj -14.1	14203.8	14243.8	378.4 (+40)		
WC#: 05.010	AFL	9101							
PROC. REF: MPD 05-10-00, AMM 05-60-00-200-801									
05-60-00-200-801-07A	PERFORM BASIC INSPECTION - CABIN WARNING TEST (MANDATORY 5-40)							Service	ATA:05
	MOS	09-Apr-23						MANDATORY 5-40	
	HRS	13403.8	650		14053.8		228.4		
WC#: 05.010	AFL	8844							
PROC. REF: AMM 05-60-00-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050A20 <sup>U</sup>	PERFORM POST FLIGHT INSPECTION							Service	ATA:05
	MOS/MSC	14-Feb-24	A/R						
	HRS	13813.4							
	AFL	9097							
057110	NO. 1 ENGINE - 200 HOUR ROUTINE INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15257.9	200 (+10%)		(15457.9) 13963.5	15477.9	138.1 (+20)		
	ENC	9839							
	PROC. REF: LMM 05-21-00								PKG:1
057110	NO. 2 ENGINE - 200 HOUR ROUTINE INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15079.7	200 (+10%)		(15279.7) 13958.5	15299.7	133.1 (+20)		
	ENC	9788							
	PROC. REF: LMM 05-21-00								PKG:1
057115	NO. 1 ENGINE - 400 HOUR ROUTINE INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15257.9	400 (+10%)		(15657.9) 14163.5	15697.9	338.1 (+40)		
	ENC	9839							
	PROC. REF: LMM 05-21-00								PKG:3
057115	NO. 2 ENGINE - 400 HOUR ROUTINE INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15079.7	400 (+10%)		(15479.7) 14158.5	15519.7	333.1 (+40)		
	ENC	9788							
	PROC. REF: LMM 05-21-00								PKG:3
057120	NO. 1 ENGINE - 600 HOUR MINOR INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15257.9	600 (+50)		(15857.9) 14363.5	15907.9	538.1 (+50)		
	ENC	9839							
	PROC. REF: LMM 05-21-00								PKG:2

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
057120	NO. 2 ENGINE - 600 HOUR MINOR INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15079.7	600 (+50)		(15679.7) 14358.5	15729.7	533.1 (+50)		
	ENC	9788							
				PROC. REF: LMM 05-21-00				PKG:2	
057125	NO. 1 ENGINE - 800 HOUR MINOR INSPECTION							Package	ATA:05
	MOS	10-May-23							
	HRS	14934.8	800 (+50)		(15734.8) 14240.4	15784.8	415 (+50)		
	ENC	9640							
								PKG:4	
057125	NO. 2 ENGINE - 800 HOUR MINOR INSPECTION							Package	ATA:05
	MOS	10-May-23							
	HRS	14757.2	800 (+50)		(15557.2) 14236	15607.2	410.6 (+50)		
	ENC	9589							
								PKG:4	
057130	NO. 1 ENGINE - 1200 HOUR UNDER COWL INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15257.9	1200 (+50)		(16457.9) 14963.5	16507.9	1138.1 (+50)		
	ENC	9839							
								PKG:5	
057130	NO. 2 ENGINE - 1200 HOUR UNDER COWL INSPECTION							Package	ATA:05
	MOS	12-Jan-24							
	HRS	15079.7	1200 (+50)		(16279.7) 14958.5	16329.7	1133.1 (+50)		
	ENC	9788							
								PKG:5	
057135	NO. 1 ENGINE - 1600 HR BOROSCOPE INSPECTION							Package	ATA:05
	MOS	03-Aug-20							
	HRS	13773.3	1600 (+50)		(15373.3) 13878.9	15423.3	53.5 (+50)		
	ENC	8987							
								PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
057135	NO. 2 ENGINE - 1600 HR BOROSCOPE INSPECTION							Package ATA:05
	MOS	03-Aug-20						
	HRS	13636.7	1600 (+50)		(15236.7) 13915.5	15286.7	90.1 (+50)	
	ENC	8943						
								PKG:6
057140	NO. 1 ENGINE - 1600 HOUR UNDER COWL INSPECTION							Package ATA:05
	MOS/MSC	30-Jun-95	N/A					
	HRS	0						
	ENC	0						
				PROC. REF: LMM 05-21-00				PKG:7
057140	NO. 2 ENGINE - 1600 HOUR UNDER COWL INSPECTION							Package ATA:05
	MOS/MSC	31-Aug-95	N/A					
	HRS	0						
	ENC	0						
				PROC. REF: LMM 05-21-00				PKG:7
20-31-00-910-801-02	ON-GROUND DE-ICING AND ANTI-ICING TREATMENT - ANTI-ICING TREATMENT							Service ATA:05
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 20-31-00-910-801				
32-42-05-780-801-02	CHECK OF THE PARK BRAKE SYSTEM ACCUMULATOR PRESSURE - PARK BRAKE ACCUMULATOR (110GC)							Service ATA:05
	MOS/MSC		N/A					
	HRS							
WC#: 05.010	AFL							
				PROC. REF: MPD 05-10-00, AMM 32-42-05-780-801				
<b>ATA 08 - LEVELING AND WEIGHING</b>								
08-10-00-910-801-01	WEIGHING THE AIRCRAFT - WEIGHING THE AIRCRAFT ON WHEELS							Service ATA:08
	MOS	17-Nov-21	36		17-Nov-24		225 d	
	HRS	12416.2						
	AFL	8288						
				PROC. REF: AMM 08-10-00-910-801				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 09 - TOWING AND TAXING</b>									
09-10-00-910-810-01	DEBOGGING THE AIRCRAFT							Service	ATA:09
	MOS/MSC	09-Mar-12	A/R						
	HRS	8230							
WC#: 09.020	AFL	5554							
PROC. REF: AMM 09-10-00-910-810									
<b>ATA 10 - PARKING, MOORING, STORE AND RET TO SERV</b>									
10-10-00-200-801-01	CHECK AFTER PARKING OF THE AIRCRAFT IN HIGH WIND CONDITIONS							Service	ATA:10
	MOS/MSC		A/R						
	HRS								
WC#: 10.020	AFL								
PROC. REF: AMM 10-10-00-200-801									
10-10-00-550-801-09 <sup>U</sup>	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PRE-STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 8 WEEKS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
10-10-00-550-801-11	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 2 MONTHS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-12	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - ADDITIONAL OPERATIONS FOR STORAGE FROM 2 TO 12 MONTHS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 20.050	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-13	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - STORAGE OF THE AIRCRAFT FOR A PERIOD OF 12 TO 18 MONTHS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-14	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY MONTH							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 20.050	AFL	0							
PROC. REF: AMM 10-10-00-550-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10-00-550-801-15	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 2 MONTHS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 20.050	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-16	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 6 MONTHS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 20.050	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-17	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AT THE END OF THE 2 MONTHS OR LESS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 20.050	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-18	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AFTER MORE THAN 2 MONTHS							Service	ATA:10
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 20.050	AFL	0							
PROC. REF: AMM 10-10-00-550-801									
10-20-00-910-802-01	MOORING THE AIRCRAFT IN CASE OF SNOWFALL							Service	ATA:10
	MOS/MSC		A/R						
	HRS								
WC#: 10.010	AFL								
PROC. REF: AMM 10-20-00-910-802									
ATA 11 - PLACARDS AND MARKINGS									
11-00-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE INTERNAL AND EXTERNAL MARKINGS AND PLACARDS							Service	ATA:11
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 11-00-00-210-801, SMM 11-90-01									
ATA 20 - STANDARD PRACTICES - AIRFRAME									
20-30-00-330-801-01	TEMPORARY REPAIR AFTER MINOR DAMAGE TO A COMPOSITE MATERIAL COMPONENT							Service	ATA:20
	MOS/MSC		A/R						
	HRS								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
WC#: 51.060		AFL		PROC. REF: AMM 20-30-00-330-801				
20-31-00-100-801-01 <sup>U</sup>	CLEANING OF THE AIRCRAFT EXTERIOR							Service ATA:20
	MOS/MSC	31-Jul-17	A/R					
	HRS	10741.6						
	AFL	6482						
20-31-00-140-801-01	RINSING THE AIRCRAFT EXTERIOR							Service ATA:20
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
WC#: 20.040		AFL		PROC. REF: SL 20-318, AMM 20-31-00-140-801				
20-31-00-910-801-01	ON-GROUND DE-ICING AND ANTI-ICING TREATMENT - DE-ICING TREATMENT							Service ATA:20
	MOS/MSC		A/R					
	HRS							
WC#: 20.030		AFL		PROC. REF: SL 20-625, AMM 20-31-00-910-801				
20-32-00-360-803-01	PROVISIONAL REPAIR OF LEAKY SCREWS OR RIVETS ON FUEL TANKS							Service ATA:20
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-32-00-360-803								
20-32-00-910-802-01	ACCEPTANCE CRITERIA FOR HYDRAULIC LEAKS							Service ATA:20
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-32-00-910-802								
20-33-00-300-804-01	TEMPORARY REPAIR OF A HYDRAULIC OR WATER PIPE USING RYNGLOK FITTINGS							Service ATA:20
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-33-00-300-804								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
20-41-00-910-801-01	TIGHTENING TORQUES FOR SINGLE FLARE COUPLINGS							Service	ATA:20
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-41-00-910-801									
20-60-00-370-813-01	APPLICATION OF THE PAINT SCHEME ON COMPOSITE COMPONENTS							Service	ATA:20
	MOS/MSC		A/R						
	HRS								
WC#: 20.020	AFL								
PROC. REF: SL 20-615, AMM 20-60-00-370-813									
20-60-00-370-816-03	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - LH MLG LEG (5GA)							Service	ATA:20
PN:D23345000-8	MOS/MSC	22-Jan-02	O/C						
SN:B70	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816									
20-60-00-370-816-04	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - RH MLG LEG (10GA)							Service	ATA:20
PN:D23346000-6	MOS/MSC	25-Feb-21	O/C						
SN:B98	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 20-60-00-370-816									
20-60-00-370-816-05	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - LH MLG SHOCK ABSORBER (5GA3)							Service	ATA:20
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816									
20-60-00-370-816-06	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - RH MLG SHOCK ABSORBER (10GA3)							Service	ATA:20
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816									
20-60-00-370-816-09	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - NLG LEG (5GB)							Service	ATA:20
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-20-01-350-801-01 RESTORATION OF THE FLOW LIMITERS (OVERHAUL) - LH FLOW LIMITER (L110HD) Service ATA:21</b>								
PN:2744A010100	MOS	10-Dec-18						OVERHAUL
SN:00164	HRS	11482.5	4500 (+3%)		15982.5	16117.5	2157.1 (+135)	
WC#: 21.030	AFL	7708						
PROC. REF: AMM 21-20-01-350-801								
<b>21-20-01-350-801-02 RESTORATION OF THE FLOW LIMITERS (OVERHAUL) - RH FLOW LIMITER (R110HD) Service ATA:21</b>								
PN:2744A010100	MOS	10-Dec-18						OVERHAUL
SN:00227	HRS	11482.5	4500 (+3%)		15982.5	16117.5	2157.1 (+135)	
WC#: 21.030	AFL	7708						
PROC. REF: AMM 21-20-01-350-801								
<b>21-20-01-350-802-01 RESTORATION OF THE FLOW LIMITERS (FUNCTIONAL TEST / SERVICING) - LH FLOW LIMITER (L110HD) Service ATA:21</b>								
PN:2744A010100	MOS/MSC	10-Dec-18	O/C					
SN:00164	HRS	11482.5						
WC#: 21.030	AFL	7708						
PROC. REF: AMM 21-20-01-350-802								
<b>21-20-01-350-802-02 RESTORATION OF THE FLOW LIMITERS (FUNCTIONAL TEST / SERVICING) - RH FLOW LIMITER (R110HD) Service ATA:21</b>								
PN:2744A010100	MOS/MSC	10-Dec-18	O/C					
SN:00227	HRS	11482.5						
WC#: 21.030	AFL	7708						
PROC. REF: AMM 21-20-01-350-802								
<b>21-20-01-900-801-01 REMOVAL / INSTALLATION OF THE FLOW LIMITERS - LH FLOW LIMITER (L110HD) Component ATA:21</b>								
PN:2744A010100	MOS/MSC	10-Dec-18	O/C	TSO 3				
SN:00164	HRS	11482.5		TSO 0				
WC#: 21.030	AFL	7708		TSO 0				
PROC. REF: AMM 21-20-01-900-801								
<b>21-20-01-900-801-02 REMOVAL / INSTALLATION OF THE FLOW LIMITERS - RH FLOW LIMITER (R110HD) Component ATA:21</b>								
PN:2744A010100	MOS/MSC	10-Dec-18	O/C	TSO 3				
SN:00227	HRS	11482.5		TSO 0				
WC#: 21.030	AFL	7708		TSO 0				
PROC. REF: AMM 21-20-01-900-801								
<b>21-22-19-900-801-01 REMOVAL / INSTALLATION OF THE GASPER PRESSURE CONTROL VALVE - GASPER PRESSURE CONTROL VALVE (130HD) Component ATA:21</b>								
PN:3313-400	MOS/MSC	09-Mar-12	O/C	TSR 0				
SN:844	HRS	8230		TSR 0				
WC#: 21.270	AFL	5554		TSR 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-28-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE EFIS VENTILATION SYSTEM						Service	ATA:21
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 21.010	AFL	8209							
PROC. REF: AMM 21-28-00-710-801								PKG:21	
21-30-00-790-801-01		GROUND CHECK OF CABIN SEALING						Service	ATA:21
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-30-00-790-801									
21-30-00-790-802-01 <sup>S</sup>		IN-FLIGHT CHECK OF CABIN SEALING						Service	ATA:21
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 21.120	AFL	8209							
PROC. REF: AMM 21-30-00-790-802								PKG:21	
21-30-00-790-803-01		PRESSURIZATION LEAK TEST WITH EXTERNAL SOURCE OF AIR						Service	ATA:21
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-30-00-790-803									
21-30-01-900-801-01		REMOVAL / INSTALLATION OF THE AUTOMATIC PRESSURIZATION CONTROLLER - CPC (50HP)						Component	ATA:21
PN:22250R062300	MOS/MSC	12-Jul-23	O/C						
SN:00336	HRS	13445.4							
WC#: 21.210	AFL	8870							
PROC. REF: AMM 21-30-01-900-801									
21-30-09-720-801-01		FUNCTIONAL TEST OF THE ALTITUDE ALERT OF THE TRIPLE INDICATOR - TRIPLE INDICATOR (150HP)						Service	ATA:21
PN:3311A-J61	MOS	12-Jul-23							
SN:343	HRS	13445.4	4000 (+3%)		17445.4	17565.4	3620 (+120)		
WC#: 21.190	AFL	8870							
PROC. REF: AMM 21-30-09-720-801									
21-30-09-900-801-01		REMOVAL / INSTALLATION OF THE TRIPLE INDICATOR - TRIPLE INDICATOR (150HP)						Component	ATA:21
PN:3311A-J61	MOS/MSC	12-Jul-23	O/C						
SN:343	HRS	13445.4							
WC#: 21.190	AFL	8870							
PROC. REF: AMM 21-30-09-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-31-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - PNEUMATIC ACTUATOR (230HD) Service ATA:21</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 21.150	AFL	8209						
PROC. REF: AMM 21-31-00-720-801								PKG:21
<b>21-31-00-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - OVERPRESSURE CHECK VALVE (240HD) Service ATA:21</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 21.150	AFL	8209						
PROC. REF: AMM 21-31-00-720-801								PKG:21
<b>21-31-01-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE NOSE CONE OVERHEAT INDICATING SYSTEM Service ATA:21</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 21.020	AFL	8209						
PROC. REF: AMM 21-31-01-720-801								PKG:21
<b>21-31-09-350-801-01 RESTORATION OF THE NOSE CONE VENTILATION FAN (REPLACEMENT OF BEARINGS) - NOSE CONE FAN (250HD) Service ATA:21</b>								
PN:AE1103A01	MOS/MSC	03-Dec-05	N/A					
SN:00438	HRS	3591.6						
WC#: 21.040	AFL	2443						
PROC. REF: AMM 21-31-09-350-801								
<b>21-31-09-900-801-01 REMOVAL / INSTALLATION OF THE NOSE CONE VENTILATION FAN - NOSE CONE FAN (250HD) Component ATA:21</b>								
PN:AE1103A01	MOS/MSC	03-Dec-05	O/C	TSN 0				
SN:00438	HRS	3591.6		TSN 0				
WC#: 21.040	AFL	2443		TSN 0				
PROC. REF: AMM 21-31-09-900-801								
<b>21-32-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE CABIN PRESSURIZATION SYSTEM Service ATA:21</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 21.130	AFL	8209						
PROC. REF: AMM 21-32-00-710-801								PKG:21
<b>21-32-00-710-802-01<sup>S</sup> OPERATIONAL TEST OF THE PRESSURIZATION SYSTEM EMERGENCY SUPPLY Service ATA:21</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 21.140	AFL	8209						
PROC. REF: AMM 21-32-00-710-802								PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-32-00-790-801-01<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - LH STATIC PRESSURE PROBE (L110FE) Service ATA:21</b>								
	MOS	05-Jun-23	24 (+1m)					RVSM
	HRS	13436.3						
WC#: 21.405	AFL	8866						
PROC. REF: AMM 21-32-00-790-801						PKG:16		
<b>21-32-00-790-801-02<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - RH STATIC PRESSURE PROBE (R110FE) Service ATA:21</b>								
	MOS	05-Jun-23	24 (+1m)					RVSM
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 21-32-00-790-801						PKG:16		
<b>21-32-00-790-801-03<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - LH STAND-BY STATIC PRESSURE PROBE (L900FE) Service ATA:21</b>								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 21-32-00-790-801						PKG:16		
<b>21-32-00-790-801-04<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - RH STAND-BY STATIC PRESSURE PROBE (R900FE) Service ATA:21</b>								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 21-32-00-790-801						PKG:16		
<b>21-32-06-200-801-01 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CLEANING OF ELECTROPNEUMATIC VALVE (70HP) Service ATA:21</b>								
PN:2097M041301	MOS	25-Feb-21						
SN:02274	HRS	12299.4	1640 (+3%)		13939.4	13988.6	114 (+49.2)	
WC#: 21.160	AFL	8209						
PROC. REF: AMM 21-32-06-200-801								
<b>21-32-06-200-801-02 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CLEANING OF PNEUMATIC VALVE (80HP) Service ATA:21</b>								
PN:2099N041301	MOS	25-Feb-21						
SN:002	HRS	12299.4	1640 (+3%)		13939.4	13988.6	114 (+49.2)	
WC#: 21.170	AFL	8209						
PROC. REF: AMM 21-32-06-200-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-32-06-200-801-03		INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE TIGHTNESS OF ELECTROPNEUMATIC VALVE (70HP)							Service ATA:21
PN:2097M041301	MOS	25-Feb-21							
SN:02274	HRS	12299.4	1640		13939.4		114		
WC#: 21.160	AFL	8209							
PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-03A		INSPECTION/CHECK ELECTROPNEUMATIC VALVE OVERPRESSURE TIGHTNESS (MANDATORY 5-40)							Service ATA:21
PN:2097M041301	MOS	25-Feb-21						MANDATORY 5-40	
SN:02274	HRS	12299.4	1640		13939.4		114		
WC#: 21.160	AFL	8209							
PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-04		INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE TIGHTNESS OF PNEUMATIC VALVE (80HP)							Service ATA:21
PN:2099N041301	MOS	25-Feb-21							
SN:002	HRS	12299.4	1640		13939.4		114		
WC#: 21.170	AFL	8209							
PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-04A		INSPECTION/CHECK PNEUMATIC VALVE OVERPRESSURE TIGHTNESS (MANDATORY 5-40)							Service ATA:21
PN:2099N041301	MOS	25-Feb-21						MANDATORY 5-40	
SN:002	HRS	12299.4	1640		13939.4		114		
WC#: 21.170	AFL	8209							
PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-05		INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE RELIEF VALVE VACUUM SUPPLY LINES (975HP) AND (976HP)							Service ATA:21
	MOS	04-Mar-24							
	HRS	13817.9	1640 (+40)	Adj -41.2	15416.7	15456.7	1591.3 (+40)		
WC#: 21.160	AFL	9101							
PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-05A		CHECK OF OVERPRESSURE RELIEF VALVE VACUUM SUPPLY LINE (MANDATORY 5-40)							Service ATA:21
	MOS	20-May-16						MANDATORY 5-40	
	HRS	10496.7	7500		17996.7		4171.3		
WC#: 21.160	AFL	7098							
PROC. REF: AMM 21-32-06-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-32-06-720-801-01		FUNCTIONAL TEST OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - ELECTROPNEUMATIC VALVE (70HP)						Service	ATA:21
PN:2097M041301	MOS	25-Feb-21							
SN:02274	HRS	12299.4	4840 (+3%)		17139.4	17284.6	3314 (+145.2)		
WC#: 21.160	AFL	8209							
PROC. REF: AMM 21-32-06-720-801									
21-32-06-720-801-01A		FUNCTIONAL TEST ELECTROPNEUMATIC VALVE (MANDATORY 5-40)						Service	ATA:21
PN:2097M041301	MOS	25-Feb-21						MANDATORY 5-40	
SN:02274	HRS	12299.4	7500		19799.4		5974		
WC#: 21.160	AFL	8209							
PROC. REF: AMM 21-32-06-720-801									
21-32-06-720-801-02		FUNCTIONAL TEST OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - PNEUMATIC VALVE (80HP)						Service	ATA:21
PN:2099N041301	MOS	25-Feb-21							
SN:002	HRS	12299.4	4840 (+3%)		17139.4	17284.6	3314 (+145.2)		
WC#: 21.170	AFL	8209							
PROC. REF: AMM 21-32-06-720-801									
21-32-06-720-801-02A		FUNCTIONAL TEST PNEUMATIC VALVE (MANDATORY 5-40)						Service	ATA:21
PN:2099N041301	MOS	25-Feb-21						MANDATORY 5-40	
SN:002	HRS	12299.4	7500		19799.4		5974		
WC#: 21.170	AFL	8209							
PROC. REF: AMM 21-32-06-720-801									
21-32-06-720-802-01 <sup>S</sup>		FUNCTIONAL TEST OF THE CABIN ALTITUDE LIMITATION - ELECTROPNEUMATIC VALVE (70HP)						Service	ATA:21
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 21-32-06-720-802									
PKG:31									
21-32-06-720-802-02 <sup>S</sup>		FUNCTIONAL TEST OF THE CABIN ALTITUDE LIMITATION - PNEUMATIC VALVE (80HP)						Service	ATA:21
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 21-32-06-720-802									
PKG:31									
21-32-06-900-801-01		REMOVAL / INSTALLATION OF THE ELECTROPNEUMATIC VALVE - ELECTROPNEUMATIC VALVE (70HP)						Component	ATA:21
PN:2097M041301	MOS/MSC	25-Feb-21	O/C	TSO 65					
SN:02274	HRS	12299.4		TSO 2129					
WC#: 21.160	AFL	8209		TSO 1352					
PROC. REF: AMM 21-32-06-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-32-06-900-802-01		REMOVAL / INSTALLATION OF THE PNEUMATIC VALVE - PNEUMATIC VALVE (80HP)						Component	ATA:21
PN:2099N041301	MOS/MSC	25-Feb-21	O/C	TSR 107					
SN:002	HRS	12299.4		TSR 4069.4					
WC#: 21.170	AFL	8209		TSR 2655					
PROC. REF: AMM 21-32-06-900-802									
21-32-41-200-801-01 <sup>S</sup>		INSPECTION OF THE NICOTINE FILTER CARTRIDGE - CABIN AIR FILTER (90HP)						Service	ATA:21
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 21.180	AFL	8209	3750						
PROC. REF: AMM 21-32-41-200-801									
21-51-13-900-801-01		REMOVAL / INSTALLATION OF THE RECIRCULATION VALVE - RECIRCULATION VALVE (220HD)						Component	ATA:21
PN:3901-400	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:206	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: AMM 21-51-13-900-801									
21-52-05-350-801-01		RESTORATION OF THE TURBOCOOLER (OVERHAUL) - TURBOCOOLER (10HF)						Service	ATA:21
PN:3511A020000	MOS/MSC	26-Jul-12	N/A						
SN:00373	HRS	8536.4							
WC#: 21.250	AFL	5747							
PROC. REF: AMM 21-52-05-350-801									
21-52-05-610-801-01		TURBOCOOLER OIL SERVICING - TURBOCOOLER (10HF)						Service	ATA:21
	MOS/MSC	30-Jan-24	N/A						
	HRS	13780							
WC#: 21.250	AFL	9075							
PROC. REF: AMM 21-52-05-610-801									
21-52-05-700-801-01		TURBOCOOLER OIL LEVEL CHECK - TURBOCOOLER (10HF)						Service	ATA:21
	MOS	02-Jan-24							
	HRS	13736.2	200 (+10%)	Adj -38.2	13898	13918	72.6 (+20)		
	AFL	9052							
PROC. REF: AMM 21-52-05-700-801									
21-52-05-900-801-01		REMOVAL / INSTALLATION OF THE TURBOCOOLER - TURBOCOOLER (10HF)						Component	ATA:21
PN:3511A020000	MOS/MSC	26-Jul-12	O/C	TSO 0					
SN:00373	HRS	8536.4		TSO 0					
WC#: 21.250	AFL	5747		TSO 0					
PROC. REF: AMM 21-52-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-52-09-900-803-01		REMOVAL / INSTALLATION OF THE DUAL HEAT EXCHANGER - DUAL HEAT EXCHANGER (20HF)					Component	ATA:21	
PN:11-811528-2	MOS/MSC	09-Mar-12	O/C	TSR 0					
SN:E109	HRS	8230		TSR 0					
WC#: 21.290	AFL	5554		TSR 0					
PROC. REF: AMM 21-52-09-900-803									
21-52-11-900-801-01		REMOVAL / INSTALLATION OF THE JET PUMP VALVE - JET PUMP VALVE (215HF)					Component	ATA:21	
PN:BYLB52232	MOS/MSC	30-Jul-17	O/C	TSR 0					
SN:403	HRS	10741.6		TSR 0					
WC#: 21.330	AFL			TSR 0					
PROC. REF: AMM 21-52-11-900-801									
21-52-13-100-801-01 <sup>S</sup>		CLEANING OF THE CONDENSER - CONDENSER (30HF)					Service	ATA:21	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 21.300	AFL	8209	3750						
PROC. REF: AMM 21-52-13-100-801									
21-52-13-900-801-01		REMOVAL / INSTALLATION OF THE CONDENSER - CONDENSER (30HF)					Component	ATA:21	
PN:11-881528	MOS/MSC	18-Aug-22	O/C						
SN:E0614	HRS	13017.2							
WC#: 21.300	AFL	8635							
PROC. REF: AMM 21-52-13-900-801									
21-52-18-100-801-01		CLEANING OF THE WATER SEPARATOR FILTER - WATER SEPARATOR FILTER (40HF1)					Service	ATA:21	
	MOS	28-Apr-23	24 (+1m)	Adj -62d	25-Feb-25	25-Mar-25	325 d (+28)		
	HRS	13425.1	1200 (+40)		14625.1	14665.1	799.7 (+40)		
WC#: 21.260	AFL	8858							
PROC. REF: AMM 21-52-18-100-801									
21-52-33-900-801-01		REMOVAL / INSTALLATION OF THE TURBINE TEMPERATURE CONTROL VALVE - TURBINE TEMPERATURE CONTROL VALVE (120HF)					Component	ATA:21	
PN:785894-7	MOS/MSC	06-Mar-18	O/C	TSO 0					
SN:01343	HRS	11051.7		TSO 0					
WC#: 21.310	AFL	7463		TSO 0					
PROC. REF: AMM 21-52-33-900-801									
21-52-39-900-801-01		REMOVAL / INSTALLATION OF THE TURBINE TEMPERATURE SENSORS - TURBINE TEMPERATURE SENSOR (135HF)					Component	ATA:21	
PN:785-896	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:01034	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-52-39-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-52-39-900-801-02		REMOVAL / INSTALLATION OF THE TURBINE TEMPERATURE SENSORS - TURBINE TEMPERATURE SENSOR (136HF)					Component	ATA:21	
PN:785-896	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:01036	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-52-39-900-801									
21-52-45-900-801-01		REMOVAL / INSTALLATION OF THE COMPRESSOR OUTLET OVERHEAT SENSOR - COMPRESSOR OVERHEAT SENSOR (140HF)					Component	ATA:21	
PN:RP161-00	MOS/MSC	18-Jul-05	O/C	TSN 0					
SN:2575	HRS	3110.8		TSN 0					
WC#: 21.320	AFL	2145		TSN 0					
PROC. REF: AMM 21-52-45-900-801									
21-52-73-100-801-01 <sup>S</sup>		CLEANING OF THE TURBOCOOLER AIR RETURN INLET GRID					Service	ATA:21	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 21.400	AFL	8866							
PROC. REF: AMM 21-52-73-100-801									
21-52-75-960-801-01A		DISCARD DOWNSTREAM TURBOCOOLER CONDITIONING PIPE (MANDATORY 5-40)					Service	ATA:21	PKG:16
PN:F2MA721512100A2	MOS/MSC	26-Jul-12	O/C						
SN:UNKNOWN	HRS	8536.4							
WC#: 21.390	AFL	5747							
PROC. REF: AMM 21-52-75-960-801									
21-60-00-900-801-01		REMOVAL / INSTALLATION OF THE CABIN TEMPERATURE SENSOR - CABIN TEMPERATURE SENSOR (140HN)					Component	ATA:21	
PN:785895	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:469	HRS	0		TSN 0					
WC#: 21.380	AFL	0		TSN 0					
PROC. REF: AMM 21-60-00-900-801									
21-61-02-900-801-01		REMOVAL / INSTALLATION OF THE AIR CONDITIONING COMPUTER - AIR CONDITIONING COMPUTER (115HN)					Component	ATA:21	
PN:785-893-5	MOS/MSC	07-Jul-03	O/C	TSR 0					
SN:0360	HRS	1098.7		TSR 0					
WC#: 21.360	AFL	819		TSR 0					
PROC. REF: AMM 21-61-02-900-801									
21-63-02-900-801-01		REMOVAL / INSTALLATION OF THE COCKPIT HOT TEMPERATURE VALVE - COCKPIT HOT TEMPERATURE CONTROL VALVE (R105HN)					Component	ATA:21	
PN:785894-7	MOS/MSC	06-Jul-12	O/C	TSR 0					
SN:02058	HRS	8505		TSR 0					
WC#: 21.350	AFL	5723		TSR 0					
PROC. REF: AMM 21-63-02-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-63-03-900-801-01		REMOVAL / INSTALLATION OF THE COCKPIT COLD TEMPERATURE VALVE - COCKPIT COLD TEMPERATURE CONTROL VALVE (R100HN)						Component	ATA:21
PN:785894-7	MOS/MSC	06-Jul-12	O/C	TSR 0					
SN:02016	HRS	8505		TSR 0					
WC#: 21.350	AFL	5723		TSR 0					
PROC. REF: AMM 21-63-03-900-801									
21-64-02-900-801-01		REMOVAL / INSTALLATION OF THE CABIN HOT TEMPERATURE VALVE - CABIN HOT TEMPERATURE CONTROL VALVE (L105HN)						Component	ATA:21
PN:785894-7	MOS/MSC	06-Jul-12	O/C	TSR 0					
SN:01157	HRS	8505		TSR 0					
WC#: 21.340	AFL	5723		TSR 0					
PROC. REF: AMM 21-64-02-900-801									
21-64-03-900-801-01		REMOVAL / INSTALLATION OF THE CABIN COLD TEMPERATURE VALVE - CABIN COLD TEMPERATURE CONTROL VALVE (L100HN)						Component	ATA:21
PN:785894-7	MOS/MSC	06-Jul-12	O/C	TSR 0					
SN:00715	HRS	8505		TSR 0					
WC#: 21.340	AFL	5723		TSR 0					
PROC. REF: AMM 21-64-03-900-801									
21-71-01-350-801-01		RESTORATION OF THE OZONE CONVERTERS (FUNCTIONAL TEST AND CLEANING) - OZONE CONVERTER (L1HX)						Service	ATA:21
PN:41098001	MOS	19-Dec-14							
SN:7437	HRS	9832.4	5000 (+3%)		14832.4	14982.4	1007 (+150)		
WC#: 36.010	AFL	6621							
PROC. REF: AMM 21-71-01-350-801									
21-71-01-350-801-02		RESTORATION OF THE OZONE CONVERTERS (FUNCTIONAL TEST AND CLEANING) - OZONE CONVERTER (R1HX)						Service	ATA:21
PN:41098001	MOS	19-Dec-14							
SN:7438	HRS	9832.4	5000 (+3%)		14832.4	14982.4	1007 (+150)		
WC#: 36.010	AFL	6621							
PROC. REF: AMM 21-71-01-350-801									
21-71-01-900-801-01		REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - OZONE CONVERTER (L1HX)						Component	ATA:21
PN:41098001	MOS/MSC	19-Dec-14	O/C	TSN 0					
SN:7437	HRS	9832.4		TSN 0					
WC#: 36.010	AFL	6621		TSN 0					
PROC. REF: AMM 21-71-01-900-801									
21-71-01-900-801-02		REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - OZONE CONVERTER (R1HX)						Component	ATA:21
PN:41098001	MOS/MSC	19-Dec-14	O/C	TSN 0					
SN:7438	HRS	9832.4		TSN 0					
WC#: 36.010	AFL	6621		TSN 0					
PROC. REF: AMM 21-71-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
212801	LH COOLING UNIT CHECK VALVE							Component	ATA:21
PN:CYLB50419-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2662	HRS	0		TSN 0					
WC#: 21.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212806	RH COOLING UNIT CHECK VALVE							Component	ATA:21
PN:CYLB50419-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2663	HRS	0		TSN 0					
WC#: 21.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212816	LH HOT AIR CHECK VALVE							Component	ATA:21
PN:CYLB52001	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:379	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212821	RH HOT AIR CHECK VALVE							Component	ATA:21
PN:CYLB52001	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:358	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212826	LH COLD AIR DISTRIBUTION CHECK VALVE							Component	ATA:21
PN:7D2W320000	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:367	HRS	0		TSN 0					
WC#: 21.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212831	RH COLD AIR DISTRIBUTION CHECK VALVE							Component	ATA:21
PN:7D2W320000	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:368	HRS	0		TSN 0					
WC#: 21.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212841	RECIRCULATION CHECK VALVE							Component	ATA:21
PN:CYLB52331	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:176	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					
PROC. REF: AMM 21-51-13-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
212846	NOSE CONE PNEUMATIC ACTUATOR							Component	ATA:21
PN:7021-200	MOS/MSC	14-Nov-17	O/C	TSN 0					
SN:H96755	HRS	10887		TSN 0					
WC#: 21.100	AFL	7367		TSN 0					
PROC. REF: GENERIC NO REF									
212851	NOSE CONE THERMOSTAT							Component	ATA:21
PN:784-756-1	MOS/MSC	26-Jun-18	O/C	TSN 0					
SN:1797	HRS	11175.5		TSN 0					
WC#: 21.110	AFL	7526		TSN 0					
PROC. REF: GENERIC NO REF									
213811	NOSE CONE OVERPRESSURE CHECK VALVE							Component	ATA:21
PN:6025-300	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A01220	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213841	NO. 1 ENGINE LOW PRESSURE AIR CHECK VALVE							Component	ATA:21
PN:CL1030	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:0544	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213851	NO. 2 ENGINE LOW PRESSURE AIR CHECK VALVE							Component	ATA:21
PN:CL1030	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:0545	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213861	APU LOW PRESSURE AIR CHECK VALVE							Component	ATA:21
PN:CL1030	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:0546	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213871	PRESSURIZATION JET-PUMP							Component	ATA:21
PN:407D0105	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:00334	HRS	0		TSN 0					
WC#: 21.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>215801</b>		<b>COLD AIR CHECK VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:CYLB50712	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:547	HRS	0		TSN 0					
WC#: 21.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>215806</b>		<b>DOWNSTREAM TURBOCOOLER CONDITIONING PIPE</b>					<b>Component</b>		<b>ATA:21</b>
PN:F2MA721512100A2	MOS/MSC	26-Jul-12	O/C						
SN:UNKNOWN	HRS	8536.4							
WC#: 21.390	AFL	5747							
PROC. REF: GENERIC NO REF									
<b>215831</b>		<b>HIGH PRESSURE WATER SEPARATOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:SP0500C01	MOS/MSC	26-Jul-12	O/C	TSR 0					
SN:00385	HRS	8536.4		TSR 0					
WC#: 21.260	AFL	5747		TSR 0					
PROC. REF: GENERIC NO REF									
<b>216851</b>		<b>CABIN DUCT TEMPERATURE (L120HN) SENSOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:785-896	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:01135	HRS	0		TSN 0					
WC#: 21.370	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>216861</b>		<b>COCKPIT DUCT TEMPERATURE (R120HN) SENSOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:785-896	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:01208	HRS	0		TSN 0					
WC#: 21.370	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>216866</b>		<b>CABIN DUCT TEMPERATURE (121HN) SENSOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:785-896	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:01207	HRS	0		TSN 0					
WC#: 21.415	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>216881</b>		<b>COCKPIT TEMPERATURE SENSOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:785895	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:479	HRS	0		TSN 0					
WC#: 21.380	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
216891	CABIN TEMPERATURE INDICATOR							Component	ATA:21
PN:5318-221-80-10	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:477	HRS	0		TSN 0					
WC#: 21.380	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-01	REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - CABIN PRESSURE MANUAL CONTROLLER (60HP)							Component	ATA:21
PN:912AB0101	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:00291	HRS	0		TSN 0					
WC#: 21.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 22 - AUTO FLIGHT</b>									
22-10-00-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE AUTOMATIC FLIGHT CONTROL SYSTEM (AFCS)							Service	ATA:22
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 22.010	AFL	8866							
PROC. REF: AMM 22-10-00-710-801									
22-10-02-900-802-01	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL COMPUTER (FCC) - FCC 1 (L145CA)							Component	ATA:22
PN:822-0327-508	MOS/MSC	10-Jun-11	O/C						
SN:101A	HRS	7785							
WC#: 22.050	AFL	5245							
PROC. REF: AMM 22-10-02-900-802									
22-10-02-900-802-02	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL COMPUTER (FCC) - FCC 2 (R145CA)							Component	ATA:22
PN:822-0327-508	MOS/MSC	07-Oct-21	O/C	TSO 0					
SN:2264	HRS	12318.9		TSO 0					
WC#: 22.050	AFL	8222		TSO 0					
PROC. REF: AMM 22-10-02-900-802									
22-10-05-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE AUTOPILOT SERVOMOTORS - AILERON SERVOMOTOR (210CA)							Service	ATA:22
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 22.020	AFL	6374	7500						
PROC. REF: AMM 22-10-05-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 22 - AUTO FLIGHT</b>								
<b>22-10-05-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE AUTOPILOT SERVOMOTORS - ELEVATOR SERVOMOTOR (211CA) Service ATA:22</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 22.030	AFL	6374	7500					
PROC. REF: AMM 22-10-05-720-801								PKG:32
<b>22-10-05-900-801-01 REMOVAL / INSTALLATION OF THE AUTOPILOT SERVOMOTORS - AILERON SERVOMOTOR (210CA) Component ATA:22</b>								
PN:622-4404-102	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:CWVX	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-10-05-900-801								
<b>22-10-05-900-801-02 REMOVAL / INSTALLATION OF THE AUTOPILOT SERVOMOTORS - ELEVATOR SERVOMOTOR (211CA) Component ATA:22</b>								
PN:622-4404-102	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:CRWC	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-10-05-900-801								
<b>22-10-07-700-801-01<sup>S</sup> CHECK OF THE AUTOPILOT SERVOMOTOR CABLES AND PULLEYS - AILERON SERVOMOTOR CABLE (10CA) Service ATA:22</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 22.020	AFL	6374	7500					
PROC. REF: AMM 22-10-07-700-801								PKG:32
<b>22-10-07-700-801-02<sup>S</sup> CHECK OF THE AUTOPILOT SERVOMOTOR CABLES AND PULLEYS - ELEVATOR SERVOMOTOR CABLE (5CA) Service ATA:22</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 22.030	AFL	6374	7500					
PROC. REF: AMM 22-10-07-700-801								PKG:32
<b>22-10-13-700-801-01 CHECK / ADJUSTMENT OF THE AUTOPILOT SERVOMOTOR CAPSTAN SLIP TORQUE - AILERON SERVOMOTOR CAPSTAN (11CA) Service ATA:22</b>								
	MOS	22-Jan-02						
	HRS	0	14000 (+3%)		14000	14420	174.6 (+420)	
WC#: 22.060	AFL	0						
PROC. REF: AMM 22-10-13-700-801								
<b>22-10-13-700-801-02 CHECK / ADJUSTMENT OF THE AUTOPILOT SERVOMOTOR CAPSTAN SLIP TORQUE - ELEVATOR SERVOMOTOR CAPSTAN (6CA) Service ATA:22</b>								
	MOS	22-Jan-02						
	HRS	0	14000 (+3%)		14000	14420	174.6 (+420)	
WC#: 22.060	AFL	0						
PROC. REF: AMM 22-10-13-700-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 22 - AUTO FLIGHT</b>									
22-13-01-350-801-01		RESTORATION OF THE YAW DAMPER ACTUATOR (OVERHAUL) - YAW DAMPER LINEAR ACTUATOR (220CA)							Service ATA:22
PN:822-1794-001	MOS	08-Feb-23						OVERHAUL	
SN:4P66V	HRS	13303.8	3000		16303.8		2478.4		
WC#: 22.040	AFL	8799							
PROC. REF: AMM 22-13-01-350-801									
22-13-01-350-801-01A		RESTORATION YAW DAMPER ACTUATOR (MANDATORY 5-40)							Service ATA:22
PN:822-1794-001	MOS	08-Feb-23						MANDATORY 5-40	
SN:4P66V	HRS	13303.8	3000		16303.8		2478.4		
WC#: 22.040	AFL	8799							
PROC. REF: AMM 22-13-01-350-801									
22-13-01-900-801-01		REMOVAL / INSTALLATION OF THE YAW DAMPER ACTUATOR - YAW DAMPER ACTUATOR (220CA)							Component ATA:22
PN:822-1794-001	MOS/MSC	08-Feb-23	H/T						
SN:4P66V	HRS	13303.8							
WC#: 22.040	AFL	8799							
PROC. REF: AMM 22-13-01-900-801									
22-15-00-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF MACH TRIM							Service ATA:22
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 22.080	AFL	8209							
PROC. REF: AMM 22-15-00-720-801									
PKG:21									
221801		AUTOPILOT AILERON CONTROL SERVOMOTOR SUPPORT							Component ATA:22
PN:622-5028-001	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:45PM	HRS	0		TSN 0					
WC#: 22.060	AFL	0		TSN 0					
PROC. REF: AMM 22-10-05-900-801									
221802		AUTOPILOT ELEVATOR CONTROL SERVOMOTOR SUPPORT							Component ATA:22
PN:622-5028-001	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:DD4W	HRS	0		TSN 0					
WC#: 22.060	AFL	0		TSN 0					
PROC. REF: AMM 22-10-05-900-801									
<b>ATA 23 - COMMUNICATIONS</b>									
23-11-00-710-802-01		OPERATIONAL TEST OF THE VHF COMMUNICATION SYSTEM - VHF 1 SYSTEM							Service ATA:23
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
PROC. REF: AMM 23-11-00-710-802									
23-11-00-710-802-02	OPERATIONAL TEST OF THE VHF COMMUNICATION SYSTEM - VHF 2 SYSTEM							Service	ATA:23
	MOS/MSC	19-Apr-13	O/C						
	HRS	8891.1							
	AFL	5993							
PROC. REF: AMM 23-11-00-710-802									
23-11-00-710-802-03	OPERATIONAL TEST OF THE VHF COMMUNICATION SYSTEM - VHF 3 SYSTEM (A/C WITH VHF 3)							Service	ATA:23
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 23-11-00-710-802									
23-11-05-900-801-01	REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 1 ANTENNA							Component	ATA:23
PN:S65-8280-10	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:7986	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-11-05-900-801									
23-11-05-900-801-02	REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 2 ANTENNA							Component	ATA:23
PN:S65-8280-10	MOS/MSC	19-Apr-13	O/C	TSN 0					
SN:310-24133	HRS	8891.1		TSN 0					
WC#: 23.020	AFL	5993		TSN 0					
PROC. REF: AMM 23-11-05-900-801									
23-60-00-760-801-01 <sup>S</sup>	VISUAL INSPECTION AND ELECTRICAL BONDING CHECK OF THE STATIC DISCHARGERS							Service	ATA:23
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 23.070	AFL	8209							
PROC. REF: AMM 23-60-00-760-801									
23-81-01-900-801-01	REMOVAL / INSTALLATION OF THE RADIO TUNING UNIT (RTU) - RTU 1 (L230RC)							Component	ATA:23
PN:822-0730-334	MOS/MSC	09-Feb-12	O/C						
SN:10P6H	HRS								
WC#: 23.040	AFL								
PROC. REF: AMM 23-81-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
23-81-01-900-801-02		REMOVAL / INSTALLATION OF THE RADIO TUNING UNIT (RTU) - RTU 2 (R230RC)					Component	ATA:23	
PN:822-0730-334	MOS/MSC	09-Feb-12	O/C						
SN:D7RX	HRS								
WC#: 23.040	AFL								
PROC. REF: AMM 23-81-01-900-801									
231801		HF ANTENNA					Component	ATA:23	
PN:FGFB312001B2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:218	HRS	0		TSN 0					
WC#: 23.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231831		NO. 1 VHF TRANSCEIVER					Component	ATA:23	
PN:822-1115-001	MOS/MSC	18-Aug-14	O/C	TSO 0					
SN:4962	HRS	9603.6		TSO 0					
WC#: 23.030	AFL	6454		TSO 0					
PROC. REF: GENERIC NO REF									
231841		NO. 2 VHF TRANSCEIVER					Component	ATA:23	
PN:822-1115-001	MOS/MSC	08-Aug-08	O/C	TSR 0					
SN:F02D	HRS	5963.6		TSR 0					
WC#: 23.030	AFL	4024		TSR 0					
PROC. REF: GENERIC NO REF									
231871		HF TRANSCEIVER					Component	ATA:23	
PN:822-0102-001	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1592	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231876		HF COUPLER AMPLIFIER					Component	ATA:23	
PN:622-8114-002	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4011	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231AA1 <sup>U</sup>		AUDIO INTERFACE UNIT (AIU)					Component	ATA:23	
PN:822-0271-001	MOS/MSC	02-Jun-21	O/C						
SN:3YJJ	HRS	12299.4							
	AFL	8209							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-20-05-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE GROUND FAULT INTERRUPTER (GFI)</b> Service ATA:24								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 24-20-05-710-801, SMM 24-90-01								PKG:21
<b>24-30-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS</b> Service ATA:24								
	MOS	31-Oct-22						
	HRS	13136.6	1600 (+40)					
WC#: 24.030	AFL	8709						
PROC. REF: AMM 24-30-00-710-801								PKG:21
<b>24-30-00-710-801-01A OPERATIONAL TEST OF VOLTAGE MONITORING CIRCUITS (MANDATORY 5-40)</b> Service ATA:24								
	MOS	31-Oct-22						MANDATORY 5-40
	HRS	13136.6	1800		14936.6		1111.2	
	AFL	8709						
PROC. REF: AMM 24-30-00-710-801								
<b>24-31-01-350-801-01 RESTORATION OF THE DC GENERATORS (OVERHAUL) - DC GENERATOR 1 (L100PC)</b> Service ATA:24								
PN:12800-2-1	MOS	03-Dec-18						OVERHAUL
SN:1475	HRS	11464.55	3240 (+3%)		14704.55	14801.75	879.2 (+97.2)	
WC#: 24.070	AFL	7700						
PROC. REF: AMM 24-31-01-350-801								
<b>24-31-01-350-801-02 RESTORATION OF THE DC GENERATORS (OVERHAUL) - DC GENERATOR 2 (R100PC)</b> Service ATA:24								
PN:12800-2-1	MOS	25-Jan-18						OVERHAUL
SN:1185	HRS	10984.6	3240 (+3%)		14224.6	14321.8	399.2 (+97.2)	
WC#: 24.070	AFL	7424						
PROC. REF: AMM 24-31-01-350-801								
<b>24-31-01-900-801-01 REMOVAL / INSTALLATION OF THE DC GENERATORS - DC GENERATOR 1 (L100PC)</b> Component ATA:24								
PN:12800-2-1	MOS/MSC	03-Dec-18	H/T	TSO 0				
SN:1475	HRS	11464.55		TSO 0				
WC#: 24.070	AFL	7700		TSO 0				
PROC. REF: AMM 24-31-01-900-801								
<b>24-31-01-900-801-02 REMOVAL / INSTALLATION OF THE DC GENERATORS - DC GENERATOR 2 (R100PC)</b> Component ATA:24								
PN:12800-2-1	MOS/MSC	25-Jan-18	H/T	TSO 0				
SN:1185	HRS	10984.6		TSO 0				
WC#: 24.070	AFL	7424		TSO 0				
PROC. REF: AMM 24-31-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-31-09-900-801-01		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - APU GCU (70KA)						Component	ATA:24
PN:12900-6	MOS/MSC	29-May-19	O/C						
SN:2159	HRS	11797.1							
WC#: 24.110	AFL	7891							
PROC. REF: AMM 24-31-09-900-801									
24-31-09-900-801-02		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 1 (L130PC)						Component	ATA:24
PN:12900-6	MOS/MSC	26-May-06	O/C						
SN:1106	HRS	4060.7							
WC#: 24.110	AFL	2736							
PROC. REF: AMM 24-31-09-900-801									
24-31-09-900-801-03		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 2 (R130PC)						Component	ATA:24
PN:12900-6	MOS/MSC	12-Dec-11	O/C	TSR 0					
SN:1632	HRS	8142.3		TSR 0					
WC#: 24.110	AFL	5491		TSR 0					
PROC. REF: AMM 24-31-09-900-801									
24-32-00-710-802-01		CHECK OF THE BATTERY REVERSE CURRENT PROTECTION						Service	ATA:24
	MOS	22-May-23							
	HRS	13436.3	7500		20936.3		7110.9		
WC#: 24.060	AFL	8866							
PROC. REF: AMM 24-32-00-710-802									
24-32-00-710-802-01A		CHECK OF THE BATTERY REVERSE CURRENT PROTECTION (MANDATORY 5-40)						Service	ATA:24
	MOS	22-May-23						MANDATORY 5-40	
	HRS	13436.3	7500		20936.3		7110.9		
WC#: 24.060	AFL	8866							
PROC. REF: AMM 24-32-00-710-802									
24-32-01-350-801-01		RESTORATION OF A MAIN NICKEL-CADMIUM BATTERY (OVERHAUL) - BATTERY (150PC)						Service	ATA:24
PN:405CH10	MOS	17-May-23	33 (+2m)		17-Feb-26	17-Apr-26	682 d (+59)	OVERHAUL	
SN:U02280	HRS	13436.3	1700 (+3%)		15136.3	15187.3	1310.9 (+51)		
WC#: 24.050	AFL	8866							
PROC. REF: AMM 24-32-01-350-801									
24-32-01-700-801-01		REGULAR CHECK OF A MAIN NICKEL-CADMIUM BATTERY - BATTERY (150PC)						Service	ATA:24
PN:405CH10	MOS	17-May-23	17 (+1m)		17-Oct-24	17-Nov-24	194 d (+31)		
SN:U02280	HRS	13436.3	850 (+10%)		14286.3	14371.3	460.9 (+85)		
WC#: 24.050	AFL	8866							
PROC. REF: AMM 24-32-01-700-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
24-32-01-900-801-01 REMOVAL / INSTALLATION OF THE MAIN BATTERY - BATTERY (150PC)								Component ATA:24
PN:405CH10	MOS/MSC	17-May-23	O/C	TSO 0				
SN:U02280	HRS	13436.3		TSO 0				
WC#: 24.050	AFL	8866		TSO 0				
PROC. REF: AMM 24-32-01-900-801								
24-32-09-610-801-01 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - STAND-BY INSTRUMENTS BATTERY (330NH)								Service ATA:24
PN:804747	MOS	03-Jan-24	12 (+3%)		03-Jan-25	14-Jan-25	272 d (+11)	
SN:1621	HRS	13736.2						
WC#: 34.140	AFL	9052						
PROC. REF: AMM 24-32-09-610-801								
24-32-09-610-801-02 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 1 STAND-BY BATTERY (195NP)								Service ATA:24
PN:804747	MOS	03-Jan-24	12 (+3%)		03-Jan-25	14-Jan-25	272 d (+11)	
SN:3026	HRS	13736.2						
WC#: 34.150	AFL	9052						
PROC. REF: AMM 24-32-09-610-801								
24-32-09-610-801-03 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 2 STAND-BY BATTERY (295NP)								Service ATA:24
PN:804747	MOS	03-Jan-24	12 (+3%)		03-Jan-25	14-Jan-25	272 d (+11)	
SN:089	HRS	13736.2						
WC#: 34.150	AFL	9052						
PROC. REF: AMM 24-32-09-610-801								
24-32-09-610-801-04 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 3 STAND-BY BATTERY (95NP)								Service ATA:24
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
WC#: 34.160	AFL							
PROC. REF: AMM 24-32-09-610-801								
24-32-09-720-801-01 CAPACITY TESTING OF THE STAND-BY BATTERIES - STAND-BY INSTRUMENTS BATTERY (330NH)								Service ATA:24
PN:804747	MOS/MSC	03-Jan-24	N/A					
SN:1621	HRS	13736.2						
	AFL	9052						
PROC. REF: AMM 24-32-09-720-801								
24-32-09-720-801-02 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 1 STAND-BY BATTERY (195NP)								Service ATA:24
PN:804747	MOS/MSC	03-Jan-24	N/A					
SN:3026	HRS	13736.2						
	AFL	9052						
PROC. REF: AMM 24-32-09-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-32-09-900-801-01		REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - STAND-BY INSTRUMENTS BATTERY (330NH)					Component	ATA:24	
PN:804747	MOS/MSC	03-Jan-24	O/C	TSO 0					
SN:1621	HRS	13736.2		TSO 0					
WC#: 34.140	AFL	9052		TSO 0					
PROC. REF: AMM 24-32-09-900-801									
24-32-09-900-801-02		REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 1 STAND-BY BATTERY (195NP)					Component	ATA:24	
PN:804747	MOS/MSC	03-Jan-24	O/C	TSO 0					
SN:3026	HRS	13736.2		TSO 0					
WC#: 34.150	AFL	9052		TSO 0					
PROC. REF: AMM 24-32-09-900-801									
24-32-09-900-801-03		REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 2 STAND-BY BATTERY (295NP)					Component	ATA:24	
PN:804747	MOS/MSC	03-Jan-24	O/C	TSO 0					
SN:089	HRS	13736.2		TSO 0					
WC#: 34.150	AFL	9052		TSO 0					
PROC. REF: AMM 24-32-09-900-801									
24-32-09-900-801-04		REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 3 STAND-BY BATTERY (95NP)					Component	ATA:24	
PN:PN	MOS/MSC	06-Jan-17	O/C						
SN:UNKNOWN	HRS	10577.5							
WC#: 34.160	AFL	7134							
PROC. REF: AMM 24-32-09-900-801									
24-32-09-900-801-05		REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - AUXILIARY BATTERY (R710PE)					Component	ATA:24	
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
WC#: 23.080	AFL								
PROC. REF: GENERIC NO REF									
24-32-09-960-801-01		REPLACEMENT OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERY PACKS - STAND-BY INSTRUMENTS BATTERY (330NH)					Service	ATA:24	
PN:804747	MOS/MSC	03-Jan-24	O/C						
SN:1621	HRS	13736.2							
	AFL	9052							
PROC. REF: AMM 24-32-09-960-801									
24-32-09-960-801-02		REPLACEMENT OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERY PACKS - IRS 1 STAND-BY BATTERY (195NP)					Service	ATA:24	
PN:804747	MOS/MSC	03-Jan-24	O/C						
SN:3026	HRS	13736.2							
	AFL	9052							
PROC. REF: AMM 24-32-09-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-32-09-960-801-03 REPLACEMENT OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERY PACKS - IRS 2 STAND-BY BATTERY (295NP) Service ATA:24</b>								
PN:804747	MOS/MSC	03-Jan-24	O/C					
SN:089	HRS	13736.2						
	AFL	9052						
PROC. REF: AMM 24-32-09-960-801								
<b>24-32-09-960-802-05 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - AUXILIARY BATTERY (R710PE) Service ATA:24</b>								
PN:PN	MOS	02-Jun-21	48		02-Jun-25		422 d	DISCARD
SN:NOT INSTALLED	HRS	12299.4						
	AFL	8209						
PROC. REF: AMM 24-32-09-960-802								
<b>24-33-01-350-801-01 RESTORATION OF THE APU STARTER-GENERATOR (OVERHAUL) - APU STARTER-GENERATOR (30KA) Service ATA:24</b>								
PN:8060-160	MOS	25-Apr-23						OVERHAUL
SN:2871	HRS	13425.1						
WC#: 24.040	AFL	8858						
	APH	8503	1240 (+3%)		9743	9780.2	990 (+37.2)	
PROC. REF: AMM 24-33-01-350-801								
<b>24-33-01-900-801-01 REMOVAL / INSTALLATION OF THE APU STARTER-GENERATOR - APU STARTER-GENERATOR (30KA) Component ATA:24</b>								
PN:8060-160	MOS/MSC	25-Apr-23	H/T	TSO 0				
SN:2871	HRS	13425.1		TSO 0				
WC#: 24.040	AFL	8858		TSO 0				
	APH	8503	0	TSO 0				
PROC. REF: AMM 24-33-01-900-801								
<b>24-33-05-220-803-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES - APU STARTER-GENERATOR (30KA) Service ATA:24</b>								
PN:8060-160	MOS/MSC		N/A					
SN:2871	HRS							
	AFL							
	APH							
PROC. REF: AMM 24-33-05-220-803, AMM 24-33-05-220-803, AMM 24-33-05-220-803								
<b>24-33-05-220-804-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - APU STARTER-GENERATOR (30KA) Service ATA:24</b>								
PN:8060-160	MOS	25-Apr-23						
SN:2871	HRS	13425.1						
	AFL	8858						
	APH	8503	600 (+30)		9103	9133	350 (+30)	
PROC. REF: AMM 24-33-05-220-804								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-33-05-220-805-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - APU STARTER-GENERATOR (30KA) Service ATA:24</b>								
PN:8060-160	MOS/MSC		N/A					
SN:2871	HRS							
	AFL							
	APH							
PROC. REF: AMM 24-33-05-220-805								
<b>24-33-05-960-801-01 REPLACEMENT OF THE APU STARTER-GENERATOR BRUSHES Service ATA:24</b>								
PN:8060-160	MOS/MSC		O/C					
SN:2871	HRS							
	AFL							
	APH		0					
PROC. REF: AMM 24-33-05-960-801								
<b>24-40-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE GROUND POWER RECEPTACLE OVERVOLTAGE PROTECTION PCB - GROUND POWER UNIT PROTECTION PCB (504PG) Service ATA:24</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 24.120	AFL	8209						
PROC. REF: AMM 24-40-00-720-801								
PKG:21								
<b>24-41-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF BATTERY CHARGING BY GPU - GENERAL TEST OF THE FUNCTION Service ATA:24</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 24-41-00-720-801								
PKG:21								
<b>24-41-00-720-801-02<sup>S</sup> FUNCTIONAL TEST OF BATTERY CHARGING BY GPU - TEST OF SAFETY DEVICES Service ATA:24</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 24-41-00-720-801								
PKG:21								
<b>24-61-01-900-801-01 REMOVAL / INSTALLATION OF THE MAIN ELECTRICAL BOXES - LH MAIN ELECTRICAL BOX (10PZ) Component ATA:24</b>								
PN:430GC02AY06	MOS/MSC	23-Dec-11	O/C	TSN 0				
SN:186	HRS	8144.8		TSN 0				
WC#: 24.010	AFL	5492		TSN 0				
PROC. REF: AMM 24-61-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
24-61-01-900-801-02 REMOVAL / INSTALLATION OF THE MAIN ELECTRICAL BOXES - RH MAIN ELECTRICAL BOX (20PZ)								Component ATA:24
PN:440GC02AY05	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:102	HRS	0		TSN 0				
WC#: 24.010	AFL	0		TSN 0				
PROC. REF: AMM 24-61-01-900-801								
24-63-09-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE ENGINE STARTING PRINTED CIRCUIT BOARD - LH ENGINE STARTING PCB (L15EX)								Service ATA:24
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 80.030	AFL	8209						
PROC. REF: AMM 24-63-09-720-801								
24-63-09-720-801-02 <sup>S</sup> FUNCTIONAL TEST OF THE ENGINE STARTING PRINTED CIRCUIT BOARD - RH ENGINE STARTING PCB (R15EX)								Service ATA:24
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 80.030	AFL	8209						
PROC. REF: AMM 24-63-09-720-801								
24-63-13-710-801-01 <sup>S</sup> OPERATIONAL TEST OF THE DOME LIGHT PCB - DOME LIGHT PCB (515LS)								Service ATA:24
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 24.140	AFL	8209						
PROC. REF: AMM 24-63-13-710-801								
24-90-01-900-801-01 GROUND FAULT (GFI) INTERRUPTER								Component ATA:24
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
243805 LH ALTERNATOR AIR-INTAKE DUCT								Component ATA:24
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
243806 RH ALTERNATOR AIR-INTAKE DUCT								Component ATA:24
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
243811	MAIN SUPPLY BATTERY BLOWER							Component	ATA:24
PN:VA0906XXA	MOS/MSC	19-Apr-13	O/C	TSO 0					
SN:UNKNOWN	HRS	8891.1		TSO 0					
WC#: 24.020	AFL	5993		TSO 0					
PROC. REF: GENERIC NO REF									
243821	LH DC VOLTMETER							Component	ATA:24
PN:2396-118-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2387	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243831	RH DC VOLTMETER							Component	ATA:24
PN:2396-118-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2492	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243841	LH DC AMMETER							Component	ATA:24
PN:2396-328-00-00	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:656	HRS	0		TSN 0					
WC#: 24.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243851	RH DC AMMETER							Component	ATA:24
PN:2396-328-00-00	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:661	HRS	0		TSN 0					
WC#: 24.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244801	GROUND POWER RECEPTACLE							Component	ATA:24
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-00-01-200-801-01	INSPECTION OF THE ONBOARD KIT							Service	ATA:25
	MOS/MSC	31-Jan-17	O/C						
	HRS	10584.7							
WC#: 25.035	AFL	7139							
PROC. REF: AMM 25-00-01-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-00-05-200-801-01<sup>S</sup> INSPECTION OF THE CREW AND PASSENGER SEAT HARNESSSES AND SAFETY BELTS Service ATA:25</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 25.010	AFL	8209	3750					
PROC. REF: AMM 25-00-05-200-801								PKG:31
<b>25-00-09-200-801-01<sup>U</sup> CHECK OF THE CLOSING AND SEALING OF TRASH CANS Service ATA:25</b>								
	MOS/MSC	30-Jan-17	O/C					
	HRS	10584.7						
WC#: 25.032	AFL	7139						
PROC. REF: GENERIC NO REF								
<b>25-11-01-900-801-01 REMOVAL / INSTALLATION OF THE PILOT SEATS - LH PILOT SEAT (L2MG) Component ATA:25</b>								
PN:1421311-15	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:1457	HRS	0		TSN 0				
WC#: 25.020	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01-900-801								
<b>25-11-01-900-801-02 REMOVAL / INSTALLATION OF THE PILOT SEATS - RH PILOT SEAT (R2MG) Component ATA:25</b>								
PN:1421310-15	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:1069	HRS	0		TSN 0				
WC#: 25.020	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01-900-801								
<b>25-11-13-640-801-01<sup>S</sup> GREASING OF THE PILOT SEAT ACTUATOR ROD END-FITTINGS - LH PILOT SEAT (L2MG) Service ATA:25</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 25.030	AFL	8209						
PROC. REF: AMM 25-11-13-640-801								PKG:21
<b>25-11-13-640-801-02<sup>S</sup> GREASING OF THE PILOT SEAT ACTUATOR ROD END-FITTINGS - RH PILOT SEAT (R2MG) Service ATA:25</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 25.030	AFL	8209						
PROC. REF: AMM 25-11-13-640-801								PKG:21
<b>25-11-19-960-801-01<sup>S</sup> REPLACEMENT OF THE PILOT SEAT LOCKING PIN SPRINGS - LH PILOT SEAT (L2MG) Service ATA:25</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
	AFL	8209	3750					
PROC. REF: AMM 25-11-19-960-801								PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-19-960-801-02 <sup>S</sup>	REPLACEMENT OF THE PILOT SEAT LOCKING PIN SPRINGS - RH PILOT SEAT (R2MG)							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-11-19-960-801							PKG:31	
25-11-25-200-801-01 <sup>S</sup>	INSPECTION OF THE PILOT SEAT ROLLER PINS - LH PILOT SEAT (L2MG)							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 25.110	AFL	8209	3750						
	PROC. REF: AMM 25-11-25-200-801							PKG:31	
25-11-25-200-801-02 <sup>S</sup>	INSPECTION OF THE PILOT SEAT ROLLER PINS - RH PILOT SEAT (R2MG)							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-11-25-200-801							PKG:31	
25-12-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE THIRD CREW MEMBER SEAT - THIRD CREW MEMBER SEAT (M1001MP)							Service	ATA:25
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
	AFL	9075							
	PROC. REF: AMM 25-12-00-210-801, SMM 25-90-01							PKG:5	
25-20-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE ASSIST HANDLES - PASSENGER DOOR ASSIST HANDLE							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-20-00-210-801, SMM 25-90-07							PKG:31	
25-20-00-210-801-02	GENERAL VISUAL INSPECTION OF THE ASSIST HANDLES - AFT LAVATORY ASSIST HANDLE							Service	ATA:25
	MOS/MSC	22-Jan-02	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 25-20-00-210-801								
25-20-00-220-801-04	INSPECTION / TEST OF THE WASTE CONTAINERS - INSPECTION / TEST OF WASTE CONTAINERS							Service	ATA:25
	MOS	12-Feb-23							
	HRS	13314.7	1000	Adj -110	14204.7		379.3		
	AFL	8802							
	PROC. REF: AMM 25-20-00-220-801, SMM 25-90-17								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20-00-220-802-01 <sup>S</sup>	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - INSPECTION OF DOORS, DRAWERS AND THEIR RESPECTIVE LATCHING MECHANISMS							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-20-00-220-802, SMM 25-90-09							PKG:31	
25-20-00-220-802-02 <sup>S</sup>	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - INSPECTION OF THE POP OUT WORK SURFACE							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-20-00-220-802, SMM 25-90-25							PKG:31	
25-20-00-220-802-05 <sup>S</sup>	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - OPERATIONAL TEST OF TAMBOUR DOOR POWER CUT OFF FUNCTION							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-20-00-220-802, SMM 25-90-13							PKG:31	
25-21-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE PASSENGER SEATS AND DIVAN - DETAILED INSPECTION OF THE SINGLE AND DOUBLE SEATS							Service	ATA:25
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9	2400 (+40)						
	AFL	9101							
	PROC. REF: AMM 25-21-00-220-801, SMM 25-90-03							PKG:7	
25-22-01-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-22-01-210-801, SMM 25-90-27							PKG:31	
25-22-01-210-801-02 <sup>U</sup>	GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES - CONSOLE TABLE IN FRONT OF EMERGENCY EXIT							Service	ATA:25
	MOS/MSC	19-Dec-14	O/C						
	HRS	9832.4							
	AFL	6621							
	PROC. REF: SMM 25-90-27								
25-22-05-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE DINING TABLE							Service	ATA:25
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 25-22-05-220-802, SMM 25-90-29							PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-23-61-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE TRACKING MAGAZINE RACK - INSPECTION OF THE TRACKING MAGAZINE RACK</b>								
	MOS	05-Jun-23	24 (+1m)					Service ATA:25
	HRS	13436.3	1600 (+40)					
	AFL	8866						
PROC. REF: AMM 25-23-61-210-801, SMM 25-90-39								PKG:6
<b>25-30-16-900-801-01 COFFEE MAKER</b>								
PN:HFE96-28B	MOS/MSC	11-Sep-15	O/C					Component ATA:25
SN:1031AT	HRS	10170.4						
	AFL	6857						
PROC. REF: AMM 25-33-00-900-801								
<b>25-30-33-900-801-01 CONVECTION OVEN</b>								
PN:PN	MOS/MSC	11-Jun-19	O/C					Component ATA:25
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 25-33-00-900-801								
<b>25-33-09-210-801-01 INSPECTION OF THE COFFEE MAKER / ESPRESSO MACHINE</b>								
	MOS/MSC	11-Sep-15	A/R					Service ATA:25
	HRS	10170.4						
	AFL	6857						
PROC. REF: AMM 25-33-09-210-801								
<b>25-33-17-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE MICROWAVE OVEN</b>								
	MOS	28-Feb-24	36 (+1m)					Service ATA:25
	HRS	13817.9	2400 (+40)					
	AFL	9101						
PROC. REF: AMM 25-33-17-210-801, SMM 25-90-19								PKG:7
<b>25-33-17-710-801-01 OPERATIONAL TEST OF THE MICROWAVE OVEN DOOR ELECTRICAL POWER CUT-OFF FUNCTION</b>								
PN:R26ST	MOS/MSC	22-Jan-02	N/A					Service ATA:25
SN:080873308	HRS	0						
	AFL	0						
PROC. REF: AMM 25-33-17-710-801								
<b>25-60-00-200-801-02<sup>S</sup> INSPECTION OF THE SAFETY EQUIPMENT - SAFETY EQUIPMENT</b>								
	MOS	05-Jun-23	24 (+1m)					Service ATA:25
	HRS	13436.3						
WC#: 25.040	AFL	8866						
PROC. REF: AMM 25-60-00-200-801								PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-60-00-200-801-03	INSPECTION OF THE SAFETY EQUIPMENT - FIRST AID KIT							Service	ATA:25
	MOS/MSC	05-Jun-23	DUE						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 25-60-00-200-801									
25-60-01-900-801-01	NO. 1 EMERGENCY VISION ASSURANCE SYSTEM (EVAS) UNIT							Component	ATA:25
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-00-900-801									
25-60-01-900-801-02	NO. 2 EMERGENCY VISION ASSURANCE SYSTEM (EVAS) UNIT							Component	ATA:25
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-00-900-801									
25-61-00-200-881-01	INSPECTION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM (FAR 91.207)							Service	ATA:25
	MOS	20-Oct-23	12		20-Oct-24		197 d	MANDATORY	
	HRS	13603.5							
	AFL	8973							
PROC. REF: FAR 91.207									
25-61-00-710-801-01	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM- CHECK OF ELT 96/97 UNIT CONTROLS							Service	ATA:25
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 25.100	AFL	0							
PROC. REF: AMM 25-61-00-710-801, AMM 25-61-00-710-801									
25-61-00-710-801-02 <sup>S</sup>	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM- CHECK OF ELT 96/97/ADT 406 COCKPIT CONTROLS							Service	ATA:25
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9							
	AFL	9101							
PROC. REF: AMM 25-61-00-710-801, AMM 25-61-00-710-801									
25-61-00-710-801-03	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - SELF-TEST OF ELT 96/97/ADT 406							Service	ATA:25
	MOS	02-Jun-21	36 (+1m)		02-Jun-24	02-Jul-24	57 d (+30)		
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 25-61-00-710-801, AMM 25-61-00-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-61-00-710-801-04 OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - OPERATIONAL TEST OF ELT 90/91</b>								
	MOS	26-May-23	12 (+1m)		26-May-24	26-Jun-24	50 d (+31)	Service ATA:25
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 25-61-00-710-801								
<b>25-61-01-710-801-01 OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) G-SWITCH - ELT (32RB)</b>								
PN:01N65900	MOS	21-Nov-19	60 (+3%)		21-Nov-24	14-Jan-25	229 d (+54)	Service ATA:25
SN:08502745	HRS	12085						
	AFL	8072						
PROC. REF: AMM 25-61-01-710-801, AMM 25-61-01-710-801								
<b>25-61-01-900-802-01 REMOVAL / INSTALLATION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) ADT 406 - ELT (32RB)</b>								
PN:01N65900	MOS/MSC	18-Nov-19	O/C	TSO 0				Component ATA:25
SN:08502745	HRS	12082		TSO 0				
WC#: 25.100	AFL	8072		TSO 0				
PROC. REF: AMM 25-61-01-900-803, AMM 25-61-01-900-804, AMM 25-61-01-900-802								
<b>25-61-13-200-801-01 VISUAL INSPECTION OF THE ELT BATTERY PACK (JOLLIET JE2) - ELT (32RB)</b>								
	MOS/MSC	22-Jan-02	O/C					Service ATA:25
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-61-13-200-801								
<b>25-61-13-200-802-01 VISUAL INSPECTION OF THE ELT BATTERY PACKS (ELT 90 / 91 OR ELT 96 / 97) - ELT (32RB)</b>								
	MOS/MSC	22-Jan-02	O/C					Service ATA:25
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-61-13-200-802								
<b>25-61-13-200-803-01 VISUAL INSPECTION OF ELT BATTERY PACK (ELT ADT 406) - ELT (32RB)</b>								
	MOS/MSC	22-Jan-02	O/C					Service ATA:25
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-61-13-200-803								
<b>25-61-13-960-801-01 DISCARD OF THE ELT BATTERY PACKS - ELT (32RB)</b>								
PN:01N65900	MOS/MSC	06-Jul-18	DUE		01-Nov-24 (M)		209 d	Service ATA:25 LIFE LIMIT
SN:08502745	HRS	11175.5						
WC#: 25.100	AFL	7526						
PROC. REF: AMM 25-61-13-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-62-00-900-801-01		REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - CVR UNDERWATER LOCATOR BEACON (10FZ1)					Component	ATA:25	
PN:DK120	MOS/MSC	02-Jun-21	O/C						
SN:AT168343	HRS	12299.4							
WC#: 25.100	AFL	8209							
PROC. REF: AMM 25-62-00-900-801									
25-62-00-900-801-02		REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR UNDERWATER LOCATOR BEACON (130FZ1) OR (715FZ1)					Component	ATA:25	
PN:DK120/90	MOS/MSC	31-Oct-22	O/C	TSN 0					
SN:AT178947	HRS	13136.6		TSN 0					
WC#: 25.100	AFL	8709		TSN 0					
PROC. REF: AMM 25-62-00-900-801									
25-62-01-720-801-01		FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - CVR UNDERWATER LOCATOR BEACON (10FZ1)					Service	ATA:25	
PN:DK120	MOS	05-Jul-23	25 (+3%)		05-Aug-25	28-Aug-25	486 d (+23)		
SN:AT168343	HRS	13445.4							
WC#: 25.100	AFL	8870							
PROC. REF: AMM 25-62-01-720-801									
25-62-01-720-801-02		FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR UNDERWATER LOCATOR BEACON (130FZ1) OR (715FZ1)					Service	ATA:25	
PN:DK120/90	MOS	31-Oct-22	25 (+3%)		30-Nov-24	22-Dec-24	238 d (+22)		
SN:AT178947	HRS	13136.6							
WC#: 25.100	AFL	8709							
PROC. REF: AMM 25-62-01-720-801									
25-62-05-960-801-01		RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS (DISCARD OF THE FDR / CVR ULB BATTERY) - CVR UNDERWATER LOCATOR BEACON (10FZ1)					Service	ATA:25	
PN:DK120	MOS/MSC	02-Jun-21	DUE		01-Feb-28 (M)		1396 d	LIFE LIMIT	
SN:AT168343	HRS	12299.4							
WC#: 25.100	AFL	8209							
PROC. REF: AMM 25-62-05-960-801									
25-62-05-960-801-02		RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS (DISCARD OF THE FDR / CVR ULB BATTERY) - FDR UNDERWATER LOCATOR BEACON (130FZ1)					Service	ATA:25	
PN:DK120/90	MOS/MSC	31-Oct-22	DUE		29-Jun-29 (M)		1910 d	LIFE LIMIT	
SN:AT178947	HRS	13136.6							
WC#: 25.100	AFL	8709							
PROC. REF: AMM 25-62-05-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-63-00-350-801-01	RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - PILOT EVAS UNIT (L9510MP)							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-00-350-801									
25-63-00-350-801-02	RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - COPILOT EVAS UNIT (R9510MP)							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-00-350-801									
25-63-00-710-801-01	OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - PILOT EVAS UNIT (L9510MP)							Service	ATA:25
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 25-63-00-710-801									
25-63-00-710-801-02	OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - COPILOT EVAS UNIT (R9510MP)							Service	ATA:25
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 25-63-00-710-801									
25-63-01-960-801-01	DISCARD OF THE EVAS BATTERY - PILOT EVAS UNIT (L9510MP)							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-01-960-801									
25-63-01-960-801-02	DISCARD OF THE EVAS BATTERY - COPILOT EVAS UNIT (R9510MP)							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-01-960-801									
25-64-13-200-801-01	INSPECT NO. 1 LIFE RAFT							Service	ATA:25
PN:913FAUL-H30-1-106	MOS	05-Jul-23	36 (+3%)		05-Jul-26	07-Aug-26	820 d (+33)		
SN:9UL-01452	HRS	13445.4							
WC#: 25.090	AFL	8870							
PROC. REF: AMM 25-64-13-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-13-200-801-01		INSPECT NO. 2 LIFE RAFT						Service	ATA:25
PN:913FAUL-3K0-1-101	MOS	08-Mar-23	36 (+3%)		08-Mar-26	10-Apr-26	701 d (+33)		
SN:9UL-00145	HRS	13363.3							
WC#: 25.090	AFL	8829							
PROC. REF: AMM 25-64-13-200-801									
25-64-13-350-801-01		RESTORATION NO. 1 LIFE RAFT (OVERHAUL)						Service	ATA:25
PN:913FAUL-H30-1-106	MOS	05-Jul-23	60 (+3%)		05-Jul-28	29-Aug-28	1551 d (+55)		
SN:9UL-01452	HRS	13445.4							
	AFL	8870							
PROC. REF: AMM 25-64-13-350-801									
25-64-13-350-801-01		RESTORATION NO. 2 LIFE RAFT (OVERHAUL)						Service	ATA:25
PN:913FAUL-3K0-1-101	MOS	08-Mar-23	60 (+3%)		08-Mar-28	02-May-28	1432 d (+55)		
SN:9UL-00145	HRS	13363.3							
	AFL	8829							
PROC. REF: AMM 25-64-13-350-801									
25-64-13-790-801-01S <sup>U</sup>		INSPECTION/HYDROSTATIC TEST NO. 1 LIFE RAFT						Service	ATA:25
PN:913FAUL-H30-1-106	MOS	05-Jul-23	60		05-Jul-28		1551 d		
SN:9UL-01452	HRS	13445.4							
	AFL	8870							
25-64-13-790-801-02S <sup>U</sup>		INSPECTION/HYDROSTATIC TEST NO. 2 LIFE RAFT						Service	ATA:25
PN:913FAUL-3K0-1-101	MOS	08-Mar-23	60		08-Mar-28		1432 d		
SN:9UL-00145	HRS	13363.3							
	AFL	8829							
25-64-13-900-801-01		NO. 1 LIFE RAFT						Component	ATA:25
PN:913FAUL-H30-1-106	MOS/MSC	05-Jul-23	O/C	TSN 0					
SN:9UL-01452	HRS	13445.4		TSN 0					
WC#: 25.090	AFL	8870		TSN 0					
PROC. REF: GENERIC NO REF									
25-64-13-900-801-01		NO. 2 LIFE RAFT						Component	ATA:25
PN:913FAUL-3K0-1-101	MOS/MSC	08-Mar-23	O/C	TSO 0					
SN:9UL-00145	HRS	13363.3		TSO 0					
WC#: 25.090	AFL	8829		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-13-960-801-01		DISCARD OF THE LIFE RAFT - NO. 1 LIFE RAFT (15ME)						Service	ATA:25
PN:913FAUL-H30-1-106	MOS/MSC	05-Jul-23	O/C						
SN:9UL-01452	HRS	13445.4							
	AFL	8870							
PROC. REF: AMM 25-64-13-960-801									
25-64-13-960-801-01		DISCARD OF THE LIFE RAFT - NO. 2 LIFE RAFT (15ME)						Service	ATA:25
PN:913FAUL-3K0-1-101	MOS/MSC	22-Jan-02	O/C						
SN:9UL-00145	HRS	0							
	AFL	0							
PROC. REF: AMM 25-64-13-960-801									
25-64-17-350-802-01		RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - LH PILOT LIFE VEST (L10ME)						Service	ATA:25
PN:63600-505	MOS	18-Jul-22	120 (+3%)		18-Jul-32	05-Nov-32	3025 d (+110)	OVERHAUL	
SN:L1273776	HRS								
WC#: 25.045	AFL								
PROC. REF: AMM 25-64-17-350-802									
25-64-17-350-802-02		RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - RH PILOT LIFE VEST (R10ME)						Service	ATA:25
PN:63600-505	MOS	18-Jul-22	120 (+3%)		18-Jul-32	05-Nov-32	3025 d (+110)	OVERHAUL	
SN:L165311	HRS								
WC#: 25.046	AFL								
PROC. REF: AMM 25-64-17-350-802									
25-64-17-350-802-03		RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - THIRD CREW MEMBER LIFE VEST (M10ME)						Service	ATA:25
PN:63600-505	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL	
SN:L166624	HRS								
WC#: 25.047	AFL								
PROC. REF: AMM 25-64-17-350-802									
25-64-17-350-803-01		RESTORATION NO. 01 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service	ATA:25
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL	
SN:L166623	HRS								
WC#: 25.050	AFL								
PROC. REF: AMM 25-64-17-350-803									
25-64-17-350-803-01		RESTORATION NO. 02 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service	ATA:25
PN:63600-105	MOS	17-Aug-22	120 (+3%)		17-Aug-32	05-Dec-32	3055 d (+110)	OVERHAUL	
SN:L1668815	HRS	13017.2							
WC#: 25.050	AFL	8635							
PROC. REF: AMM 25-64-17-350-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-350-803-01 RESTORATION NO. 03 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	15-Jul-22	60		01-Jul-32 (M)		3008 d	OVERHAUL
SN:L166628	HRS							
WC#: 25.060	AFL							
PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 04 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL
SN:L1592365	HRS							
WC#: 25.060	AFL							
PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 05 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL
SN:L732627	HRS							
WC#: 25.070	AFL							
PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 06 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL
SN:L166621	HRS							
WC#: 25.070	AFL							
PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 07 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL
SN:L166625	HRS							
WC#: 25.080	AFL							
PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 08 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL
SN:L166622	HRS							
WC#: 25.080	AFL							
PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION NO. 09 PASSENGER LIFE VEST (OVERHAUL OR DISCARD) Service ATA:25								
PN:63600-105	MOS	17-Aug-22	120 (+3%)		17-Aug-32	05-Dec-32	3055 d (+110)	OVERHAUL
SN:L1668816	HRS	13017.2						
WC#: 25.081	AFL	8635						
PROC. REF: AMM 25-64-17-350-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-17-350-803-01		RESTORATION NO. 10 PASSENGER LIFE VEST (OVERHAUL OR DISCARD)						Service	ATA:25
PN:63600-105	MOS	15-Jul-22	120 (+3%)		15-Jul-32	02-Nov-32	3022 d (+110)	OVERHAUL	
SN:L166626	HRS								
WC#: 25.081	AFL								
PROC. REF: AMM 25-64-17-350-803									
25-64-17-350-803-01		RESTORATION NO. 11 PASSENGER LIFE VEST						Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
WC#: 25.082	AFL								
PROC. REF: AMM 25-64-17-350-803									
25-64-17-350-803-01		RESTORATION NO. 12 PASSENGER LIFE VEST						Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
WC#: 25.082	AFL								
PROC. REF: AMM 25-64-17-350-803									
25-64-17-350-803-13		RESTORATION NO. 1 INFANT LIFE VEST (OVERHAUL OR DISCARD)						Service	ATA:25
PN:S-10002-1300-999002	MOS	17-Aug-22	120		17-Aug-32		3055 d	OVERHAUL	
SN:8016	HRS	13017.2							
	AFL	8635							
PROC. REF: AMM 25-64-17-350-803									
25-64-17-900-802-01		PILOT LIFE VEST						Component	ATA:25
PN:63600-505	MOS/MSC	17-Aug-22	O/C	TSO 0					
SN:L1273776	HRS	13017.2		TSO 0					
WC#: 25.045	AFL	8635		TSO 0					
PROC. REF: GENERIC NO REF									
25-64-17-900-802-02		COPILOT LIFE VEST						Component	ATA:25
PN:63600-505	MOS/MSC	17-Aug-22	O/C	TSO 0					
SN:L165311	HRS	13017.2		TSO 0					
WC#: 25.046	AFL	8635		TSO 0					
PROC. REF: GENERIC NO REF									
25-64-17-900-802-03		THIRD CREW MEMBER LIFE VEST						Component	ATA:25
PN:63600-505	MOS/MSC	17-Aug-22	O/C	TSO 0					
SN:L166624	HRS	13017.2		TSO 0					
WC#: 25.047	AFL	8635		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-17-900-803-01		NO. 01 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L166623	HRS	13017.2			TSO 0				
WC#: 25.050	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 02 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L1668815	HRS	13017.2			TSO 0				
WC#: 25.050	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 03 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L166628	HRS	13017.2			TSO 0				
WC#: 25.060	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 04 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L1592365	HRS	13017.2			TSO 0				
WC#: 25.060	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 05 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L732627	HRS	13017.2			TSO 0				
WC#: 25.070	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 06 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L166621	HRS	13017.2			TSO 0				
WC#: 25.070	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 07 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L166625	HRS	13017.2			TSO 0				
WC#: 25.080	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-17-900-803-01		NO. 08 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L166622	HRS	13017.2			TSO 0				
WC#: 25.080	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 09 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L1668816	HRS	13017.2			TSO 0				
WC#: 25.081	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 10 PASSENGER LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	17-Aug-22	O/C		TSO 0				
SN:L166626	HRS	13017.2			TSO 0				
WC#: 25.081	AFL	8635			TSO 0				
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 11 PASSENGER LIFE VEST							Component ATA:25
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
WC#: 25.082	AFL								
PROC. REF: GENERIC NO REF									
25-64-17-900-803-01		NO. 12 PASSENGER LIFE VEST							Component ATA:25
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
WC#: 25.082	AFL								
PROC. REF: GENERIC NO REF									
25-64-17-900-804-01		NO. 1 INFANT LIFE VEST							Component ATA:25
PN:S-10002-1300-999002	MOS/MSC	17-Aug-22	O/C						
SN:8016	HRS	13017.2							
	AFL	8635							
PROC. REF: GENERIC NO REF									
25-90-01-900-801-03		THIRD CREW MEMBER SEAT							Component ATA:25
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-90-19-900-801-01		MICROWAVE OVEN						Component	ATA:25
PN:R26ST	MOS/MSC	14-Mar-19	O/C						
SN:080873308	HRS	11684.6		TSN 1817.6					
	AFL	7810		TSN 1089					
PROC. REF: AMM 25-33-00-900-801									
251811		PILOT SEAT ACTUATOR						Component	ATA:25
PN:8260	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1024	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: AMM 25-11-13-900-801									
251812		COPILOT SEAT ACTUATOR						Component	ATA:25
PN:8260	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1114	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: AMM 25-11-13-900-801									
253A00 <sup>U</sup>		MED-AIR FIRST AID KIT						Component	ATA:25
PN:AFAK 1.0	MOS/MSC	26-Mar-23	O/C	TSN 0				CUSTOMER CODE	
SN:111920016	HRS	13370.6		TSN 0					
	AFL	8831		TSN 0					
253A01 <sup>U</sup>		RESTORE MED-AIR FIRST AID KIT						Service	ATA:25
PN:AFAK 1.0	MOS	18-Mar-24	12		18-Mar-25		346 d		
SN:111920016	HRS	13825.4							
	AFL	9104							
256E01 <sup>U</sup>		RENEW ELT BEACON NOAA 406 MHZ REGISTRATION						Service	ATA:25
	MOS	22-Jan-02	24		05-Jul-25 (M)		455 d		
	HRS	0							
	AFL	0							
256E04 <sup>U</sup>		REGISTRATION NO. 2 ELT BEACON NOAA 406 MHZ						Service	ATA:25
	MOS		24		05-Jul-25 (M)		455 d		
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
256K01 <sup>U</sup>		FIRST AID KIT						Component	ATA:25
PN:500939	MOS/MSC	23-Mar-22	O/C	TSN 0					
SN:101416004	HRS	12811.1		TSN 0					
	AFL	8492		TSN 0					
256K06 <sup>U</sup>		INSPECT/RECERTIFY FIRST AID KIT						Service	ATA:25
PN:500939	MOS	28-May-23	12		28-May-24		52 d		
SN:101416004	HRS	13436.3							
	AFL	8866							
33-50-05-350-802-02		RESTORATION OF THE MAGLITE RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (R702LC)						Service	ATA:25
PN:P2-07-0011-500	MOS/MSC		N/A						
SN:N/A	HRS								
	AFL								
PROC. REF: AMM 33-50-05-350-802, SMM 25-90-43									
<b>ATA 26 - FIRE PROTECTION</b>									
26-10-00-720-801-01		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 1 FIRE DETECTOR (L5WG)						Service	ATA:26
PN:360112290040017	MOS	03-Aug-20							
SN:252913	HRS	12299.4	7500 (+3%)		19799.4	20024.4	5974 (+225)		
WC#: 26.010	AFL	8209							
PROC. REF: AMM 26-10-00-720-801									
26-10-00-720-801-02		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 2 FIRE DETECTOR (R5WG)						Service	ATA:26
PN:360112290040017	MOS	03-Aug-20							
SN:222109	HRS	12299.4	7500 (+3%)		19799.4	20024.4	5974 (+225)		
WC#: 26.010	AFL	8209							
PROC. REF: AMM 26-10-00-720-801									
26-10-00-720-801-03		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - APU FIRE DETECTOR (10WG)						Service	ATA:26
PN:36018190040009	MOS	26-Apr-14							
SN:95745	HRS	9480.7							
WC#: 26.020	AFL	6374							
	APH	5431	5000 (+3%)	Adj -5.3	10425.7	10575.7	1672.7 (+150)		
PROC. REF: AMM 26-10-00-720-801									
26-10-17-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE PINPOINT FIRE DETECTORS - LH MAIN LANDING GEAR COMPARTMENT FIRE DETECTOR (L110WG)						Service	ATA:26
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
PROC. REF: AMM 26-10-17-720-801									

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-10-17-720-801-01A	FUNCTIONAL TEST OF THE LH MAIN LANDING GEAR COMPARTMENT PIN POINT FIRE DETECTOR (MANDATORY 5-40)							Service	ATA:26
	MOS	06-Jul-18						MANDATORY 5-40	
	HRS	11175.5	20000		31175.5		17350.1		
	AFL	7526							
PROC. REF: AMM 26-10-17-720-801									
26-10-17-720-801-02 <sup>S</sup>	FUNCTIONAL TEST OF THE PINPOINT FIRE DETECTORS - RH MAIN LANDING GEAR COMPARTMENT FIRE DETECTOR (R110WG)							Service	ATA:26
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
PROC. REF: AMM 26-10-17-720-801									
26-10-17-720-801-02A	FUNCTIONAL TEST OF THE RH MAIN LANDING GEAR COMPARTMENT PIN POINT FIRE DETECTOR (MANDATORY 5-40)							Service	ATA:26
	MOS	06-Jul-18						MANDATORY 5-40	
	HRS	11175.5	20000		31175.5		17350.1		
	AFL	7526							
PROC. REF: AMM 26-10-17-720-801									
26-10-19-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 1 FIRE DETECTOR (L5WG)							Component	ATA:26
PN:360112290040017	MOS/MSC	03-Feb-15	O/C		TSN 0				
SN:252913	HRS	9851.6			TSN 0				
WC#: 26.010	AFL	6634			TSN 0				
PROC. REF: AMM 26-10-19-900-801									
26-10-19-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 2 FIRE DETECTOR (R5WG)							Component	ATA:26
PN:360112290040017	MOS/MSC	19-Apr-06	O/C						
SN:222109	HRS	3941.9							
WC#: 26.010	AFL	2659							
PROC. REF: AMM 26-10-19-900-801									
26-10-19-900-801-03	REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - APU FIRE DETECTOR (10WG)							Component	ATA:26
PN:36018190040009	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:95745	HRS	0			TSN 0				
WC#: 26.020	AFL	0			TSN 0				
PROC. REF: AMM 26-10-19-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-10-19-900-801-04	REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - LH MAIN LANDING GEAR COMPARTMENT FIRE DETECTOR (L110WG)							Component	ATA:26
PN:B160	MOS/MSC	28-Jun-05	O/C						
SN:5017	HRS	3027.9							
WC#: 26.050	AFL	2087							
PROC. REF: AMM 26-10-19-900-801									
26-10-19-900-801-05	REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - RH MAIN LANDING GEAR COMPARTMENT FIRE DETECTOR (R110WG)							Component	ATA:26
PN:B160	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:AG390	HRS	0		TSN 0					
WC#: 26.050	AFL	0		TSN 0					
PROC. REF: AMM 26-10-19-900-801									
26-10-21-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT SMOKE DETECTOR - SMOKE DETECTOR (210WG)							Component	ATA:26
PN:FR2220	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:597	HRS	0		TSN 0					
WC#: 26.030	AFL	0		TSN 0					
PROC. REF: AMM 26-10-21-900-801									
26-10-29-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE OVERHEAT PROBE - OVERHEAT PROBE (120WG)							Service	ATA:26
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 26.170	AFL	7526							
PROC. REF: AMM 26-10-29-720-801									
26-20-00-760-801-01	INSULATION TEST OF APU AND ENGINE EXTINGUISHER PERCUSSION CIRCUITS - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L10WB)							Service	ATA:26
PN:862700-00	MOS/MSC		O/C						
SN:N/A	HRS								
	AFL								
PROC. REF: AMM 26-20-00-760-801									
26-20-00-760-801-02	INSULATION TEST OF APU AND ENGINE EXTINGUISHER PERCUSSION CIRCUITS - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (R10WB)							Service	ATA:26
PN:861375	MOS/MSC	17-Oct-23	O/C						
SN:N/A	HRS	13603.5							
	AFL	8973							
PROC. REF: AMM 26-20-00-760-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-00-760-801-03	INSULATION TEST OF APU AND ENGINE EXTINGUISHER PERCUSSION CIRCUITS - APU PERCUSSION CARTRIDGE (11WB)							Service	ATA:26
PN:862700-00	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 26-20-00-760-801									
26-20-00-760-801-04	INSULATION TEST OF APU AND ENGINE EXTINGUISHER PERCUSSION CIRCUITS - ENGINE 2 SECOND-SHOOT PERCUSSION CARTRIDGE (L20WB)							Service	ATA:26
PN:862710-00	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 26-20-00-760-801									
26-20-00-760-801-05	INSULATION TEST OF APU AND ENGINE EXTINGUISHER PERCUSSION CIRCUITS - ENGINE 2 FIRST-SHOOT PERCUSSION CARTRIDGE (R20WB)							Service	ATA:26
PN:862700-00	MOS/MSC		O/C						
SN:N/A	HRS								
	AFL								
PROC. REF: AMM 26-20-00-760-801									
26-20-01-760-801-01 <sup>S</sup>	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 1 "DISCH 1" SWITCH/LIGHT (310WG4)							Service	ATA:26
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 26.080	AFL	8209	3750						
PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-02 <sup>S</sup>	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 1 "DISCH 2" SWITCH/LIGHT (310WG5)							Service	ATA:26
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-03 <sup>S</sup>	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 2 "DISCH 1" SWITCH/LIGHT (310WG11)							Service	ATA:26
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 26.090	AFL	8209	3750						
PROC. REF: AMM 26-20-01-760-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-01-760-801-04<sup>S</sup> CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 2 "DISCH 2" SWITCH/LIGHT (310WG12) Service ATA:26</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
	AFL	8209	3750					
PROC. REF: AMM 26-20-01-760-801								PKG:31
<b>26-20-01-760-801-05<sup>S</sup> CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - APU "DISCH 1" SWITCH/LIGHT (310WG8) Service ATA:26</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 26.100	AFL	8209	3750					
PROC. REF: AMM 26-20-01-760-801								PKG:31
<b>26-20-01-900-801-01 REMOVAL / INSTALLATION OF THE FIRE CONTROL PANEL - FIRE CONTROL PANEL (310WG) Component ATA:26</b>								
PN:6100-02	MOS/MSC	02-May-05	O/C					
SN:220	HRS	2851.6						
WC#: 26.060	AFL	1969						
PROC. REF: AMM 26-20-01-900-801								
<b>26-20-09-220-801-01 WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE FIRE EXTINGUISHER (L30WB) Service ATA:26</b>								
PN:863470-01	MOS	26-Feb-24	18 (+3%)		26-Aug-25	11-Sep-25	507 d (+16)	
SN:UE002638	HRS							
WC#: 26.080	AFL							
PROC. REF: AMM 26-20-09-220-801								
<b>26-20-09-220-801-02 WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE FIRE EXTINGUISHER (R30WB) Service ATA:26</b>								
PN:861630	MOS	24-Sep-23	12 (+1m)		24-Sep-24	24-Oct-24	171 d (+30)	
SN:54313	HRS							
WC#: 26.090	AFL							
PROC. REF: AMM 26-20-09-220-801								
<b>26-20-09-220-801-03 WEIGHING OF THE FIRE EXTINGUISHERS - APU FIRE EXTINGUISHER (35WB) Service ATA:26</b>								
PN:863470-01	MOS	19-Apr-23	18 (+3%)		19-Oct-24	04-Nov-24	196 d (+16)	
SN:UE001331	HRS							
WC#: 26.100	AFL							
PROC. REF: AMM 26-20-09-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-09-350-801-01		RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE FIRE EXTINGUISHER (L30WB)					Service		ATA:26
PN:863470-01	MOS	10-Nov-18	120		10-Nov-28		1679 d	MANDATORY	
SN:UE002638	HRS								
WC#: 26.080	AFL								
PROC. REF: AMM 26-20-09-350-801									
26-20-09-350-801-02		RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE FIRE EXTINGUISHER (R30WB)					Service		ATA:26
PN:861630	MOS	31-Oct-18	120		31-Oct-28		1669 d	MANDATORY	
SN:54313	HRS								
WC#: 26.090	AFL								
PROC. REF: AMM 26-20-09-350-801									
26-20-09-350-801-03		RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - APU FIRE EXTINGUISHER (35WB)					Service		ATA:26
PN:863470-01	MOS	31-Jul-18	120		31-Jul-28		1577 d	MANDATORY	
SN:UE001331	HRS								
WC#: 26.100	AFL								
PROC. REF: AMM 26-20-09-350-801									
26-20-09-900-801-01		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE FIRE EXTINGUISHER (L30WB)					Component		ATA:26
PN:863470-01	MOS/MSC	20-Sep-22	H/T	TSO 45					
SN:UE002638	HRS	13053		TSO 1570.5					
WC#: 26.080	AFL	8659		TSO 951					
PROC. REF: AMM 26-20-09-900-801									
26-20-09-900-801-02		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE FIRE EXTINGUISHER (R30WB)					Component		ATA:26
PN:861630	MOS/MSC	24-Sep-23	H/T						
SN:54313	HRS	13560.4							
WC#: 26.090	AFL	8949							
PROC. REF: AMM 26-20-09-900-801									
26-20-09-900-801-03		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - APU FIRE EXTINGUISHER (35WB)					Component		ATA:26
PN:863470-01	MOS/MSC	02-Aug-18	H/T	TSO 0					
SN:UE001331	HRS	11237.7		TSO 0					
WC#: 26.100	AFL	7562		TSO 0					
PROC. REF: AMM 26-20-09-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-12-900-801-01		REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 1 SHUTTLE VALVE (L40WB)					Component	ATA:26	
PN:861585	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3708	HRS	0		TSN 0					
WC#: 26.130	AFL	0		TSN 0					
PROC. REF: AMM 26-20-12-900-801									
26-20-12-900-801-02		REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 2 SHUTTLE VALVE (R40WB)					Component	ATA:26	
PN:861585	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:3710	HRS	8230		TSN 0					
WC#: 26.130	AFL	5554		TSN 0					
PROC. REF: AMM 26-20-12-900-801									
26-20-12-960-801-01		DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 1 SHUTTLE VALVE (L40WB)					Service	ATA:26	
PN:861585	MOS/MSC	22-Jan-02	A/R					REPLACE	
SN:3708	HRS	0							
	AFL	0							
PROC. REF: AMM 26-20-12-960-801									
26-20-12-960-801-02		DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 2 SHUTTLE VALVE (R40WB)					Service	ATA:26	
PN:861585	MOS/MSC	09-Mar-12	A/R					REPLACE	
SN:3710	HRS	8230							
	AFL	5554							
PROC. REF: AMM 26-20-12-960-801									
26-20-13-900-802-01		REMOVAL / INSTALLATION OF THE ENGINE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L10WB)					Component	ATA:26	
PN:862700-00	MOS/MSC	31-Oct-18	H/T						
SN:N/A	HRS	11391.4							
	AFL	7655							
PROC. REF: AMM 26-20-13-900-802									
26-20-13-900-802-02		REMOVAL / INSTALLATION OF THE ENGINE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (R10WB)					Component	ATA:26	
PN:861375	MOS/MSC	17-Oct-23	H/T	TSN 0					
SN:N/A	HRS	13603.5		TSN 0					
	AFL	8973		TSN 0					
PROC. REF: AMM 26-20-13-900-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-13-900-802-03		REMOVAL / INSTALLATION OF THE ENGINE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT PERCUSSION CARTRIDGE (L20WB)					Component	ATA:26	
PN:862710-00	MOS/MSC	31-Oct-18	H/T						
SN:UNKNOWN	HRS	11391.4							
	AFL	7655							
PROC. REF: AMM 26-20-13-900-802									
26-20-13-900-802-04		REMOVAL / INSTALLATION OF THE ENGINE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT PERCUSSION CARTRIDGE (R20WB)					Component	ATA:26	
PN:862700-00	MOS/MSC	31-Oct-18	H/T	TSN 0					
SN:N/A	HRS	11391.4		TSN 0					
	AFL	7655		TSN 0					
PROC. REF: AMM 26-20-13-900-802									
26-20-13-900-802-05		REMOVAL / INSTALLATION OF THE ENGINE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - APU PERCUSSION CARTRIDGE (11WB)					Component	ATA:26	
PN:862700-00	MOS/MSC	25-Sep-18	H/T	TSN 1					
SN:UNKNOWN	HRS	11314.9		TSN 0					
	AFL	7612		TSN 0					
PROC. REF: AMM 26-20-13-900-802									
26-20-13-960-801-01		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L10WB)					Service	ATA:26	
PN:862700-00	MOS/MSC	31-Oct-18	O/C						
SN:N/A	HRS								
WC#: 26.080	AFL								
PROC. REF: AMM 26-20-13-960-801									
26-20-13-960-801-01M		DISCARD NO. 1 ENGINE FIRST-SHOOT PERCUSSION RED (L10WB) CARTRIDGE (LIFE LIMIT)					Service	ATA:26	
PN:862700-00	MOS	20-Aug-18	120		20-Aug-28		1597 d	LIFE LIMIT	
SN:N/A	HRS								
WC#: 26.080	AFL								
PROC. REF: AMM 26-20-13-960-801									
26-20-13-960-801-02		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (R10WB)					Service	ATA:26	
PN:861375	MOS	17-Oct-23	60		17-Oct-28		1655 d	SCRAP	
SN:N/A	HRS								
WC#: 26.090	AFL								
PROC. REF: AMM 26-20-13-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-13-960-801-02M DISCARD NO. 1 ENGINE SECOND-SHOOT PERCUSSION RED (R10WB) CARTRIDGE (LIFE LIMIT)</b>								
PN:861375	MOS	24-Dec-21	84		24-Dec-28		1723 d	Service ATA:26 LIFE LIMIT
SN:N/A	HRS							
WC#: 26.090	AFL							
PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-03 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT PERCUSSION CARTRIDGE (L20WB)</b>								
PN:862710-00	MOS/MSC	31-Oct-18	O/C					Service ATA:26
SN:UNKNOWN	HRS							
WC#: 26.080	AFL							
PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-03M DISCARD NO. 2 ENGINE SECOND-SHOOT PERCUSSION GREEN (L20WB) CARTRIDGE (LIFE LIMIT)</b>								
PN:862710-00	MOS	08-Aug-18	120		08-Aug-28		1585 d	Service ATA:26 LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.080	AFL							
PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-04 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT PERCUSSION CARTRIDGE (R20WB)</b>								
PN:862700-00	MOS/MSC	31-Oct-18	O/C					Service ATA:26
SN:N/A	HRS							
WC#: 26.090	AFL							
PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-04M DISCARD NO. 2 ENGINE FIRST-SHOOT PERCUSSION GREEN (R20WB) CARTRIDGE (LIFE LIMIT)</b>								
PN:862700-00	MOS	08-Aug-18	120		08-Aug-28		1585 d	Service ATA:26 LIFE LIMIT
SN:N/A	HRS							
WC#: 26.090	AFL							
PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-05 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - APU PERCUSSION CARTRIDGE (11WB)</b>								
PN:862700-00	MOS/MSC	25-Sep-18	O/C					Service ATA:26
SN:UNKNOWN	HRS							
WC#: 26.100	AFL							
PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-05M DISCARD APU PERCUSSION RED (11WB) CARTRIDGE (LIFE LIMIT)</b>								
PN:862700-00	MOS	08-Mar-18	120		08-Mar-28		1432 d	Service ATA:26 LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.100	AFL							
PROC. REF: AMM 26-20-13-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-15-720-801-01<sup>U</sup> WEIGH COCKPIT PORTABLE EXTINGUISHER</b>								
PN:898052	MOS	30-Sep-22	24 (+3%)		30-Sep-24	21-Oct-24	177 d (+21)	Service ATA:26
SN:W-567085	HRS							
WC#: 26.150	AFL							
<b>26-20-15-720-801-02 WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - FWD CABIN PORTABLE FIRE EXTINGUISHER (110WB2)</b>								
PN:898052	MOS	09-Apr-23	24 (+3%)		09-Apr-25	30-Apr-25	368 d (+21)	Service ATA:26
SN:W-575513	HRS							
	AFL							
PROC. REF: AMM 26-20-15-720-801								
<b>26-20-15-720-801-03 WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - AFT CABIN PORTABLE FIRE EXTINGUISHER (110WB3)</b>								
PN:898052	MOS	09-Apr-23	24 (+3%)		09-Apr-25	30-Apr-25	368 d (+21)	Service ATA:26
SN:B04014347	HRS							
	AFL							
PROC. REF: AMM 26-20-15-720-801								
<b>26-20-15-720-801-04 WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - PORTABLE FIRE EXTINGUISHER 4 (110WB4)</b>								
PN:PN	MOS/MSC	22-Jan-02	N/A					Service ATA:26
SN:UNKNOWN	HRS	0						
WC#: 26.160	AFL	0						
PROC. REF: AMM 26-20-15-720-801								
<b>26-20-15-790-801-01<sup>U</sup> HYDROSTATIC TEST COCKPIT PORTABLE EXTINGUISHER</b>								
PN:898052	MOS	01-Apr-21	144 (+3%)		01-Apr-33	10-Aug-33	3282 d (+131)	Service ATA:26
SN:W-567085	HRS							
WC#: 26.150	AFL							
<b>26-20-15-790-801-02 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - FWD CABIN PORTABLE FIRE EXTINGUISHER (110WB2)</b>								
PN:898052	MOS	01-Apr-21	144 (+3%)		01-Apr-33	10-Aug-33	3282 d (+131)	Service ATA:26
SN:W-575513	HRS							
	AFL							
PROC. REF: AMM 26-20-15-790-801								
<b>26-20-15-790-801-03 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - AFT CABIN PORTABLE FIRE EXTINGUISHER (110WB3)</b>								
PN:898052	MOS	01-Apr-21	144 (+3%)		01-Apr-33 (M)	10-Aug-33	3282 d (+131)	Service ATA:26
SN:B04014347	HRS							
	AFL							
PROC. REF: AMM 26-20-15-790-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
26-20-15-790-801-04		HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - PORTABLE FIRE EXTINGUISHER 4 (110WB4)					Service	ATA:26
PN:PN	MOS/MSC	22-Jan-02	N/A					
SN:UNKNOWN	HRS	0						
WC#: 26.160	AFL	0						
PROC. REF: AMM 26-20-15-790-801								
26-20-19-720-801-01		WEIGHING OF THE DISPOSABLE FIRE EXTINGUISHER - DISPOSABLE FIRE EXTINGUISHER (L7513ME)					Service	ATA:26
PN:PN	MOS/MSC		N/A					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 26-20-19-720-801, SMM 26-90-01								
26-90-01-900-801-01		DISPOSABLE FIRE EXTINGUISHER					Component	ATA:26
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
262081		FORWARD PORTABLE FIRE EXTINGUISHER (110WB2)					Component	ATA:26
PN:898052	MOS/MSC	09-Apr-23	H/T		TSO 24			
SN:W-575513	HRS	13403.8			TSO 1104.4			
	AFL	8844			TSO 635			
PROC. REF: GENERIC NO REF								
262082		AFT CABIN PORTABLE FIRE EXTINGUISHER (110WB3)					Component	ATA:26
PN:898052	MOS/MSC	09-Apr-23	H/T		TSO 24			
SN:B04014347	HRS	13403.8			TSO 1104.4			
	AFL	8844			TSO 635			
PROC. REF: GENERIC NO REF								
262083		COCKPIT PORTABLE EXTINGUISHER					Component	ATA:26
PN:898052	MOS/MSC	14-Apr-23	H/T		TSN 0			
SN:W-567085	HRS	13406.1			TSN 0			
	AFL	8846			TSN 0			
PROC. REF: GENERIC NO REF								
262084		PORTABLE FIRE EXTINGUISHER NO. 4 (110WB4)					Component	ATA:26
PN:PN	MOS/MSC	22-Jan-02	N/A		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 26.160	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00-00-220-801-01A	INTEGRITY CHECK AND VISUAL INSPECTION FOR CORROSION AND EXTERNAL LEAKS ON FLIGHT CONTROL HYDRAULIC COMPONENTS (MANDATORY 5-40)							Service	ATA:27
	MOS	06-Jul-18						MANDATORY 5-40	
	HRS	11175.5	4000		15175.5		1350.1		
WC#: 27.495	AFL	7526							
PROC. REF: AMM 27-00-00-220-801									
27-00-00-640-801-01 <sup>S</sup>	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - LH AILERON SERVO-ACTUATOR (30CR)							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-00-00-640-801									
27-00-00-640-801-02 <sup>S</sup>	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - RH AILERON SERVO-ACTUATOR (40CR)							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-00-00-640-801									
27-00-00-640-801-03 <sup>S</sup>	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - RUDDER SERVO-ACTUATOR (10CL)							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.025	AFL	6374	7500						
PROC. REF: AMM 27-00-00-640-801									
27-00-00-640-801-04 <sup>S</sup>	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - ELEVATOR SERVO-ACTUATOR (10CP)							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.025	AFL	6374	7500						
PROC. REF: AMM 27-00-00-640-801									
27-00-00-640-802-01 <sup>S</sup>	PRESSURE GREASING / LUBRICATION OF FLIGHT CONTROL BEARINGS AND HINGE PINS - IN PRESSURIZED AREA							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.030	AFL	6374	7500						
PROC. REF: AMM 27-00-00-640-802									
27-00-00-640-802-02 <sup>S</sup>	PRESSURE GREASING / LUBRICATION OF FLIGHT CONTROL BEARINGS AND HINGE PINS - IN NON-PRESSURIZED AREA							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.030	AFL	6374	7500						
PROC. REF: AMM 27-00-00-640-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-640-805-01 <sup>U</sup>	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL SEALED BOXES FOR VISUAL INSPECTION							Service	ATA:27
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 27.045	AFL	6374							
27-00-00-640-805-02 <sup>U</sup>	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL SEALED BOXES FOR GREASING OF BEARINGS							Service	ATA:27
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 27.045	AFL	6374							
27-00-00-640-805-03 <sup>S</sup>	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL SEALED BOXES FOR VISUAL INSPECTION AND GREASING OF BEARINGS - INSPECTION AND GREASING OF BEARINGS OF THE LH ROLL PRESSURE SEALED BOX							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
	PROC. REF: AMM 27-00-00-640-805								PKG:32
27-00-00-640-805-04 <sup>S</sup>	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL SEALED BOXES FOR VISUAL INSPECTION AND GREASING OF BEARINGS - INSPECTION AND GREASING OF BEARINGS OF THE RH ROLL PRESSURE SEALED BOX							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
	PROC. REF: AMM 27-00-00-640-805								PKG:32
27-00-00-640-805-05 <sup>S</sup>	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL SEALED BOXES FOR VISUAL INSPECTION AND GREASING OF BEARINGS - INSPECTION AND GREASING OF BEARINGS OF THE YAW PRESSURE SEALED BOX							Service	ATA:27
	MOS	22-Jan-02	144 (+2m)						
	HRS	0							
	AFL	0	7500						
	PROC. REF: AMM 27-00-00-640-805								PKG:32
27-00-00-640-805-06 <sup>S</sup>	REMOVAL / INSTALLATION OF THE FLIGHT CONTROL SEALED BOXES FOR VISUAL INSPECTION AND GREASING OF BEARINGS - INSPECTION AND GREASING OF BEARINGS OF THE PITCH PRESSURE SEALED BOX							Service	ATA:27
	MOS	22-Jan-02	144 (+2m)						
	HRS	0							
	AFL	0	7500						
	PROC. REF: AMM 27-00-00-640-805								PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE FLIGHT CONTROLS - HYDRAULIC SYSTEM 1							Service	ATA:27
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
WC#: 27.005	AFL	8635							
PROC. REF: AMM 27-00-00-710-801								PKG:21	
27-00-00-710-801-01A	OPERATIONAL TEST NO. 1 OF THE HYDRAULIC SYSTEM 1 FLIGHT CONTROLS (MANDATORY 5-40)							Service	ATA:27
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1650		14667.2		841.8		
WC#: 27.005	AFL	8635							
PROC. REF: AMM 27-00-00-710-801									
27-00-00-710-801-02 <sup>S</sup>	OPERATIONAL TEST OF THE FLIGHT CONTROLS - HYDRAULIC SYSTEM 2							Service	ATA:27
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
WC#: 27.005	AFL	8635							
PROC. REF: AMM 27-00-00-710-801								PKG:21	
27-00-00-710-801-02A	OPERATIONAL TEST NO. 2 OF THE HYDRAULIC SYSTEM 2 FLIGHT CONTROLS (MANDATORY 5-40)							Service	ATA:27
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1650		14667.2		841.8		
WC#: 27.005	AFL	8635							
PROC. REF: AMM 27-00-00-710-801									
27-00-00-710-802-01 <sup>S</sup>	OPERATIONAL TEST OF THE TRIM SYSTEMS - ROLL TRIM							Service	ATA:27
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 27.010	AFL	8209	3750						
PROC. REF: AMM 27-00-00-710-802								PKG:31	
27-00-00-710-802-02 <sup>S</sup>	OPERATIONAL TEST OF THE TRIM SYSTEMS - ROLL EMERGENCY TRIM							Service	ATA:27
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 27.010	AFL	8209	3750						
PROC. REF: AMM 27-00-00-710-802								PKG:31	
27-00-00-710-802-03 <sup>S</sup>	OPERATIONAL TEST OF THE TRIM SYSTEMS - YAW TRIM							Service	ATA:27
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 27.010	AFL	8209	3750						
PROC. REF: AMM 27-00-00-710-802								PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00-00-710-803-01	OPERATIONAL TEST OF THE SERVO-ACTUATOR ACCUMULATOR MONITORING LOGIC							Service	ATA:27
	MOS	22-Sep-23	12 (+1m)		22-Sep-24	22-Oct-24	169 d (+30)		
	HRS	13560.4	400 (+40)	Adj -61	13899.4	13939.4	74 (+40)		
WC#: 27.455	AFL	8949							
PROC. REF: AMM 27-00-00-710-803									
27-00-00-720-804-01 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF LH ROLL AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-00-00-720-804									
27-00-00-720-804-01A	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF LH ROLL AAFU (MANDATORY 5-40)							Service	ATA:27
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	10000		19480.7		5655.3		
	AFL	6374							
PROC. REF: AMM 27-00-00-720-804									
27-00-00-720-804-02 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - FUNCTIONAL TEST OF LH ROLL AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-00-00-720-804									
27-00-00-720-804-03 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF RH ROLL AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-00-00-720-804									
27-00-00-720-804-03A	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF RH ROLL AAFU (MANDATORY 5-40)							Service	ATA:27
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	10000		19480.7		5655.3		
	AFL	6374							
PROC. REF: AMM 27-00-00-720-804									
27-00-00-720-804-04 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - FUNCTIONAL TEST OF RH ROLL AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-00-00-720-804									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00-00-720-804-05 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF YAW AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
	PROC. REF: AMM 27-00-00-720-804								PKG:32
27-00-00-720-804-05A	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF YAW AAFU (MANDATORY 5-40)							Service	ATA:27
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	10000		19480.7		5655.3		
	AFL	6374							
	PROC. REF: AMM 27-00-00-720-804								
27-00-00-720-804-06 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - FUNCTIONAL TEST OF YAW AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
	PROC. REF: AMM 27-00-00-720-804								PKG:32
27-00-00-720-804-07 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF PITCH AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
	PROC. REF: AMM 27-00-00-720-804								PKG:32
27-00-00-720-804-07A	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - INSPECTION OF PITCH AAFU (MANDATORY 5-40)							Service	ATA:27
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	10000		19480.7		5655.3		
	AFL	6374							
	PROC. REF: AMM 27-00-00-720-804								
27-00-00-720-804-08 <sup>S</sup>	CHECK OF THE AUXILIARY AFU'S FOR NON-DISCONNECTION - FUNCTIONAL TEST OF PITCH AAFU							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
	PROC. REF: AMM 27-00-00-720-804								PKG:32
27-00-00-790-803-01 <sup>S</sup>	CHECK OF THE SERVO-ACTUATOR INTERNAL DAMPING - LH AILERON SERVO-ACTUATOR (30CR)							Service	ATA:27
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
	AFL	8635							
	PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803								PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00-00-790-803-01A	CHECK OF THE LH AILERON SERVO ACTUATOR INTERNAL DAMPING (MANDATORY 5-40)							Service	ATA:27
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									
27-00-00-790-803-02 <sup>S</sup>	CHECK OF THE SERVO-ACTUATOR INTERNAL DAMPING - RH AILERON SERVO-ACTUATOR (40CR)							Service	ATA:27
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									
27-00-00-790-803-02A	CHECK OF THE RH AILERON SERVO ACTUATOR INTERNAL DAMPING (MANDATORY 5-40)							Service	ATA:27
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									
27-00-00-790-803-03 <sup>S</sup>	CHECK OF THE SERVO-ACTUATOR INTERNAL DAMPING - RUDDER SERVO-ACTUATOR (10CL)							Service	ATA:27
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
WC#: 27.035	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									
27-00-00-790-803-03A	CHECK RUDDER SERVO ACTUATOR INTERNAL DAMPING (MANDATORY 5-40)							Service	ATA:27
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
WC#: 27.035	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									
27-00-00-790-803-04 <sup>S</sup>	CHECK OF THE SERVO-ACTUATOR INTERNAL DAMPING - ELEVATOR SERVO-ACTUATOR (10CP)							Service	ATA:27
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
WC#: 27.035	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									
27-00-00-790-803-04A	CHECK ELEVATOR SERVO ACTUATOR INTERNAL DAMPING (MANDATORY 5-40)							Service	ATA:27
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
WC#: 27.035	AFL	8635							
PROC. REF: AMM 27-00-00-790-803, AMM 27-00-00-790-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-12-01-900-801-01		REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - LH AILERON SERVO-ACTUATOR (30CR)					Component	ATA:27	
PN:103151-03	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:299	HRS	0		TSN 0					
WC#: 27.130	AFL	0		TSN 0					
PROC. REF: AMM 27-12-01-900-801									
27-12-01-900-801-02		REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - RH AILERON SERVO-ACTUATOR (40CR)					Component	ATA:27	
PN:103151-04	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:290	HRS	0		TSN 0					
WC#: 27.130	AFL	0		TSN 0					
PROC. REF: AMM 27-12-01-900-801									
27-13-01-640-806-01 <sup>S</sup>		LUBRICATION OF THE ROLL CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA - LH WING					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-13-01-640-806									
PKG:31									
27-13-01-640-806-02 <sup>S</sup>		LUBRICATION OF THE ROLL CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA - RH WING					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-13-01-640-806									
PKG:31									
27-13-01-640-807-01 <sup>S</sup>		GREASING OF THE ROLL CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-13-01-640-807									
PKG:31									
27-13-01-640-808-01 <sup>S</sup>		GREASING OF THE ROLL CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA - LH WING					Service	ATA:27	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 27-13-01-640-808									
PKG:16									
27-13-01-640-808-02 <sup>S</sup>		GREASING OF THE ROLL CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA - RH WING					Service	ATA:27	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 27-13-01-640-808									
PKG:16									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-14-01-350-801-01 RESTORATION OF THE ROLL TRIM ACTUATOR (FUNCTIONAL TEST) - ROLL TRIM ACTUATOR (60CR) Service ATA:27</b>								
PN:021057-37	MOS	25-Apr-14	144 (+3%)		25-Apr-26	03-Sep-26	749 d (+131)	
SN:9071	HRS	9480.7						
WC#: 27.105	AFL	6374						
PROC. REF: AMM 27-14-01-350-801								
<b>27-14-01-900-801-01 REMOVAL / INSTALLATION OF THE ROLL TRIM ACTUATOR - ROLL TRIM ACTUATOR (60CR) Component ATA:27</b>								
PN:021057-37	MOS/MSC	25-Apr-14	O/C					
SN:9071	HRS	9480.7		TSN 9832				
WC#: 27.105	AFL	6374		TSN 6198				
PROC. REF: AMM 27-14-01-900-801								
<b>27-14-03-350-801-01 RESTORATION OF THE ROLL EMERGENCY TRIM ACTUATOR (FUNCTIONAL TEST) - ROLL EMERGENCY TRIM ACTUATOR (95CR) Service ATA:27</b>								
PN:021127-01	MOS	25-Apr-14	144 (+3%)		25-Apr-26	03-Sep-26	749 d (+131)	
SN:830	HRS	9480.7						
WC#: 27.110	AFL	6374						
PROC. REF: AMM 27-14-03-350-801								
<b>27-14-03-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY ROLL TRIM ACTUATOR - ROLL EMERGENCY TRIM ACTUATOR (95CR) Component ATA:27</b>								
PN:021127-01	MOS/MSC	25-Apr-14	O/C					
SN:830	HRS	9480.7						
WC#: 27.110	AFL	6374						
PROC. REF: AMM 27-14-03-900-801								
<b>27-14-05-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE ROLL TRIM CONTROL SAFETY RELAYS - ROLL TRIM RELAY BOX (502CR) Service ATA:27</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 27.095	AFL	6374	7500					
PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801								
<b>27-14-05-720-801-01A FUNCTIONAL TEST OF THE ROLL TRIM CONTROL SAFETY RELAYS (MANDATORY 5-40) Service ATA:27</b>								
	MOS	25-Apr-14						MANDATORY 5-40
	HRS	9480.7	20000		29480.7		15655.3	
WC#: 27.095	AFL	6374						
PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801								
<b>27-15-01-640-801-01<sup>S</sup> PRESSURE GREASING OF THE ROLL ARTHUR VARIABLE BELLCRANK BEARINGS Service ATA:27</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 27.090	AFL	6374	7500					
PROC. REF: AMM 27-15-01-640-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-15-01-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE ROLL ARTHUR VARIABLE BELLCRANK - ROLL ARTHUR VARIABLE BELLCRANK (50CR) Service ATA:27</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 27.090	AFL	8209	3750					
PROC. REF: AMM 27-15-01-720-801								PKG:31
<b>27-15-01-900-801-01 REMOVAL / INSTALLATION OF THE ROLL ARTHUR VARIABLE BELLCRANK - ROLL ARTHUR VARIABLE BELLCRANK (50CR) Component ATA:27</b>								
PN:8421-5	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:447	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: AMM 27-15-01-900-801								
<b>27-15-05-350-801-01 RESTORATION OF THE ROLL MAIN AFU (FUNCTIONAL TEST / SERVICING) - ROLL MAIN AFU (65CR) Service ATA:27</b>								
PN:105124	MOS	18-Feb-22	144 (+3%)		18-Feb-34	27-Jun-34	3605 d (+129)	
SN:343	HRS	12706.5						
WC#: 27.115	AFL	8436						
PROC. REF: AMM 27-15-05-350-801								
<b>27-15-05-900-801-01 REMOVAL / INSTALLATION OF THE ROLL MAIN AFU - ROLL MAIN AFU (65CR) Component ATA:27</b>								
PN:105124	MOS/MSC	18-Feb-22	O/C					
SN:343	HRS	12706.5						
WC#: 27.115	AFL	8436						
PROC. REF: AMM 27-15-05-900-801								
<b>27-15-07-640-801-01<sup>S</sup> PRESSURE GREASING OF THE ROLL AUXILIARY AFU BEARING - LH ROLL AAFU (L66CR) Service ATA:27</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 27.480	AFL	6374	7500					
PROC. REF: AMM 27-15-07-640-801								PKG:32
<b>27-15-07-640-801-02<sup>S</sup> PRESSURE GREASING OF THE ROLL AUXILIARY AFU BEARING - RH ROLL AAFU (R66CR) Service ATA:27</b>								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
	AFL	6374	7500					
PROC. REF: AMM 27-15-07-640-801								PKG:32
<b>27-15-07-900-801-01 LH ROLL (AAFU) AUXILIARY ARTIFICIAL FEEL UNIT Component ATA:27</b>								
PN:105045-12	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:4777	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-15-07-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-15-07-900-801-01		RH ROLL (AAFU) AUXILIARY ARTIFICIAL FEEL UNIT					Component	ATA:27	
PN:105045-12	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4778	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-15-07-900-801									
27-22-01-900-801-01		REMOVAL / INSTALLATION OF THE RUDDER SERVO-ACTUATOR - RUDDER SERVO-ACTUATOR (10CL)					Component	ATA:27	
PN:103145-01	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:179	HRS	0		TSN 0					
WC#: 27.170	AFL	0		TSN 0					
PROC. REF: AMM 27-22-01-900-801									
27-23-01-640-806-01 <sup>S</sup>		LUBRICATION OF THE YAW CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-23-01-640-806									
PKG:31									
27-23-01-640-807-01 <sup>S</sup>		GREASING OF THE YAW CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-23-01-640-807									
PKG:31									
27-23-01-640-808-01 <sup>S</sup>		GREASING OF THE YAW CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA					Service	ATA:27	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 27-23-01-640-808									
PKG:16									
27-24-01-350-801-01		RESTORATION OF THE YAW TRIM ACTUATOR (FUNCTIONAL TEST) - YAW TRIM ACTUATOR (30CL)					Service	ATA:27	
PN:021057-36	MOS	08-Feb-23	144 (+3%)		08-Feb-35	17-Jun-35	3960 d (+129)		
SN:8596	HRS	13303.8							
WC#: 27.170	AFL	8799							
PROC. REF: AMM 27-24-01-350-801									
27-24-01-900-801-01		REMOVAL / INSTALLATION OF THE YAW MAIN AFU / YAW TRIM ACTUATOR ASSEMBLY - YAW MAIN AFU (15CL)					Component	ATA:27	
PN:105125-01	MOS/MSC	25-Apr-14	O/C	TSR 0					
SN:459	HRS	9480.7		TSN 9832, TSR 0					
WC#: 27.165	AFL	6374		TSN 6198, TSR 0					
PROC. REF: AMM 27-24-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-24-01-900-801-02		REMOVAL / INSTALLATION OF THE YAW MAIN AFU / YAW TRIM ACTUATOR ASSEMBLY - YAW TRIM ACTUATOR (30CL)					Component	ATA:27	
PN:021057-36	MOS/MSC	08-Feb-23	O/C						
SN:8596	HRS	13303.8							
WC#: 27.170	AFL	8799							
PROC. REF: AMM 27-24-01-900-801									
27-24-05-720-802-01 <sup>S</sup>		FUNCTIONAL TEST OF THE YAW TRIM CONTROL SAFETY RELAYS					Service	ATA:27	
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.160	AFL	6374	7500						
PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802									
PKG:32									
27-24-05-720-802-01A		FUNCTIONAL TEST OF THE YAW TRIM CONTROL SAFETY RELAYS (MANDATORY 5-40)					Service	ATA:27	
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	20000		29480.7		15655.3		
WC#: 27.160	AFL	6374							
PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802									
27-25-05-350-801-01		RESTORATION OF THE YAW MAIN AFU (FUNCTIONAL TEST / SERVICING) - YAW MAIN AFU (15CL)					Service	ATA:27	
PN:105125-01	MOS	25-Apr-14	144 (+3%)		25-Apr-26	03-Sep-26	749 d (+131)		
SN:459	HRS	9480.7							
WC#: 27.165	AFL	6374							
PROC. REF: AMM 27-25-05-350-801									
27-25-07-350-801-01		RESTORATION OF THE YAW AUXILIARY AFU (FUNCTIONAL TEST / SERVICING) - YAW AAFU (20CL)					Service	ATA:27	
PN:105070-06	MOS	25-Apr-14	144 (+3%)		25-Apr-26	03-Sep-26	749 d (+131)		
SN:1017	HRS	9480.7							
WC#: 27.165	AFL	6374							
PROC. REF: AMM 27-25-07-350-801									
27-25-07-900-801-01		REMOVAL / INSTALLATION OF THE YAW AUXILIARY AFU - YAW AAFU (20CL)					Component	ATA:27	
PN:105070-06	MOS/MSC	25-Apr-14	O/C	TSR 0					
SN:1017	HRS	9480.7		TSN 2409, TSR 0					
WC#: 27.165	AFL	6374		TSN 1530, TSR 0					
PROC. REF: AMM 27-25-07-900-801									
27-31-01-640-801-01 <sup>S</sup>		GREASING OF THE CONTROL COLUMNS - PILOT CONTROL COLUMN/WHEEL (10CR)					Service	ATA:27	
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-31-01-640-801									
PKG:32									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-31-01-640-801-02 <sup>S</sup>		GREASING OF THE CONTROL COLUMNS - COPILOT CONTROL COLUMN/WHEEL (20CR)					Service	ATA:27	
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 27-31-01-640-801								PKG:32	
27-31-01-900-801-01		REMOVAL / INSTALLATION OF THE CONTROL COLUMNS - PILOT CONTROL COLUMN/WHEEL (10CR)					Component	ATA:27	
PN:VLP202-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:217	HRS	0		TSN 0					
WC#: 27.125	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01-900-801									
27-31-01-900-801-02		REMOVAL / INSTALLATION OF THE CONTROL COLUMNS - COPILOT CONTROL COLUMN/WHEEL (20CR)					Component	ATA:27	
PN:VLC202-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:217	HRS	0		TSN 0					
WC#: 27.125	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01-900-801									
27-32-01-900-801-01		REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATOR - ELEVATOR SERVO-ACTUATOR (10CP)					Component	ATA:27	
PN:103144-02	MOS/MSC	02-Apr-15	O/C	TSR 0					
SN:127	HRS	9908.3		TSR 0					
WC#: 27.215	AFL	6674		TSR 0					
PROC. REF: AMM 27-32-01-900-801									
27-33-01-640-806-01 <sup>S</sup>		LUBRICATION OF THE PITCH CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-33-01-640-806								PKG:31	
27-33-01-640-807-01 <sup>S</sup>		GREASING OF THE PITCH CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA					Service	ATA:27	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 27-33-01-640-807								PKG:31	
27-35-00-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE PITCH ARTHUR CONTROL SYSTEM					Service	ATA:27	
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 27.200	AFL	7526							
PROC. REF: AMM 27-35-00-720-801								PKG:22	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
27-35-01-640-801-01 <sup>S</sup> PRESSURE GREASING OF THE PITCH ARTHUR VARIABLE BELLCRANK BEARINGS - PITCH ARTHUR VARIABLE BELLCRANK (30CP) Service ATA:27								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 27.195	AFL	6374	7500					
PROC. REF: AMM 27-35-01-640-801								PKG:32
27-35-01-900-801-01 REMOVAL / INSTALLATION OF THE PITCH ARTHUR VARIABLE BELLCRANK - PITCH ARTHUR VARIABLE BELLCRANK (30CP) Component ATA:27								
PN:221150M02	MOS/MSC	21-Apr-13	O/C	TSR 0				
SN:401	HRS	8891.6		TSR 0				
WC#: 27.195	AFL	5994		TSR 0				
PROC. REF: AMM 27-35-01-900-801, AMM 27-35-01-900-801								
27-35-05-350-801-01 RESTORATION OF THE PITCH MAIN AFU (FUNCTIONAL TEST / SERVICING) - PITCH MAIN AFU (15CP) Service ATA:27								
PN:105122-06	MOS	14-Aug-14	144 (+3%)		14-Aug-26	23-Dec-26	860 d (+131)	
SN:1021	HRS	9594.8						
WC#: 27.205	AFL	6447						
PROC. REF: AMM 27-35-05-350-801								
27-35-05-710-801-01 <sup>S</sup> TEST OF THE ELECTRICAL HEATING OF PITCH MAIN AFU - PITCH MAIN AFU (15CP) Service ATA:27								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 27.460	AFL	8209						
PROC. REF: AMM 27-35-05-710-801								PKG:21
27-35-05-900-801-01 REMOVAL / INSTALLATION OF THE PITCH MAIN AFU - PITCH MAIN AFU (15CP) Component ATA:27								
PN:105122-06	MOS/MSC	14-Aug-14	O/C	TSR 0				
SN:1021	HRS	9594.8		TSR 0				
WC#: 27.205	AFL	6447		TSR 0				
PROC. REF: AMM 27-35-05-900-801								
27-35-07-350-801-01 RESTORATION OF THE PITCH AUXILIARY AFU (DISCARD OF BUSHINGS 1050450002) - PITCH AAFU (20CP) Service ATA:27								
PN:105045-13	MOS/MSC	25-Apr-14	N/A					
SN:4800	HRS	9480.7						
WC#: 27.210	AFL	6374						
PROC. REF: AMM 27-35-07-350-801								
27-35-07-350-801-01A RESTORATION PITCH AUXILIARY (AFU) ARTIFICIAL FEEL UNIT (DISCARD OF BUSHINGS 1050450002) (MANDATORY 5-40) Service ATA:27								
PN:105045-13	MOS/MSC	25-Apr-14	O/C					
SN:4800	HRS	9480.7						
WC#: 27.210	AFL	6374						
PROC. REF: AMM 27-35-07-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-35-07-640-801-01 <sup>S</sup>		PRESSURE GREASING OF THE PITCH AUXILIARY AFU BEARINGS - PITCH AAFU (20CP)					Service	ATA:27	
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.210	AFL	6374	7500						
PROC. REF: AMM 27-35-07-640-801								PKG:32	
27-35-07-900-801-01		REMOVAL / INSTALLATION OF THE PITCH AUXILIARY AFU - PITCH AAFU (20CP)					Component	ATA:27	
PN:105045-13	MOS/MSC	25-Apr-14	O/C	TSR 0					
SN:4800	HRS	9480.7		TSN 9853, TSR 0					
WC#: 27.210	AFL	6374		TSN 6071, TSR 0					
PROC. REF: AMM 27-35-07-900-801									
27-40-00-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER CONTROL AND INDICATING SYSTEM					Service	ATA:27	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 27-40-00-720-801								PKG:21	
27-40-01-210-802-01		VISUAL INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (210CH)					Service	ATA:27	
PN:021121-12	MOS	25-Feb-21	72 (+3%)		25-Feb-27	29-Apr-27	1055 d (+63)		
SN:773	HRS	12299.4							
WC#: 27.260	AFL	8209	3750 (+3%)		11959	12071.5	2855 (+112.5)		
PROC. REF: AMM 27-40-01-210-802									
27-40-01-350-801-01		RESTORATION OF THE HORIZONTAL STABILIZER ACTUATOR (FULL DISASSEMBLY, INSPECTION/CHECK AND NDT) - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (210CH)					Service	ATA:27	
PN:021121-12	MOS	25-Feb-21	144 (+3%)		25-Feb-33	04-Jul-33	3247 d (+129)		
SN:773	HRS	12299.4							
WC#: 27.260	AFL	8209	7500 (+3%)		15709	15934	6605 (+225)		
PROC. REF: AMM 27-40-01-350-801									
27-40-01-350-801-01A		RESTORATION HORIZONTAL STABILIZER ELECTRIC ACTUATOR (FULL DISASSEMBLY, INSPECTION/CHECK AND NDT)(MANDATORY 5-40)					Service	ATA:27	
PN:021121-12	MOS	25-Feb-21						MANDATORY 5-40	
SN:773	HRS	12299.4							
	AFL	8209	7725		15934		6830		
PROC. REF: AMM 27-40-01-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-40-01-640-802-01 <sup>S</sup>	GREASING OF THE HORIZONTAL STABILIZER ACTUATOR HINGES AND JACK SCREW - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (210CH)							Service	ATA:27
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
WC#: 27.235	AFL	9075							
PROC. REF: AMM 27-40-01-640-802								PKG:5	
27-40-01-720-801-01 <sup>S</sup>	MEASUREMENT OF THE HORIZONTAL STABILIZER ACTUATOR SLIP - NORMAL ELECTRIC MOTOR (210CHA)							Service	ATA:27
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 27.280	AFL	8209							
PROC. REF: AMM 27-40-01-720-801								PKG:21	
27-40-01-720-801-02 <sup>S</sup>	MEASUREMENT OF THE HORIZONTAL STABILIZER ACTUATOR SLIP - EMERGENCY ELECTRIC MOTOR (210CHB)							Service	ATA:27
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 27.280	AFL	8209							
PROC. REF: AMM 27-40-01-720-801								PKG:21	
27-40-01-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER ACTUATOR - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (210CH)							Component	ATA:27
PN:021121-12	MOS/MSC	25-Feb-21	H/T		TSR 82				
SN:773	HRS	12299.4			TSR 2818.7				
WC#: 27.260	AFL	8209			TSR 1835				
PROC. REF: AMM 27-40-01-900-801									
27-40-03-100-801-01	CHECK / CLEANING OF THE ELECTROMAGNETIC BRAKE OF THE HORIZONTAL STABILIZER ACTUATOR MOTORS - NORMAL ELECTRIC MOTOR (210CHA)							Service	ATA:27
	MOS/MSC	19-Dec-14	N/A						
	HRS	9832.4							
WC#: 27.265	AFL	6621							
PROC. REF: AMM 27-40-03-100-801									
27-40-05-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER POSITION REPEATER BOX - HORIZONTAL STABILIZER POSITION REPEATER BOX (320CH)							Component	ATA:27
PN:016095-02	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:379	HRS	0			TSN 0				
WC#: 27.275	AFL	0			TSN 0				
PROC. REF: AMM 27-40-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-40-15-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE RELAY IN THE HORIZONTAL STABILIZER EMERGENCY CONTROL BOX							Service	ATA:27
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 27.270	AFL	6374	7500						
PROC. REF: AMM 27-40-15-710-801								PKG:32	
27-40-15-710-801-01A	OPERATIONAL TEST OF THE RELAY IN THE HORIZONTAL STABILIZER EMERGENCY CONTROL BOX (MANDATORY 5-40)							Service	ATA:27
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	16000		25480.7		11655.3		
WC#: 27.270	AFL	6374							
PROC. REF: AMM 27-40-15-710-801									
27-40-17-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER RELAY BOX - HORIZONTAL STABILIZER RELAY BOX (500CH)							Service	ATA:27
	MOS	19-May-23							
	HRS	13436.3	4800 (+40)						
WC#: 27.255	AFL	8866							
PROC. REF: AMM 27-40-17-720-801								PKG:23	
27-40-17-720-801-01A	FUNCTIONAL TEST HORIZONTAL STABILIZER RELAY BOX (MANDATORY 5-40)							Service	ATA:27
	MOS	19-May-23						MANDATORY 5-40	
	HRS	13436.3	5000		18436.3		4610.9		
WC#: 27.255	AFL	8866							
PROC. REF: AMM 27-40-17-720-801									
27-50-00-640-801-01 <sup>S</sup>	GREASING / LUBRICATION OF FLAP MECHANISMS							Service	ATA:27
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 27.290	AFL	8866							
PROC. REF: AMM 27-50-00-640-801								PKG:16	
27-50-00-710-801-01	OPERATIONAL TEST OF THE FLAP CONTROL AND INDICATING SYSTEM							Service	ATA:27
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 27.305	AFL	6374							
PROC. REF: AMM 27-50-00-710-801									
27-50-00-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE FLAP CONTROL AND INDICATING SYSTEM - USING THE HYDRAULIC GPU							Service	ATA:27
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+50)						
	AFL	8209							
PROC. REF: AMM 27-50-00-720-801								PKG:21	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-50-00-720-802-01 FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION SYSTEM Service ATA:27</b>								
	MOS	24-Sep-23	12 (+1m)		24-Sep-24	24-Oct-24	171 d (+30)	
	HRS	13560.4	400 (+40)	Adj -23.8	13936.6	13976.6	111.2 (+40)	
WC#: 27.295	AFL	8949						
PROC. REF: AMM 27-50-00-720-802								
<b>27-50-00-720-802-01A FUNCTIONAL TEST OF FLAP ASYMMETRY DETECTION SYSTEM (MANDATORY 5-40) Service ATA:27</b>								
	MOS	24-Sep-23						MANDATORY 5-40
	HRS	13560.4	450		14010.4		185	
WC#: 27.295	AFL	8949						
PROC. REF: AMM 27-50-00-720-802								
<b>27-50-00-720-803-01<sup>S</sup> CHECK OF THE GEAR BACKLASH OF FLAP LINKAGE Service ATA:27</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 27-50-00-720-803								
<b>27-51-01-900-801-01 REMOVAL / INSTALLATION OF THE SLATS / FLAPS CONTROL BOX - SLATS/FLAPS CONTROL BOX (50CZ) Component ATA:27</b>								
PN:5-7061-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:434	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01-900-801								
<b>27-52-01-900-801-01 REMOVAL / INSTALLATION OF THE FLAP POWER DRIVE UNIT - FLAP POWER DRIVE UNIT (10CF) Component ATA:27</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.325	AFL	0		TSN 0				
PROC. REF: AMM 27-52-01-900-801								
<b>27-52-13-200-801-01<sup>S</sup> CHECK / GREASING OF FLAP CONTROL ROD SPLINES Service ATA:27</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 27.320	AFL	8209	3750					
PROC. REF: AMM 27-52-13-200-801								
<b>27-53-01-220-801-01 CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH OUTBOARD FLAP SCREW JACK (40CF) Service ATA:27</b>								
	MOS	23-Feb-24	12 (+1m)		23-Feb-25	23-Mar-25	323 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
WC#: 27.290	AFL	9101						
PROC. REF: AMM 27-53-01-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-220-801-02 CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH INBOARD FLAP LATERAL SCREW JACK (L25CF) Service ATA:27</b>								
	MOS	23-Feb-24	12 (+1m)		23-Feb-25	23-Mar-25	323 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-220-801								
<b>27-53-01-220-801-03 CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH INBOARD FLAP CENTER SCREW JACK (L20CF) Service ATA:27</b>								
	MOS	23-Feb-24	12 (+1m)		23-Feb-25	23-Mar-25	323 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-220-801								
<b>27-53-01-220-801-04 CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH INBOARD FLAP CENTER SCREW JACK (R20CF) Service ATA:27</b>								
	MOS	24-Feb-24	12 (+1m)		24-Feb-25	24-Mar-25	324 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-220-801								
<b>27-53-01-220-801-05 CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH INBOARD FLAP LATERAL SCREW JACK (R25CF) Service ATA:27</b>								
	MOS	24-Feb-24	12 (+1m)		24-Feb-25	24-Mar-25	324 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-220-801								
<b>27-53-01-220-801-06 CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH OUTBOARD FLAP SCREW JACK (30CF) Service ATA:27</b>								
	MOS	24-Feb-24	12 (+1m)		24-Feb-25	24-Mar-25	324 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-220-801								
<b>27-53-01-350-801-01 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH OUTBOARD FLAP SCREW JACK (40CF) Service ATA:27</b>								
PN:1-5319-3	MOS	31-Oct-18						
SN:6314	HRS	11391.4						
WC#: 27.310	AFL	7655	4500		12155		3051	
PROC. REF: AMM 27-53-01-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-801-01A RESTORATION LH OUTBOARD FLAP SCREWJACK ACTUATOR (OVERHAUL) (MANDATORY 5-40)</b>								
PN:1-5319-3	MOS	31-Oct-18						Service ATA:27
SN:6314	HRS	11391.4						MANDATORY 5-40
WC#: 27.310	AFL	7655	4500		12155		3051	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-02 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH INBOARD FLAP LATERAL SCREW JACK (L25CF)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27
SN:2879	HRS	10496.7						MANDATORY 5-40
WC#: 27.315	AFL	7098	3500		10598		1494	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-02A RESTORATION LH INBOARD LATERAL FLAP SCREWJACK ACTUATOR (OVERHAUL) (MANDATORY 5-40)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27
SN:2879	HRS	10496.7						MANDATORY 5-40
WC#: 27.315	AFL	7098	3500		10598		1494	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-03 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH INBOARD FLAP CENTER SCREW JACK (L20CF)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27
SN:2878	HRS	10496.7						MANDATORY 5-40
WC#: 27.470	AFL	7098	3500		10598		1494	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-03A RESTORATION LH INBOARD CENTRAL FLAP SCREWJACK ACTUATOR (OVERHAUL) (MANDATORY 5-40)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27
SN:2878	HRS	10496.7						MANDATORY 5-40
WC#: 27.470	AFL	7098	3500		10598		1494	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-04 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH INBOARD FLAP CENTER SCREW JACK (R20CF)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27
SN:2959	HRS	10496.7						MANDATORY 5-40
WC#: 27.470	AFL	7098	3500		10598		1494	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-04A RESTORATION RH INBOARD FLAP CENTRAL SCREWJACK ACTUATOR (OVERHAUL) (MANDATORY 5-40)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27
SN:2959	HRS	10496.7						MANDATORY 5-40
WC#: 27.470	AFL	7098	3500		10598		1494	
PROC. REF: AMM 27-53-01-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-801-05 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH INBOARD FLAP LATERAL SCREW JACK (R25CF) Service ATA:27</b>								
PN:5318-3	MOS	04-Oct-23						
SN:1688	HRS	13570						
WC#: 27.315	AFL	8953	3500		12453		3349	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-05A RESTORATION RH INBOARD FLAP LATERAL SCREWJACK ACTUATOR (MANDATORY 5-40) Service ATA:27</b>								
PN:5318-3	MOS	04-Oct-23						MANDATORY 5-40
SN:1688	HRS	13570						
WC#: 27.315	AFL	8953	3500		12453		3349	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-06 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH OUTBOARD FLAP SCREW JACK (30CF) Service ATA:27</b>								
PN:2-5319-3	MOS	09-Mar-12						
SN:213	HRS	8230						
WC#: 27.310	AFL	5554	4500		10054		950	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-06A RESTORATION RH OUTBOARD FLAP SCREW JACK ACTUATOR (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>								
PN:2-5319-3	MOS	09-Mar-12						MANDATORY 5-40
SN:213	HRS	8230						
WC#: 27.310	AFL	5554	4500		10054		950	
PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-802-01 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (40CF) Service ATA:27</b>								
PN:1-5319-3	MOS/MSC	05-Nov-18	N/A					
SN:6314	HRS	11400.9						
	AFL	7662						
PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-01A UPGRADE LH OUTBOARD FLAP SCREWJACK ACTUATOR (MANDATORY 5-40-30) Service ATA:27</b>								
PN:1-5319-3	MOS/MSC	05-Nov-18	N/A					MANDATORY 5-40
SN:6314	HRS	11400.9						
	AFL	7662						
PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-02 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L25CF) Service ATA:27</b>								
PN:5318-3	MOS/MSC	20-May-16	N/A					
SN:2879	HRS	10496.7						
	AFL	7098						
PROC. REF: AMM 27-53-01-350-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
27-53-01-350-802-02A UPGRADE LH INBOARD LATERAL FLAP SCREWJACK ACTUATOR (MANDATORY 5-40-30)								Service ATA:27
PN:5318-3	MOS/MSC	20-May-16	N/A					MANDATORY 5-40
SN:2879	HRS	10496.7						
	AFL	7098						
PROC. REF: AMM 27-53-01-350-802								
27-53-01-350-802-03 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L20CF)								Service ATA:27
PN:5318-3	MOS/MSC	20-May-16	N/A					
SN:2878	HRS	10496.7						
	AFL	7098						
PROC. REF: AMM 27-53-01-350-802								
27-53-01-350-802-03A UPGRADE LH INBOARD CENTRAL FLAP SCREWJACK ACTUATOR (MANDATORY 5-40-30)								Service ATA:27
PN:5318-3	MOS/MSC	20-May-16	N/A					MANDATORY 5-40
SN:2878	HRS	10496.7						
	AFL	7098						
PROC. REF: AMM 27-53-01-350-802								
27-53-01-350-802-04 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R20CF)								Service ATA:27
PN:5318-3	MOS/MSC	20-May-16	N/A					
SN:2959	HRS	10496.7						
	AFL	7098						
PROC. REF: AMM 27-53-01-350-802								
27-53-01-350-802-04A UPGRADE RH INBOARD FLAP CENTRAL SCREWJACK ACTUATOR (MANDATORY 5-40-30)								Service ATA:27
PN:5318-3	MOS/MSC	20-May-16	N/A					MANDATORY 5-40
SN:2959	HRS	10496.7						
	AFL	7098						
PROC. REF: AMM 27-53-01-350-802								
27-53-01-350-802-05 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R25CF)								Service ATA:27
PN:5318-3	MOS/MSC		N/A					
SN:1688	HRS							
	AFL							
PROC. REF: AMM 27-53-01-350-802								
27-53-01-350-802-05A UPGRADE RH INBOARD FLAP LATERAL SCREWJACK ACTUATOR (MANDATORY 5-40-30)								Service ATA:27
PN:5318-3	MOS/MSC	17-Sep-11	N/A					MANDATORY 5-40
SN:1688	HRS	8015.3						
	AFL	5404						
PROC. REF: AMM 27-53-01-350-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-802-06 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (30CF) Service ATA:27</b>								
PN:2-5319-3	MOS/MSC	22-Jan-02	N/A					
SN:213	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-06A UPGRADE RH OUTBOARD FLAP SCREW JACK ACTUATOR (MANDATORY 5-40-30) Service ATA:27</b>								
	MOS/MSC	22-Jan-02	N/A					MANDATORY 5-40
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-640-803-01 GREASING OF FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (40CF) Service ATA:27</b>								
	MOS	23-Feb-24	12 (+1m)		23-Feb-25	23-Mar-25	323 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-640-803								
<b>27-53-01-640-803-02 GREASING OF FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L25CF) Service ATA:27</b>								
	MOS	23-Feb-24	12 (+1m)		23-Feb-25	23-Mar-25	323 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-640-803								
<b>27-53-01-640-803-03 GREASING OF FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L20CF) Service ATA:27</b>								
	MOS	23-Feb-24	12 (+1m)		23-Feb-25	23-Mar-25	323 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-640-803								
<b>27-53-01-640-803-04 GREASING OF FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R20CF) Service ATA:27</b>								
	MOS	24-Feb-24	12 (+1m)		24-Feb-25	24-Mar-25	324 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-640-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-640-803-05 GREASING OF FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R25CF) Service ATA:27</b>								
	MOS	24-Feb-24	12 (+1m)		24-Feb-25	24-Mar-25	324 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-640-803								
<b>27-53-01-640-803-06 GREASING OF FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (30CF) Service ATA:27</b>								
	MOS	24-Feb-24	12 (+1m)		24-Feb-25	24-Mar-25	324 d (+28)	
	HRS	13817.9	400 (+40)		14217.9	14257.9	392.5 (+40)	
	AFL	9101						
PROC. REF: AMM 27-53-01-640-803								
<b>27-53-01-720-803-01 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (40CF) Service ATA:27</b>								
PN:1-5319-3	MOS	08-May-23						
SN:6314	HRS	13432.9	450		13882.9		57.5	
WC#: 27.310	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-01A CHECK LH OUTBOARD FLAP SCREWJACK ACTUATOR SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:1-5319-3	MOS	08-May-23						MANDATORY 5-40
SN:6314	HRS	13432.9	450		13882.9		57.5	
WC#: 27.310	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-02 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L25CF) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						
SN:2879	HRS	13432.9	450		13882.9		57.5	
WC#: 27.315	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-02A CHECK LH INBOARD LATERAL FLAP SCREWJACK ACTUATOR SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						MANDATORY 5-40
SN:2879	HRS	13432.9	450		13882.9		57.5	
WC#: 27.315	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-720-803-03 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L20CF) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						
SN:2878	HRS	13432.9	450		13882.9		57.5	
WC#: 27.470	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-03A CHECK LH INBOARD CENTRAL FLAP SCREWJACK ACTUATOR SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						MANDATORY 5-40
SN:2878	HRS	13432.9	450		13882.9		57.5	
WC#: 27.470	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-04 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R20CF) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						
SN:2959	HRS	13432.9	450		13882.9		57.5	
WC#: 27.470	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-04A CHECK RH INBOARD FLAP CENTRAL SCREWJACK ACTUATOR SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						MANDATORY 5-40
SN:2959	HRS	13432.9	450		13882.9		57.5	
WC#: 27.470	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-05 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R25CF) Service ATA:27</b>								
PN:5318-3	MOS	04-Oct-23						
SN:1688	HRS	13570	450		14020		194.6	
WC#: 27.315	AFL	8953						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-05A CHECK RH INBOARD FLAP LATERAL SCREWJACK ACTUATOR SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:5318-3	MOS	08-May-23						MANDATORY 5-40
SN:1688	HRS	13432.9	450		13882.9		57.5	
WC#: 27.315	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-06 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (30CF) Service ATA:27</b>								
PN:2-5319-3	MOS	08-May-23						
SN:213	HRS	13432.9	450		13882.9		57.5	
WC#: 27.310	AFL	8863						
PROC. REF: AMM 27-53-01-720-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-53-01-720-803-06A		CHECK RH OUTBOARD FLAP SCREW JACK ACTUATOR SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY 5-40)							Service ATA:27
PN:2-5319-3	MOS	08-May-23						MANDATORY 5-40	
SN:213	HRS	13432.9	450		13882.9		57.5		
WC#: 27.310	AFL	8863							
PROC. REF: AMM 27-53-01-720-803									
27-53-01-900-803-01		REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (40CF)							Component ATA:27
PN:1-5319-3	MOS/MSC	31-Oct-18	O/C	TSN 0					
SN:6314	HRS	11391.4		TSN 0					
WC#: 27.310	AFL	7655		TSN 0					
PROC. REF: AMM 27-53-01-900-803									
27-53-01-900-803-02		REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L25CF)							Component ATA:27
PN:5318-3	MOS/MSC	20-May-16	O/C	TSO 9					
SN:2879	HRS	10496.7		TSO 0					
WC#: 27.315	AFL	7098		TSO 0					
PROC. REF: AMM 27-53-01-900-803									
27-53-01-900-803-03		REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L20CF)							Component ATA:27
PN:5318-3	MOS/MSC	20-May-16	O/C	TSO 9					
SN:2878	HRS	10496.7		TSO 0					
WC#: 27.470	AFL	7098		TSO 0					
PROC. REF: AMM 27-53-01-900-803									
27-53-01-900-803-04		REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R20CF)							Component ATA:27
PN:5318-3	MOS/MSC	20-May-16	O/C	TSO 5					
SN:2959	HRS	10496.7		TSO 0					
WC#: 27.470	AFL	7098		TSO 0					
PROC. REF: AMM 27-53-01-900-803									
27-53-01-900-803-05		REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R25CF)							Component ATA:27
PN:5318-3	MOS/MSC	04-Oct-23	O/C	TSO 0					
SN:1688	HRS	13570		TSO 0					
WC#: 27.315	AFL	8953		TSO 0					
PROC. REF: AMM 27-53-01-900-803									
27-53-01-900-803-06		REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (30CF)							Component ATA:27
PN:2-5319-3	MOS/MSC	09-Mar-12	O/C	TSN 176					
SN:213	HRS	8230		TSN 10583					
WC#: 27.310	AFL	5554		TSN 6914	14640 (M)		5536		
PROC. REF: AMM 27-53-01-900-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-960-801-01 DISCARD OF THE FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (40CF)</b>								
PN:1-5319-3	MOS	31-Oct-18						Service ATA:27 LIFE LIMIT
SN:6314	HRS	11391.4						
WC#: 27.310	AFL	7655	16000		23655		14551	
PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-02 DISCARD OF THE FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L25CF)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27 LIFE LIMIT
SN:2879	HRS	10496.7						
WC#: 27.315	AFL	7098	15000		22098		12994	
PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-03 DISCARD OF THE FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L20CF)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27 LIFE LIMIT
SN:2878	HRS	10496.7						
WC#: 27.470	AFL	7098	15000		22098		12994	
PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-04 DISCARD OF THE FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R20CF)</b>								
PN:5318-3	MOS	20-May-16						Service ATA:27 LIFE LIMIT
SN:2959	HRS	10496.7						
WC#: 27.470	AFL	7098	15000		22098		12994	
PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-05 DISCARD OF THE FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R25CF)</b>								
PN:5318-3	MOS	04-Oct-23						Service ATA:27 LIFE LIMIT
SN:1688	HRS	13570						
WC#: 27.315	AFL	8953	15000		23953		14849	
PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-06 DISCARD OF THE FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (30CF)</b>								
PN:2-5319-3	MOS	09-Mar-12						Service ATA:27 LIFE LIMIT
SN:213	HRS	8230						
WC#: 27.310	AFL	5554	16000	TAC 6914	14640		5536	
PROC. REF: AMM 27-53-01-960-801								
<b>27-60-00-710-803-01<sup>S</sup> OPERATIONAL TEST OF THE AIRBRAKES IN NORMAL MODE AND AUTOMATIC RETRACTION MODES</b>								
	MOS	25-Feb-21						Service ATA:27
	HRS	12299.4	1600 (+40)					
WC#: 27.350	AFL	8209						
PROC. REF: AMM 27-60-00-710-803								

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-61-01-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH OUTBOARD AIRBRAKE MICROSWITCH (L130CD)							Service	ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 27.345	AFL	7526							
	PROC. REF: AMM 27-61-01-720-801								PKG:22
27-61-01-720-801-02 <sup>S</sup>	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH CENTER AIRBRAKE MICROSWITCH (L120CD)							Service	ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
	PROC. REF: AMM 27-61-01-720-801								PKG:22
27-61-01-720-801-03 <sup>S</sup>	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH INBOARD AIRBRAKE MICROSWITCH (L110CD)							Service	ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
	PROC. REF: AMM 27-61-01-720-801								PKG:22
27-61-01-720-801-04 <sup>S</sup>	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH INBOARD AIRBRAKE MICROSWITCH (R110CD)							Service	ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
	PROC. REF: AMM 27-61-01-720-801								PKG:22
27-61-01-720-801-05 <sup>S</sup>	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH CENTER AIRBRAKE MICROSWITCH (R120CD)							Service	ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
	PROC. REF: AMM 27-61-01-720-801								PKG:22
27-61-01-720-801-06 <sup>S</sup>	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH OUTBOARD AIRBRAKE MICROSWITCH (R130CD)							Service	ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
	AFL	7526							
	PROC. REF: AMM 27-61-01-720-801								PKG:22
27-61-01-900-801-01	LEFT OUTBOARD AIRBRAKE MICROSWITCH							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-61-01-900-801-02		LEFT CENTER AIRBRAKE MICROSWITCH					Component	ATA:27	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
27-61-01-900-801-03		LEFT INBOARD AIRBRAKE MICROSWITCH					Component	ATA:27	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
27-61-01-900-801-04		RIGHT INBOARD AIRBRAKE MICROSWITCH					Component	ATA:27	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
27-61-01-900-801-05		RIGHT CENTER AIRBRAKE MICROSWITCH					Component	ATA:27	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
27-61-01-900-801-06		RIGHT OUTBOARD AIRBRAKE MICROSWITCH					Component	ATA:27	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
27-62-01-900-801-01		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH OUTBOARD AIRBRAKE ACTUATOR (L30CD)					Component	ATA:27	
PN:106091-07	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:5797	HRS	0		TSN 0					
WC#: 27.355	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01-900-801									
27-62-01-900-801-02		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH MIDDLE AIRBRAKE ACTUATOR (L20CD)					Component	ATA:27	
PN:106091-08	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:5807	HRS	0		TSN 0					
WC#: 27.355	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-62-01-900-801-03		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH INBOARD AIRBRAKE ACTUATOR (L10CD)						Component	ATA:27
PN:106091-09	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:5819	HRS	0		TSN 0					
WC#: 27.355	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01-900-801									
27-62-01-900-801-04		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH INBOARD AIRBRAKE ACTUATOR (R10CD)						Component	ATA:27
PN:106091-09	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:5818	HRS	0		TSN 0					
WC#: 27.360	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01-900-801									
27-62-01-900-801-05		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH MIDDLE AIRBRAKE ACTUATOR (R20CD)						Component	ATA:27
PN:106091-08	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:5806	HRS	0		TSN 0					
WC#: 27.360	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01-900-801									
27-62-01-900-801-06		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH OUTBOARD AIRBRAKE ACTUATOR (R30CD)						Component	ATA:27
PN:106091-07	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:5796	HRS	0		TSN 0					
WC#: 27.360	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01-900-801									
27-80-00-710-804-02		OPERATIONAL TEST OF THE SLATS IN NORMAL AND EMERGENCY MODES - EMERGENCY MODE						Service	ATA:27
	MOS	24-Sep-18							
	HRS	11314.9	10000 (+40)	Adj -1314.9	20000	20040	6174.6 (+40)		
	AFL	7612							
PROC. REF: AMM 27-80-00-710-804									
27-80-00-710-806-01		OPERATIONAL TEST OF THE GROUND / FLIGHT RELAYS AND ANGLE-OF-ATTACK SENSOR CONTACTS - LH AOA SENSOR (L10CM)						Service	ATA:27
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
	AFL	6374							
PROC. REF: AMM 27-80-00-710-806									
27-80-00-710-806-02		OPERATIONAL TEST OF THE GROUND / FLIGHT RELAYS AND ANGLE-OF-ATTACK SENSOR CONTACTS - RH AOA SENSOR (R10CM)						Service	ATA:27
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
	AFL	6374							
PROC. REF: AMM 27-80-00-710-806									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-80-00-710-807-02<sup>S</sup> OPERATIONAL TEST OF SLAT EXTENSION THROUGH LH AND RH SOLENOIDS - LH SOLENOID (S1)</b>								
	MOS	25-Feb-21						Service ATA:27
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 27-80-00-710-807								PKG:21
<b>27-80-00-710-807-03<sup>S</sup> OPERATIONAL TEST OF SLAT EXTENSION THROUGH LH AND RH SOLENOIDS - RH SOLENOID (S2)</b>								
	MOS	25-Feb-21						Service ATA:27
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 27-80-00-710-807								PKG:21
<b>27-80-00-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE SLATS - AUTOMATIC MODE</b>								
	MOS	02-Jun-21						Service ATA:27
	HRS	12299.4	1600 (+40)					
	AFL	8209						
PROC. REF: AMM 27-80-00-720-801								PKG:21
<b>27-80-00-720-801-02A FUNCTIONAL TEST OF THE SLATS - AUTOMATIC MODE (MANDATORY 5-40)</b>								
	MOS	02-Jun-21						Service ATA:27
	HRS	12299.4	1800		14099.4		274	MANDATORY 5-40
	AFL	8209						
PROC. REF: AMM 27-80-00-720-801								
<b>27-80-01-900-801-01 REMOVAL / INSTALLATION OF THE OUTBOARD SLAT MANIFOLD - OUTBOARD SLAT MANIFOLD (30CM)</b>								
PN:108143-01	MOS/MSC	05-Mar-14	O/C	TSR 0				Component ATA:27
SN:253	HRS			TSR 0				
WC#: 27.420	AFL			TSR 0				
PROC. REF: AMM 27-80-01-900-801								
<b>27-80-05-900-801-01 REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH SLAT INBOARD ACTUATOR (L440CM)</b>								
PN:106132-08	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:27
SN:3228	HRS	0		TSN 0				
WC#: 27.430	AFL	0		TSN 0				
PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-02 REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH SLAT INBOARD ACTUATOR (R440CM)</b>								
PN:106132-06	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:27
SN:3195	HRS	0		TSN 0				
WC#: 27.435	AFL	0		TSN 0				
PROC. REF: AMM 27-80-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-80-05-900-801-03		REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH SLAT OUTBOARD ACTUATOR (L430CM)					Component	ATA:27	
PN:106132-06	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3173	HRS	0		TSN 0					
WC#: 27.430	AFL	0		TSN 0					
PROC. REF: AMM 27-80-05-900-801									
27-80-05-900-801-04		REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH SLAT OUTBOARD ACTUATOR (R430CM)					Component	ATA:27	
PN:106132-08	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3229	HRS	0		TSN 0					
WC#: 27.435	AFL	0		TSN 0					
PROC. REF: AMM 27-80-05-900-801									
27-80-05-900-801-05		REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH SLAT EMERGENCY ACTUATOR (L450CM)					Component	ATA:27	
PN:106132-07	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3176	HRS	0		TSN 0					
WC#: 27.440	AFL	0		TSN 0					
PROC. REF: AMM 27-80-05-900-801									
27-80-05-900-801-06		REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH SLAT EMERGENCY ACTUATOR (R450CM)					Component	ATA:27	
PN:106132-07	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3177	HRS	0		TSN 0					
WC#: 27.440	AFL	0		TSN 0					
PROC. REF: AMM 27-80-05-900-801									
27-80-17-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE SLAT POSITION MICROSWITCHES - LH SLAT EXTENDED MICROSWITCH (L210CM)					Service	ATA:27	
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 27.405	AFL	7526							
PROC. REF: AMM 27-80-17-720-801									
PKG:22									
27-80-17-720-801-02 <sup>S</sup>		FUNCTIONAL TEST OF THE SLAT POSITION MICROSWITCHES - LH SLAT RETRACTED MICROSWITCH (L220CM)					Service	ATA:27	
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 27.405	AFL	7526							
PROC. REF: AMM 27-80-17-720-801									
PKG:22									
27-80-17-720-801-03 <sup>S</sup>		FUNCTIONAL TEST OF THE SLAT POSITION MICROSWITCHES - RH SLAT EXTENDED MICROSWITCH (R210CM)					Service	ATA:27	
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 27.405	AFL	7526							
PROC. REF: AMM 27-80-17-720-801									
PKG:22									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-80-17-720-801-04 <sup>S</sup>		FUNCTIONAL TEST OF THE SLAT POSITION MICROSWITCHES - RH SLAT RETRACTED MICROSWITCH (R220CM)							Service ATA:27
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 27.405	AFL	7526							
PROC. REF: AMM 27-80-17-720-801								PKG:22	
2700A1 <sup>U</sup>		COUPLING BLOCK							Component ATA:27
PN:F2MA740502A2	MOS/MSC	18-Oct-16	O/C						
SN:NSN	HRS	10504.7							
	AFL	7104							
270811		PILOT PEDAL ASSEMBLY							Component ATA:27
PN:FE230-001	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FR181	HRS	0		TSN 0					
WC#: 27.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
270816		COPILOT PEDAL ASSEMBLY							Component ATA:27
PN:FE213-003	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FR342	HRS	0		TSN 0					
WC#: 27.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
270831		PILOT PEDAL ADJUSTMENT ROD BOX							Component ATA:27
PN:4505-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1098	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
270841		COPILOT PEDAL ADJUSTMENT ROD BOX							Component ATA:27
PN:4505-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1099	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271851		LH AILERON NO.1 SYSTEM SERVO ACTUATOR ACCUMULATOR							Component ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
271856	LH AILERON NO.2 SYSTEM SERVO ACTUATOR ACCUMULATOR							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271861	RH AILERON NO.1 SYSTEM SERVO ACTUATOR ACCUMULATOR							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271866	RH AILERON NO.2 SYS SERVO ACTUATOR ACCUMULATOR							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
273806	ELEVATOR ARTHUR CONTROL BOX							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
273816	PITCH FEEL SERVO VALVE							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.225	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275801	LH FLAP DUAL TRANSFER GEARBOX							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275811	RH FLAP DUAL TRANSFER GEARBOX							Component	ATA:27
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
275821		LH FLAP POSITION TRANSMITTER					Component	ATA:27	
PN:1-4414-2	MOS/MSC	17-Sep-11	O/C						
SN:1141	HRS	8015.3							
WC#: 27.335	AFL	5404							
PROC. REF: GENERIC NO REF									
275831		RH FLAP POSITION TRANSMITTER					Component	ATA:27	
PN:1-4414-2	MOS/MSC	22-Oct-09	O/C	TSR 0					
SN:632	HRS	6709.1		TSR 0					
WC#: 27.335	AFL	4537		TSR 0					
PROC. REF: GENERIC NO REF									
276801		AIRBRAKE/EMERGENCY SLATS MANIFOLD					Component	ATA:27	
PN:71365-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:0189	HRS	0		TSN 0					
WC#: 27.365	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276806		AIRBRAKE PRESSURE HOLDING VALVE					Component	ATA:27	
PN:D25AB1703	MOS/MSC	08-Feb-03	O/C	TSR 0					
SN:254	HRS	644.1		TSR 0					
WC#: 27.370	AFL	472		TSR 0					
PROC. REF: AMM 27-62-03-900-801									
276811		AIRBRAKE PRESSURE GAUGE					Component	ATA:27	
PN:GP12-105	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:91215129	HRS	0		TSN 0					
WC#: 27.375	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276816		HYDRAULIC AIRBRAKE CHARGING VALVE					Component	ATA:27	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.380	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276821		LH OUTBOARD AIRBRAKE RESTRICTOR					Component	ATA:27	
PN:C24370-402	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H1626	HRS	0		TSN 0					
WC#: 27.385	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>276826</b>		<b>LH MIDDLE AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-302	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2036	HRS	0		TSN 0					
WC#: 27.385	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>276831</b>		<b>LH INBOARD AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-202	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H1701	HRS	0		TSN 0					
WC#: 27.385	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>276836</b>		<b>RH INBOARD AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-202	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H1700	HRS	0		TSN 0					
WC#: 27.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>276841</b>		<b>RH MIDDLE AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-302	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2035	HRS	0		TSN 0					
WC#: 27.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>276846</b>		<b>RH OUTBOARD AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-402	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H1627	HRS	0		TSN 0					
WC#: 27.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>278841</b>		<b>LH SLAT EMERGENCY ACTUATOR ONE-WAY RESTRICTOR VALVE</b>						<b>Component</b>	<b>ATA:27</b>
PN:FGFB756380A2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:MA901	HRS	0		TSN 0					
WC#: 27.445	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>278846</b>		<b>RH SLAT EMERGENCY ACTUATOR ONE-WAY RESTRICTOR VALVE</b>						<b>Component</b>	<b>ATA:27</b>
PN:FGFB756380A2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:MA906	HRS	0		TSN 0					
WC#: 27.445	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
278851	LH SLAT ACTUATOR ADJUSTABLE RESTRICTOR							Component	ATA:27
PN:C24370-102	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2363	HRS	0		TSN 0					
WC#: 27.450	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
278856	RH SLAT ACTUATOR ADJUSTABLE RESTRICTOR							Component	ATA:27
PN:C24370-102	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2364	HRS	0		TSN 0					
WC#: 27.450	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 28 - FUEL</b>									
28-00-00-280-801-01 <sup>S</sup>	FUEL CONTAMINATION DETECTION TEST							Service	ATA:28
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
WC#: 28.140	AFL	9075							
PROC. REF: AMM 28-00-00-280-801									
28-00-00-290-801-01 <sup>S</sup>	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH FEEDER TANK							Service	ATA:28
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9	2400 (+40)						
	AFL	9101							
PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-02 <sup>S</sup>	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH FEEDER TANK							Service	ATA:28
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9	2400 (+40)						
	AFL	9101							
PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-03	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH CENTER-WING TANK							Service	ATA:28
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-290-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-00-00-290-801-04	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH CENTER-WING TANK							Service	ATA:28
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-00-00-290-801								
28-00-00-290-801-05 <sup>S</sup>	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH WING TANK							Service	ATA:28
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9	2400 (+40)						
	AFL	9101							
	PROC. REF: AMM 28-00-00-290-801								
	PKG:7								
28-00-00-290-801-06 <sup>S</sup>	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH WING TANK							Service	ATA:28
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9	2400 (+40)						
	AFL	9101							
	PROC. REF: AMM 28-00-00-290-801								
	PKG:7								
28-00-00-910-803-01	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - FUEL INJECTION METHOD							Service	ATA:28
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-02	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - GRAVITY POURING METHOD							Service	ATA:28
	MOS/MSC	10-Feb-17	O/C						
	HRS	10584.7							
	AFL	7139							
	PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-03	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - FUEL INJECTION METHOD							Service	ATA:28
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-04	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - GRAVITY POURING METHOD							Service	ATA:28
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-00-00-910-803-05 <sup>U</sup> DECONTAMINATION OF THE FUEL SYSTEMS - INSPECTION OF FEEDER TANKS Service ATA:28								
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
28-00-00-910-803-06 DECONTAMINATION OF THE FUEL SYSTEMS - CLEANING / REPLACEMENT OF FILTERS Service ATA:28								
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
28-00-00-910-803-07 <sup>U</sup> DECONTAMINATION OF THE FUEL SYSTEMS - CLEANING OF FUEL TANKS Service ATA:28								
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
28-00-00-910-804-01 MEASURES TO BE TAKEN AFTER MAINTENANCE OPERATIONS IN THE FUEL TANKS Service ATA:28								
	MOS/MSC		A/R					
	HRS							
WC#: 28.420	AFL							
PROC. REF: AMM 28-00-00-910-804								
28-10-00-280-801-01 <sup>S</sup> SPECIAL DETAILED INSPECTION OF THE FUEL TANK FLAPPER VALVES Service ATA:28								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 28.020	AFL	6374	7500					
PROC. REF: AMM 28-10-00-280-801								
28-21-01-900-801-01 REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - LH NORMAL BOOSTER PUMP (L30QD) Component ATA:28								
PN:P99C31-603	MOS/MSC	25-Apr-14	O/C	TSR 0				
SN:476	HRS	9480.7		TSR 0				
WC#: 28.250	AFL	6374		TSR 0				
PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-02 REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - RH NORMAL BOOSTER PUMP (R30QD) Component ATA:28								
PN:226165-1	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:A08517	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-21-04-900-801-01		REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - LH NORMAL BOOSTER PUMP CANISTER (L31QD)					Component	ATA:28	
PN:226-166-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A01648	HRS	0		TSN 0					
WC#: 28.280	AFL	0		TSN 0					
PROC. REF: AMM 28-21-04-900-801									
28-21-04-900-801-02		REMOVAL / INSTALLATION OF THE BOOSTER PUMP CANISTERS - RH NORMAL BOOSTER PUMP CANISTER (R31QD)					Component	ATA:28	
PN:226-166-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A01649	HRS	0		TSN 0					
WC#: 28.280	AFL	0		TSN 0					
PROC. REF: AMM 28-21-04-900-801									
28-21-13-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - LH ENGINE FUEL SHUT-OFF VALVE (L20QD)					Service	ATA:28	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 76.030	AFL	8209	3750						
PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-02 <sup>S</sup>		OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - RH ENGINE FUEL SHUT-OFF VALVE (R20QD)					Service	ATA:28	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 76.030	AFL	8209	3750						
PROC. REF: AMM 28-21-13-710-801									
28-21-13-720-801-01		FUNCTIONAL TEST OF THE THERMAL EXPANSION SYSTEM OF THE FUEL SHUT-OFF VALVES - LH ENGINE FUEL SHUT-OFF VALVE (L20QD)					Service	ATA:28	
PN:B97-31-652	MOS	19-Dec-14							
SN:H47680	HRS	9832.4	10000 (+3%)		19832.4	20132.4	6007 (+300)		
WC#: 28.270	AFL	6621							
PROC. REF: AMM 28-21-13-720-801									
28-21-13-720-801-02		FUNCTIONAL TEST OF THE THERMAL EXPANSION SYSTEM OF THE FUEL SHUT-OFF VALVES - RH ENGINE FUEL SHUT-OFF VALVE (R20QD)					Service	ATA:28	
PN:B97-31-652	MOS	19-Dec-14							
SN:H62874	HRS	9832.4	10000 (+3%)		19832.4	20132.4	6007 (+300)		
WC#: 28.270	AFL	6621							
PROC. REF: AMM 28-21-13-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-21-13-900-801-01		NO. 1 ENGINE FUEL SHUTOFF VALVE					Component	ATA:28	
PN:B97-31-652	MOS/MSC	19-Dec-14	O/C	TSN 0					
SN:H47680	HRS	9832.4	TSN 0						
WC#: 76.030	AFL	6621	TSN 0						
PROC. REF: AMM 28-21-13-900-803									
28-21-13-900-801-02		NO. 2 ENGINE FUEL SHUTOFF VALVE					Component	ATA:28	
PN:B97-31-652	MOS/MSC	19-Dec-14	O/C	TSN 0					
SN:H62874	HRS	9832.4	TSN 0						
WC#: 76.030	AFL	6621	TSN 0						
PROC. REF: AMM 28-21-13-900-803									
28-21-13-900-802-01		REMOVAL / INSTALLATION OF THE ENGINE FUEL SHUT-OFF VALVE ACTUATORS - LH ENGINE FUEL SHUT-OFF VALVE ACTUATOR (L20QD1)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-21-13-900-802									
28-21-13-900-802-02		REMOVAL / INSTALLATION OF THE ENGINE FUEL SHUT-OFF VALVE ACTUATORS - RH ENGINE FUEL SHUT-OFF VALVE ACTUATOR (R20QD1)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-21-13-900-802									
28-21-17-790-801-01		SEALING TEST OF THE APU FUEL SHUT-OFF VALVE - APU SHUT-OFF VALVE (10QD2)					Service	ATA:28	
	MOS/MSC	25-Apr-14	C/C						
	HRS	9480.7							
WC#: 49.185	AFL	6374							
PROC. REF: AMM 28-21-17-790-801									
28-21-25-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE CROSSFEED UNITS					Service	ATA:28	
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9	2400 (+40)						
WC#: 28.240	AFL	9101							
PROC. REF: AMM 28-21-25-710-801									

PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-21-25-900-801-01		REMOVAL / INSTALLATION OF THE LH AND RH CROSSFEED UNITS - LH CROSSFEED UNIT (400QS)					Component	ATA:28	
PN:L88A31-665-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A04612	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: AMM 28-21-25-900-801									
28-21-25-900-801-02		REMOVAL / INSTALLATION OF THE LH AND RH CROSSFEED UNITS - RH CROSSFEED UNIT (410QS)					Component	ATA:28	
PN:L88A31-666-2	MOS/MSC	07-Feb-17	O/C	TSR 0					
SN:A26138	HRS	10584.7		TSR 0					
WC#: 28.270	AFL	7139		TSR 0					
PROC. REF: AMM 28-21-25-900-801									
28-21-27-900-801-01		REMOVAL / INSTALLATION OF THE CROSSFEED UNIT ELECTRICAL ACTUATORS - LH CROSSFEED UNIT ACTUATOR (400QS1)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-21-27-900-801									
28-21-27-900-801-02		REMOVAL / INSTALLATION OF THE CROSSFEED UNIT ELECTRICAL ACTUATORS - RH CROSSFEED UNIT ACTUATOR (410QS1)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-27-900-801									
28-21-29-100-801-01 <sup>S</sup>		CLEANING OF THE CROSSFEED UNIT FILTERS - LH CROSSFEED UNIT FILTER					Service	ATA:28	
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
	AFL	9075							
PROC. REF: AMM 28-21-29-100-801									
28-21-29-100-801-02 <sup>S</sup>		CLEANING OF THE CROSSFEED UNIT FILTERS - RH CROSSFEED UNIT FILTER					Service	ATA:28	
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
	AFL	9075							
PROC. REF: AMM 28-21-29-100-801									
28-22-01-900-801-01		REMOVAL / INSTALLATION OF THE TANK INTERCONNECTION VALVE - TANKS INTERCONNECTION VALVE (370QS)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-22-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-30-00-680-802-01	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - DRAINING OF THE LH TANK GROUP							Service	ATA:28
	MOS/MSC	21-Feb-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-00-680-802									
28-30-00-680-802-02	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - DRAINING OF THE RH TANK GROUP							Service	ATA:28
	MOS/MSC	21-Feb-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-00-680-802									
28-30-00-680-802-03	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - FUEL SAMPLING							Service	ATA:28
	MOS/MSC	21-Feb-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-00-680-802									
28-30-00-680-802-05	DRAINING OF THE FUEL TANKS / FUEL SAMPLING - LEAK CHECK OF THE DRY BAY							Service	ATA:28
	MOS/MSC	25-Feb-21	N/A						
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 28-30-00-680-802									
28-30-00-680-804-01	DRAINING WATER FROM THE FUEL TANKS							Service	ATA:28
	MOS	02-Apr-24	2 (+5d)		02-Jun-24	07-Jun-24	57 d (+5)		
	HRS	13825.4							
	AFL	9104							
PROC. REF: AMM 28-30-00-680-804									
28-30-01-900-801-01	REMOVAL / INSTALLATION OF THE DEFUELING MANIFOLD - DEFUELING MANIFOLD (10QD)							Component	ATA:28
PN:L88A31-668	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:20132	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28-30-11-900-801-01	REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH WING TANK SUMP DRAIN VALVE (L30QS)							Component	ATA:28
PN:142D12-1	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:F29004	HRS	8230		TSN 0					
WC#: 28.370	AFL	5554		TSN 0					
PROC. REF: AMM 28-30-11-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-30-11-900-801-02		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH WING TANK SUMP DRAIN VALVE (R30QS)					Component	ATA:28	
PN:142D12-1	MOS/MSC	28-Oct-13	O/C	TSN 0					
SN:H02041	HRS	9294.4		TSN 0					
WC#: 28.370	AFL	6270		TSN 0					
PROC. REF: AMM 28-30-11-900-801									
28-30-11-900-801-03		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH FEEDER TANK SUMP DRAIN VALVE (L40QS)					Component	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4836	HRS	0		TSN 0					
WC#: 28.380	AFL	0		TSN 0					
PROC. REF: AMM 28-30-11-900-801									
28-30-11-900-801-04		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH CENTERWING TANK REAR SUMP DRAIN VALVE (R40QS)					Component	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4837	HRS	0		TSN 0					
WC#: 28.380	AFL	0		TSN 0					
PROC. REF: AMM 28-30-11-900-801									
28-30-11-900-801-05		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH CENTERWING TANK FRONT SUMP DRAIN VALVE (R45QS1)					Component	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4838	HRS	0		TSN 0					
WC#: 28.390	AFL	0		TSN 0					
PROC. REF: AMM 28-30-11-900-801									
28-30-11-900-801-06		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH FEEDER TANK SUMP DRAIN VALVE (R45QS2)					Component	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4839	HRS	0		TSN 0					
WC#: 28.390	AFL	0		TSN 0					
PROC. REF: AMM 28-30-11-900-801									
28-30-11-900-801-07		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH CENTERWING TANK SUMP DRAIN VALVE (430QS)					Component	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:4840	HRS	0		TSN 0					
WC#: 28.400	AFL	0		TSN 0					
PROC. REF: AMM 28-30-11-900-801									
28-30-11-960-801-01		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - LH WING TANK SUMP DRAIN VALVE (L30QS)					Service	ATA:28	
PN:142D12-1	MOS/MSC	09-Mar-12	O/C						
SN:F29004	HRS	8230							
	AFL	5554							
PROC. REF: AMM 28-30-11-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-30-11-960-801-02		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - RH WING TANK SUMP DRAIN VALVE (R30QS)					Service	ATA:28	
PN:142D12-1	MOS/MSC	28-Oct-13	O/C						
SN:H02041	HRS	9294.4							
	AFL	6270							
PROC. REF: AMM 28-30-11-960-801									
28-30-11-960-801-03		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - LH FEEDER TANK SUMP DRAIN VALVE (L40QS)					Service	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C						
SN:4836	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-11-960-801									
28-30-11-960-801-04		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - RH CENTERWING TANK REAR SUMP DRAIN VALVE (R40QS)					Service	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C						
SN:4837	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-11-960-801									
28-30-11-960-801-05		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - RH CENTERWING TANK FRONT SUMP DRAIN VALVE (R45QS1)					Service	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C						
SN:4838	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-11-960-801									
28-30-11-960-801-06		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - RH FEEDER TANK SUMP DRAIN VALVE (R45QS2)					Service	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C						
SN:4839	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-11-960-801									
28-30-11-960-801-07		REPLACEMENT OF THE SUMP DRAIN VALVE SEALS - LH CENTERWING TANK SUMP DRAIN VALVE (430QS)					Service	ATA:28	
PN:142G12-32	MOS/MSC	22-Jan-02	O/C						
SN:4840	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-11-960-801									
28-30-11-960-802-01		DISCARD OF THE FUEL DRAIN CAPS					Service	ATA:28	
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-30-11-960-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE FUEL QUANTITY INDICATING SYSTEM - LH INDICATOR Service ATA:28								
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)					
	AFL	7526						
PROC. REF: AMM 28-41-00-720-801								PKG:22
28-41-00-720-801-02 <sup>S</sup> FUNCTIONAL TEST OF THE FUEL QUANTITY INDICATING SYSTEM - RH INDICATOR Service ATA:28								
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)					
	AFL	7526						
PROC. REF: AMM 28-41-00-720-801								PKG:22
28-41-01-900-801-01 REMOVAL / INSTALLATION OF THE FUEL QUANTITY MANAGEMENT COMPUTER (FQMC) - FQMC (70QJ) Component ATA:28								
PN:736659-12	MOS/MSC	24-Jun-17	O/C	TSR 0				
SN:0282	HRS	10665.7		TSR 0				
WC#: 28.360	AFL	7193		TSR 0				
PROC. REF: AMM 28-41-01-900-801								
28-41-05-900-801-01 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - LH FEEDER TANK GAUGE (L50QJ) Component ATA:28								
PN:768-343-1	MOS/MSC	25-May-04	O/C	TSR 0				
SN:328	HRS	2013.3		TSR 0				
WC#: 28.310	AFL	1427		TSR 0				
PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-02 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - RH FEEDER TANK GAUGE (R50QJ) Component ATA:28								
PN:768-343-1	MOS/MSC	15-Jun-07	O/C	TSR 0				
SN:514	HRS	5154.1		TSR 0				
WC#: 28.310	AFL	3446		TSR 0				
PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-03 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - LH CENTERWING TANK GAUGE (L60QJ) Component ATA:28								
PN:768-342-3	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:473	HRS	0		TSN 0				
WC#: 28.320	AFL	0		TSN 0				
PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-04 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - RH CENTERWING TANK GAUGE (R60QJ) Component ATA:28								
PN:768-342-3	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:474	HRS	0		TSN 0				
WC#: 28.320	AFL	0		TSN 0				
PROC. REF: AMM 28-41-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-41-09-900-801-01		REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING INBOARD TANK GAUGE (L20QJ)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-41-09-900-801									
28-41-09-900-801-02		REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING INBOARD TANK GAUGE (R20QJ)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.330	AFL	0		TSN 0					
PROC. REF: AMM 28-41-09-900-801									
28-41-09-900-801-03		REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING CENTER TANK GAUGE (L30QJ)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-41-09-900-801									
28-41-09-900-801-04		REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING CENTER TANK GAUGE (R30QJ)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.330	AFL	0		TSN 0					
PROC. REF: AMM 28-41-09-900-801									
28-41-09-900-801-05		REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING OUTBOARD TANK GAUGE (L40QJ)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-41-09-900-801									
28-41-09-900-801-06		REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING OUTBOARD TANK GAUGE (R40QJ)					Component	ATA:28	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.330	AFL	0		TSN 0					
PROC. REF: AMM 28-41-09-900-801									
28-43-01-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE FUEL TEMPERATURE SENSOR - FUEL TEMPERATURE SENSOR (25QJ)					Service	ATA:28	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 28.410	AFL	8209	3750						
PROC. REF: AMM 28-43-01-720-801									

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-50-09-900-801-01		REMOVAL / INSTALLATION OF THE REFUELING VALVES AND CHECK VALVES - LH ELECTRICAL REFUELING VALVE (L70QS)						Component	ATA:28
PN:L94Z31-201	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A08609	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-50-09-900-801									
28-50-09-900-801-02		REMOVAL / INSTALLATION OF THE REFUELING VALVES AND CHECK VALVES - RH ELECTRICAL REFUELING VALVE (R70QS)						Component	ATA:28
PN:L94Z31-201	MOS/MSC	02-Dec-19	O/C	TSN 0					
SN:C61614	HRS	12100		TSN 0					
WC#: 28.040	AFL	8084		TSN 0					
PROC. REF: AMM 28-50-09-900-801									
28-50-09-900-801-03		REMOVAL / INSTALLATION OF THE REFUELING VALVES AND CHECK VALVES - LH TANKS CHECK VALVE (L80QS)						Component	ATA:28
PN:L96Z31-201	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A04699	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28-50-09-900-801-04		REMOVAL / INSTALLATION OF THE REFUELING VALVES AND CHECK VALVES - RH TANKS CHECK VALVE (R80QS)						Component	ATA:28
PN:L96Z31-201	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A04700	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28-70-05-790-801-01		SEALING TEST OF THE NON-RETURN VALVE OF THE PRESSURE REDUCER - PRESSURE REDUCING VALVE (210QD)						Service	ATA:28
PN:B14DE2080	MOS	25-Nov-13							
SN:869	HRS	9375.3	7500 (+3%)		16875.3	17100.3	3049.9 (+225)		
WC#: 28.170	AFL	6320							
PROC. REF: AMM 28-70-05-790-801									
28-70-05-900-801-01		REMOVAL / INSTALLATION OF THE PRESSURE REDUCING VALVE - PRESSURE REDUCING VALVE (210QD)						Component	ATA:28
PN:B14DE2080	MOS/MSC	25-Nov-13	O/C	TSO 0					
SN:869	HRS	9375.3		TSO 0					
WC#: 28.170	AFL	6320		TSO 0					
PROC. REF: AMM 28-70-05-900-801									
28-70-09-350-801-01		RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - LH VALVE BOX (L260QD)						Service	ATA:28
PN:B04BA1006	MOS	12-Aug-14							
SN:2376	HRS	9822.4	5000 (+3%)		14822.4	14972.4	997 (+150)		
WC#: 28.180	AFL	6615							
PROC. REF: AMM 28-70-09-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-70-09-350-801-02		RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - RH VALVE BOX (R260QD)							Service ATA:28
PN:B04BA1006	MOS	12-Aug-14							
SN:2378	HRS	9822.4	5000 (+3%)		14822.4	14972.4	997 (+150)		
WC#: 28.180	AFL	6615							
PROC. REF: AMM 28-70-09-350-801									
28-70-09-900-801-01		REMOVAL / INSTALLATION OF THE VALVE BOXES - LH VALVE BOX (L260QD)							Component ATA:28
PN:B04BA1006	MOS/MSC	12-Aug-14	O/C	TSR 3					
SN:2376	HRS	9822.4		TSN 2099, TSR 0					
WC#: 28.180	AFL	6615		TSR 0					
PROC. REF: AMM 28-70-09-900-801									
28-70-09-900-801-02		REMOVAL / INSTALLATION OF THE VALVE BOXES - RH VALVE BOX (R260QD)							Component ATA:28
PN:B04BA1006	MOS/MSC	08-Dec-14	O/C	TSR 3					
SN:2378	HRS	9822.4		TSN 2099, TSR 0					
WC#: 28.180	AFL	6615		TSR 0					
PROC. REF: AMM 28-70-09-900-801									
28-70-13-350-801-01		RESTORATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES (AIR FLOW AND PRESSURE DROP TEST / LEAK TEST) - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L80QD)							Service ATA:28
PN:B06GA1051	MOS/MSC	04-Dec-07	O/C						
SN:1613	HRS	4952.7							
	AFL	3315							
PROC. REF: AMM 28-70-13-350-801									
28-70-13-350-801-02		RESTORATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES (AIR FLOW AND PRESSURE DROP TEST / LEAK TEST) - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R80QD)							Service ATA:28
PN:B06GA1051	MOS/MSC	04-Dec-07	O/C						
SN:1683	HRS	4952.7							
	AFL	3315							
PROC. REF: AMM 28-70-13-350-801									
28-70-13-720-802-01		FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L80QD)							Service ATA:28
PN:B06GA1051	MOS	08-Dec-15							
SN:1613	HRS	10333.8	5000 (+3%)		15333.8	15483.8	1508.4 (+150)		
WC#: 28.150	AFL	6981							
PROC. REF: AMM 28-70-13-720-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-70-13-720-802-02	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R80QD)							Service	ATA:28
PN:B06GA1051	MOS	08-Dec-15							
SN:1683	HRS	10333.8	5000 (+3%)		15333.8	15483.8	1508.4 (+150)		
WC#: 28.150	AFL	6981							
PROC. REF: AMM 28-70-13-720-802									
28-70-13-900-801-01	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L80QD)							Component	ATA:28
PN:B06GA1051	MOS/MSC	04-Dec-07	O/C	TSO 13					
SN:1613	HRS	4952.7		TSO 0					
WC#: 28.150	AFL	3315		TSO 0					
PROC. REF: AMM 28-70-13-900-801									
28-70-13-900-801-02	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R80QD)							Component	ATA:28
PN:B06GA1051	MOS/MSC	04-Dec-07	O/C	TSO 13					
SN:1683	HRS	4952.7		TSO 0					
WC#: 28.150	AFL	3315		TSO 0					
PROC. REF: AMM 28-70-13-900-801									
28-70-17-130-801-01 <sup>S</sup>	CLEANING OF FUEL TANK PRESSURIZATION AIR FILTERS - FUEL PRESSURIZATION FILTER (90QD)							Service	ATA:28
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 28.120	AFL	8209							
PROC. REF: AMM 28-70-17-130-801									
28-70-17-700-801-01 <sup>S</sup>	CHECK OF FUEL PRESSURIZATION NON-RETURN VALVES FOR JAMMING - LH FUEL NON RETURN VALVE (L60QD)							Service	ATA:28
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 28-70-17-700-801									
28-70-17-700-801-02 <sup>S</sup>	CHECK OF FUEL PRESSURIZATION NON-RETURN VALVES FOR JAMMING - RH FUEL NON RETURN VALVE (R60QD)							Service	ATA:28
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 28-70-17-700-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
<b>28-70-21-900-801-01</b>		<b>REMOVAL / INSTALLATION OF THE VENT VALVES - LH VENT VALVE (L355QS)</b>					<b>Component</b>	<b>ATA:28</b>	
PN:B97N38-651	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A01452	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-70-21-900-801									
<b>28-70-21-900-801-02</b>		<b>REMOVAL / INSTALLATION OF THE VENT VALVES - RH VENT VALVE (R355QS)</b>					<b>Component</b>	<b>ATA:28</b>	
PN:B97N38-651	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A01453	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-70-21-900-801									
<b>281801</b>		<b>REFUELING FILLER CONNECTOR</b>					<b>Component</b>	<b>ATA:28</b>	
PN:K97-51-202	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A05857	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281826</b>		<b>FUELING PANEL</b>					<b>Component</b>	<b>ATA:28</b>	
PN:11983-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:641	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281831</b>		<b>FUELING MANIFOLD</b>					<b>Component</b>	<b>ATA:28</b>	
PN:K99-31-009	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A08068	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281851</b>		<b>LH WING OUTBOARD JET-PUMP</b>					<b>Component</b>	<b>ATA:28</b>	
PN:C17AR0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1161	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281856</b>		<b>RH WING OUTBOARD JET-PUMP</b>					<b>Component</b>	<b>ATA:28</b>	
PN:C17AR0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1168	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
<b>281861</b>		<b>LH WING TANK CENTRAL JET-PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:C17AQ0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3879	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281866</b>		<b>RH WING TANK CENTRAL JET-PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:C17AQ0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3880	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281871</b>		<b>LH WING INBOARD JET-PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:C17AQ0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3881	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281876</b>		<b>RH WING INBOARD JET-PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:C17AQ0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3884	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281881</b>		<b>LEFT WING CENTER JET-PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:C17AQ0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3904	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>281886</b>		<b>RIGHT WING CENTER JET-PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:C17AQ0011	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:3908	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>282806</b>		<b>LH FUEL NON-RETURN VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:L96Z19-003	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A06880	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
282811	RH FUEL NON-RETURN VALVE							Component	ATA:28
PN:L96Z19-003	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A06879	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282816	FUEL PRESSURIZATION AIR FILTER							Component	ATA:28
PN:018500AA000NF0A	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:457330025	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
285801	FUEL PRESSURE GAUGE							Component	ATA:28
PN:MPMC50701-01	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:577	HRS	0		TSN 0					
WC#: 28.340	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
285806	NO. 1 ENGINE FUEL PRESSURE SWITCH							Component	ATA:28
PN:8G1256-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2847	HRS	0		TSN 0					
WC#: 28.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
285811	NO. 2 ENGINE FUEL PRESSURE SWITCH							Component	ATA:28
PN:8G1256-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2831	HRS	0		TSN 0					
WC#: 28.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 29 - HYDRAULIC POWER</b>									
29-00-00-280-801-01	SAMPLING OF THE HYDRAULIC FLUID - HYDRAULIC SYSTEM 1							Service	ATA:29
	MOS/MSC	21-Feb-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 29-00-00-280-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-00-00-280-801-02	SAMPLING OF THE HYDRAULIC FLUID - HYDRAULIC SYSTEM 2							Service	ATA:29
	MOS/MSC	21-Feb-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 29-00-00-280-801									
29-10-00-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE MAIN HYDRAULIC SYSTEMS - SYSTEM 1							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 29.030	AFL	8209	3750						
PROC. REF: AMM 29-10-00-720-801									
PKG:31									
29-10-00-720-801-02 <sup>S</sup>	FUNCTIONAL TEST OF THE MAIN HYDRAULIC SYSTEMS - SYSTEM 2							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 29.030	AFL	8209	3750						
PROC. REF: AMM 29-10-00-720-801									
PKG:31									
29-11-01-350-801-01	RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - ENGINE 1 HYDRAULIC SYSTEM 1 PUMP (L10GP)							Service	ATA:29
PN:3031749-001	MOS	07-Mar-19						OVERHAUL	
SN:MX-550053	HRS	11668	4000 (+3%)		15668	15788	1842.6 (+120)		
WC#: 29.050	AFL	7801							
PROC. REF: AMM 29-11-01-350-801									
29-11-01-350-801-02	RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - ENGINE 2 HYDRAULIC SYSTEM 1 PUMP (R10GP)							Service	ATA:29
PN:3031749-001	MOS	25-Oct-18						OVERHAUL	
SN:MX625894	HRS	11373.9	4000 (+3%)		15373.9	15493.9	1548.5 (+120)		
WC#: 29.050	AFL	7649							
PROC. REF: AMM 29-11-01-350-801									
29-11-01-350-801-03	RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - ENGINE 2 HYDRAULIC SYSTEM 2 PUMP (5GP)							Service	ATA:29
PN:3031749-001	MOS	23-Jun-22						OVERHAUL	
SN:MX763161	HRS	12939.6	4000 (+3%)		16939.6	17059.6	3114.2 (+120)		
WC#: 29.060	AFL	8586							
PROC. REF: AMM 29-11-01-350-801									
29-11-01-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - ENGINE 1 HYDRAULIC SYSTEM 1 PUMP (L10GP)							Component	ATA:29
PN:3031749-001	MOS/MSC	07-Mar-19	H/T	TSR 4					
SN:MX-550053	HRS	11668		TSR 0					
WC#: 29.050	AFL	7801		TSR 0					
PROC. REF: AMM 29-11-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-11-01-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - ENGINE 2 HYDRAULIC SYSTEM 1 PUMP (R10GP)					Component	ATA:29	
PN:3031749-001	MOS/MSC	27-Aug-13	H/T						
SN:MX625894	HRS	9167.6							
WC#: 29.050	AFL	6193							
PROC. REF: AMM 29-11-01-900-801									
29-11-01-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - ENGINE 2 HYDRAULIC SYSTEM 2 PUMP (5GP)					Component	ATA:29	
PN:3031749-001	MOS/MSC	23-Jun-22	H/T	TSR 0					
SN:MX763161	HRS	12939.6		TSN 1216, TSR 0					
WC#: 29.060	AFL	8586		TSN 1180, TSR 0					
PROC. REF: AMM 29-11-01-900-801									
29-11-21-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE RELIEF VALVES - HYDRAULIC PUMP 1 PRESSURE RELIEF VALVE (L100ML)					Component	ATA:29	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-21-900-801									
29-11-21-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE RELIEF VALVES - HYDRAULIC PUMP 2 PRESSURE RELIEF VALVE (M100ML)					Component	ATA:29	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-21-900-801									
29-11-21-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE RELIEF VALVES - HYDRAULIC PUMP 3 PRESSURE RELIEF VALVE (R100ML)					Component	ATA:29	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-21-900-801									
29-11-25-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - ENGINE 1 SYSTEM 1 PUMP PRESSURE SWITCH (L30GJ)					Component	ATA:29	
PN:7G979	MOS/MSC	23-Jun-22	O/C	TSN 0					
SN:1670	HRS	12939.6		TSN 0					
WC#: 29.180	AFL	8586		TSN 0					
PROC. REF: AMM 29-11-25-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-11-25-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - ENGINE 2 SYSTEM 2 PUMP PRESSURE SWITCH (35GJ)					Component	ATA:29	
PN:15H0088PH	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:3905	HRS	8230		TSN 0					
WC#: 29.190	AFL	5554		TSN 0					
PROC. REF: AMM 29-11-25-900-801									
29-11-25-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - ENGINE 2 SYSTEM 1 PUMP PRESSURE SWITCH (R30GJ)					Component	ATA:29	
PN:15H0088PH	MOS/MSC	28-Oct-13	O/C	TSN 0					
SN:3720	HRS	9294.4		TSN 0					
WC#: 29.180	AFL	6270		TSN 0					
PROC. REF: AMM 29-11-25-900-801									
29-11-25-960-801-01		DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - ENGINE 1 SYSTEM 1 PUMP PRESSURE SWITCH (L30GJ)					Service	ATA:29	
PN:7G979	MOS	23-Jun-22					LIFE LIMIT		
SN:1670	HRS	12939.6	1240		14179.6		354.2		
WC#: 29.180	AFL	8586							
PROC. REF: AMM 29-11-25-960-801									
29-11-25-960-801-02		DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - ENGINE 2 SYSTEM 1 PUMP PRESSURE SWITCH (R30GJ)					Service	ATA:29	
PN:15H0088PH	MOS/MSC	28-Oct-13	O/C						
SN:3720	HRS	9294.4							
WC#: 29.180	AFL	6270							
PROC. REF: AMM 29-11-25-960-801									
29-11-25-960-801-03		DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - ENGINE 2 SYSTEM 2 PUMP PRESSURE SWITCH (35GJ)					Service	ATA:29	
PN:15H0088PH	MOS/MSC	09-Mar-12	O/C						
SN:3905	HRS	8230							
WC#: 29.190	AFL	5554							
PROC. REF: AMM 29-11-25-960-801									
29-12-05-710-801-01		OPERATIONAL TEST OF THE HYDRAULIC SHUT-OFF VALVES - ENGINE 1 HYDRAULIC SYSTEM 1 SHUT-OFF VALVE (30GPB)					Service	ATA:29	
	MOS	22-Sep-23	12 (+1m)		22-Sep-24	22-Oct-24	169 d (+30)		
	HRS	13560.4	400 (+40)	Adj -61	13899.4	13939.4	74 (+40)		
	AFL	8949							
PROC. REF: AMM 29-12-05-710-801									
29-12-05-710-801-01A		OPERATIONAL TEST OF THE NO.1 ENGINE HYDRAULIC SYSTEM 1 SHUT-OFF VALVE (MANDATORY 5-40)					Service	ATA:29	
	MOS	22-Sep-23					MANDATORY 5-40		
	HRS	13560.4	450		14010.4		185		
	AFL	8949							
PROC. REF: AMM 29-12-05-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-12-05-710-801-02	OPERATIONAL TEST OF THE HYDRAULIC SHUT-OFF VALVES - ENGINE 2 HYDRAULIC SYSTEM 1 SHUT-OFF VALVE (30GPC)							Service	ATA:29
	MOS	22-Sep-23	12 (+1m)		22-Sep-24	22-Oct-24	169 d (+30)		
	HRS	13560.4	400 (+40)	Adj -61	13899.4	13939.4	74 (+40)		
	AFL	8949							
PROC. REF: AMM 29-12-05-710-801									
29-12-05-710-801-02A	OPERATIONAL TEST OF THE NO.2 ENGINE HYDRAULIC SYSTEM 1 SHUT-OFF VALVE (MANDATORY 5-40)							Service	ATA:29
	MOS	22-Sep-23						MANDATORY 5-40	
	HRS	13560.4	450		14010.4		185		
	AFL	8949							
PROC. REF: AMM 29-12-05-710-801									
29-12-05-710-801-03	OPERATIONAL TEST OF THE HYDRAULIC SHUT-OFF VALVES - ENGINE 2 HYDRAULIC SYSTEM 2 SHUT-OFF VALVE (40GPB)							Service	ATA:29
	MOS	22-Sep-23	12 (+1m)		22-Sep-24	22-Oct-24	169 d (+30)		
	HRS	13560.4	400 (+40)	Adj -61	13899.4	13939.4	74 (+40)		
	AFL	8949							
PROC. REF: AMM 29-12-05-710-801									
29-12-05-710-801-03A	OPERATIONAL TEST OF THE NO.2 ENGINE HYDRAULIC SYSTEM 2 SHUT-OFF VALVE (MANDATORY 5-40)							Service	ATA:29
	MOS	22-Sep-23						MANDATORY 5-40	
	HRS	13560.4	450		14010.4		185		
	AFL	8949							
PROC. REF: AMM 29-12-05-710-801									
29-13-09-960-801-01 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - ENGINE 1 HYDRAULIC SYSTEM 1 DELIVERY FILTER (P11) (300GP1)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 29-13-09-960-801									
29-13-09-960-801-02 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - ENGINE 2 HYDRAULIC SYSTEM 1 DELIVERY FILTER (P12) (300GP2)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 29-13-09-960-801									
29-13-09-960-801-03 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - ENGINE 1 HYDRAULIC SYSTEM 1 RETURN FILTER (CD12) (300GP3)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 29-13-09-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-13-09-960-801-04 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - ENGINE 2 HYDRAULIC SYSTEM 1 RETURN FILTER (CD11) (300GP4)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 29-13-09-960-801							PKG:31	
29-13-09-960-801-05 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC SYSTEM 1 GENERAL RETURN FILTER (RET) (300GP5)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 29-13-09-960-801							PKG:31	
29-13-09-960-801-06 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - ENGINE 2 HYDRAULIC SYSTEM 2 DELIVERY FILTER (P2) (320GP1)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 29-13-09-960-801							PKG:31	
29-13-09-960-801-07 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - ENGINE 2 HYDRAULIC SYSTEM 2 RETURN FILTER (CD2) (320GP2)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 29-13-09-960-801							PKG:31	
29-13-09-960-801-08 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC SYSTEM 2 GENERAL RETURN FILTER (RET) (320GP3)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 29-13-09-960-801							PKG:31	
29-13-09-960-801-09 <sup>S</sup>	REPLACEMENT OF THE HYDRAULIC FILTERS - STAND-BY PUMP DELIVERY FILTER (ST-BY) (320GP4)							Service	ATA:29
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 29-13-09-960-801							PKG:31	
29-14-01-610-801-01	FILLING AND REPLENISHING OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (30GP)							Service	ATA:29
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 29-14-01-610-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-14-01-610-801-02	FILLING AND REPLENISHING OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (40GP)							Service	ATA:29
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 29-14-01-610-801								
29-14-01-680-801-01	DRAINING OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (30GP)							Service	ATA:29
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 29.080	AFL	6374							
	PROC. REF: AMM 29-14-01-680-801								
29-14-01-680-801-02	DRAINING OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (40GP)							Service	ATA:29
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 29.080	AFL	6374							
	PROC. REF: AMM 29-14-01-680-801								
29-14-01-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (30GP)							Component	ATA:29
PN:C19KP0015	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:388	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
	PROC. REF: AMM 29-14-01-900-801								
29-14-01-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (40GP)							Component	ATA:29
PN:C19JP0016	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:388	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
	PROC. REF: AMM 29-14-01-900-801								
29-14-11-780-801-01 <sup>S</sup>	CHECK OF THE HYDRAULIC SYSTEM 1 ACCUMULATOR CAPACITY - SYSTEM 1 HYDRAULIC ACCUMULATOR (L150GP)							Service	ATA:29
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
WC#: 29.250	AFL	9075							
	PROC. REF: AMM 29-14-11-780-801								
29-14-11-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC SYSTEM ACCUMULATORS - SYSTEM 1 HYDRAULIC ACCUMULATOR (L150GP)							Component	ATA:29
PN:47723-1000VA	MOS/MSC	19-Apr-06	O/C	TSN 0					
SN:200	HRS	3941.9		TSN 0					
WC#: 29.040	AFL	2659		TSN 0					
	PROC. REF: AMM 29-14-11-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>29-14-11-900-801-02 REMOVAL / INSTALLATION OF THE HYDRAULIC SYSTEM ACCUMULATORS - SYSTEM 2 HYDRAULIC ACCUMULATOR (R150GP) Component ATA:29</b>								
PN:47723-1000	MOS/MSC	25-May-05	O/C	TSO 0				
SN:025	HRS	2921.8		TSO 0				
WC#: 29.040	AFL	2013		TSO 0				
PROC. REF: AMM 29-14-11-900-801								
<b>29-15-01-130-801-01<sup>S</sup> CLEANING OF THE PRESSURIZATION AIR FILTER OF THE HYDRAULIC RESERVOIR - HYDRAULIC RESERVOIRS PRESSURIZATION FILTER (250GP) Service ATA:29</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 29.010	AFL	8209						
PROC. REF: AMM 29-15-01-130-801								
<b>29-20-00-720-801-02 FUNCTIONAL TEST OF THE AUXILIARY HYDRAULIC SYSTEM - SYSTEM 2 Service ATA:29</b>								
	MOS	24-Sep-18						
	HRS	11314.9	5000 (+40)		16314.9	16354.9	2489.5 (+40)	
	AFL	7612						
PROC. REF: AMM 29-20-00-720-801								
<b>29-20-01-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY ELECTRIC PUMP - STANDBY ELECTRIC PUMP (10GS) Component ATA:29</b>								
PN:42032	MOS/MSC	19-Dec-14	O/C					
SN:OL36	HRS	9832.4						
WC#: 29.130	AFL	6621						
PROC. REF: AMM 29-20-01-900-801								
<b>29-20-03-220-801-01 CHECK OF THE STANDBY ELECTRIC PUMP MOTOR BRUSHES - STANDBY ELECTRIC PUMP (10GS) Service ATA:29</b>								
PN:42032	MOS	19-Dec-14						
SN:OL36	HRS	9832.4	5000 (+3%)		14832.4	14982.4	1007 (+150)	
WC#: 29.130	AFL	6621						
PROC. REF: AMM 29-20-03-220-801								
<b>29-20-03-720-801-01 FUNCTIONAL TEST OF THE STANDBY ELECTRIC PUMP MOTOR - STANDBY ELECTRIC PUMP (10GS) Service ATA:29</b>								
PN:42032	MOS/MSC	19-Dec-14	O/C					
SN:OL36	HRS	9832.4						
WC#: 29.130	AFL	6621						
PROC. REF: AMM 29-20-03-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>29-20-05-900-801-01 REMOVAL / INSTALLATION OF THE STANDBY PUMP SELECTOR VALVE - STANDBY PUMP SELECTOR VALVE (20GS)</b>								
PN:B94A13-205	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:29
SN:A09655	HRS	0		TSN 0				
WC#: 29.160	AFL	0		TSN 0				
PROC. REF: AMM 29-20-05-900-801								
<b>29-20-07-900-801-01 REMOVAL / INSTALLATION OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 1 STANDBY PUMP PRESSURE SWITCH (L30GS)</b>								
PN:7G978-1	MOS/MSC	20-Jun-22	O/C	TSN 0				Component ATA:29
SN:174	HRS	12936		TSN 0				
WC#: 29.150	AFL	8583		TSN 0				
PROC. REF: AMM 29-20-07-900-801								
<b>29-20-07-900-801-02 REMOVAL / INSTALLATION OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 2 STANDBY PUMP PRESSURE SWITCH (R30GS)</b>								
PN:15H0091PH	MOS/MSC	18-Nov-19	O/C	TSN 0				Component ATA:29
SN:3200	HRS	12082		TSN 0				
WC#: 29.150	AFL	8072		TSN 0				
PROC. REF: AMM 29-20-07-900-801								
<b>29-20-07-960-801-01 DISCARD OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 1 STANDBY PUMP PRESSURE SWITCH (L30GS)</b>								
PN:7G978-1	MOS	20-Jun-22						Service ATA:29
SN:174	HRS	12936	1240		14176		350.6	LIFE LIMIT
WC#: 29.150	AFL	8583						
PROC. REF: AMM 29-20-07-960-801								
<b>29-20-07-960-801-02 DISCARD OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 2 STANDBY PUMP PRESSURE SWITCH (R30GS)</b>								
PN:15H0091PH	MOS/MSC		O/C					Service ATA:29
SN:3200	HRS							
WC#: 29.150	AFL							
PROC. REF: AMM 29-20-07-960-801								
<b>29-30-05-900-801-01 REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SENSORS - SYSTEM 1 PRESSURE SENSOR (L10GJ)</b>								
PN:64279-530-2	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:29
SN:4643	HRS	0		TSN 0				
WC#: 29.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>29-30-05-900-801-02 REMOVAL / INSTALLATION OF THE HYDRAULIC MANIFOLD PRESSURE SENSORS - SYSTEM 2 PRESSURE SENSOR (R10GJ)</b>								
PN:64279-530-2	MOS/MSC	04-Jun-18	O/C	TSN 0				Component ATA:29
SN:6580	HRS	11175.5		TSN 0				
WC#: 29.170	AFL	7526		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291801 HYDRAULIC SYSTEM PRESSURE REDUCER Component ATA:29</b>								
PN:2407J010410	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:00356	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291811 HYDRAULIC SYSTEM SOLENOID SHUT-OFF VALVE Component ATA:29</b>								
PN:71275-1	MOS/MSC	22-May-20	O/C	TSO 0				
SN:0385A	HRS			TSO 0				
WC#: 29.100	AFL			TSO 0				
PROC. REF: GENERIC NO REF								
<b>291821 NO.1 SYSTEM ACCUMULATOR PRESSURE GAUGE Component ATA:29</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291831 NO.2 SYSTEM ACCUMULATOR PRESSURE GAUGE Component ATA:29</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291841 NO.1 HYDRAULIC SYSTEM MANIFOLD Component ATA:29</b>								
PN:AEB937-811	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:0138	HRS	0		TSN 0				
WC#: 29.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291851 NO.2 HYDRAULIC SYSTEM MANIFOLD Component ATA:29</b>								
PN:AEB938-81	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:0285	HRS	0		TSN 0				
WC#: 29.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291856 HYDRAULIC TANK AIR FILTER Component ATA:29</b>								
PN:ACA767F415	MOS/MSC	08-Feb-03	O/C	TSN 0				
SN:UNKNOWN	HRS	644.1		TSN 0				
WC#: 29.125	AFL	472		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
291861	NO.1 HYDRAULIC SYSTEM RESERVOIR GAUGE							Component	ATA:29
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291862	LEFT ENGINE NO.1 HYDRAULIC SYSTEM SHUT-OFF VALVE							Component	ATA:29
PN:D09BB1001	MOS/MSC	08-Oct-13	O/C	TSR 0					
SN:1062	HRS	9255.7		TSR 0					
WC#: 29.230	AFL	6245		TSR 0					
PROC. REF: GENERIC NO REF									
291863	RIGHT ENGINE NO.1 HYDRAULIC SYSTEM SHUT-OFF VALVE							Component	ATA:29
PN:D09BB1001	MOS/MSC	08-Oct-13	O/C	TSR 0					
SN:021	HRS	9255.7		TSR 0					
WC#: 29.230	AFL	6245		TSR 0					
PROC. REF: GENERIC NO REF									
291871	NO.2 HYDRAULIC SYSTEM RESERVOIR GAUGE							Component	ATA:29
PN:768343-1	MOS/MSC	02-Jan-06	O/C						
SN:382	HRS	3672.6							
WC#: 29.220	AFL	2494							
PROC. REF: GENERIC NO REF									
291872	RIGHT ENGINE NO.2 HYDRAULIC SYSTEM SHUT-OFF VALVE							Component	ATA:29
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
292810	STAND-BY HYDRAULIC PUMP							Component	ATA:29
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
293851	NO.1 SYSTEM RESERVOIR HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:8A1206-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:797	HRS	0		TSN 0					
WC#: 29.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
293861	NO.2 SYSTEM RESERVOIR PRESSURE SWITCH							Component	ATA:29
PN:8A1206-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:798	HRS	0	TSN 0						
WC#: 29.200	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
293871	FLAP HYDRAULIC SUPPLY FLOW LIMITER							Component	ATA:29
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 29.240	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
30-11-09-350-801-01	RESTORATION OF THE OUTBOARD SLAT TELESCOPIC DUCTS (OVERHAUL) - LH TELESCOPIC DUCT (30DL)							Service	ATA:30
PN:5035-600	MOS/MSC	13-Jun-23	N/A						
SN:204	HRS	13436.3							
WC#: 30.020	AFL	8866							
PROC. REF: AMM 30-11-09-350-801									
30-11-09-350-801-01A	RESTORATION LH OUTBOARD SLAT TELESCOPIC DUCT (OVERHAUL) (MANDATORY 5-40)							Service	ATA:30
PN:5035-600	MOS/MSC	13-Jun-23	N/A						
SN:204	HRS	13436.3							
WC#: 30.020	AFL	8866							
PROC. REF: AMM 30-11-09-350-801									
30-11-09-350-801-02	RESTORATION OF THE OUTBOARD SLAT TELESCOPIC DUCTS (OVERHAUL) - RH TELESCOPIC DUCT (40DL)							Service	ATA:30
PN:5035-700	MOS/MSC	13-Jun-23	N/A						
SN:1205	HRS	13436.3							
WC#: 30.020	AFL	8866							
PROC. REF: AMM 30-11-09-350-801									
30-11-09-350-801-02A	RESTORATION RH OUTBOARD SLAT TELESCOPIC DUCT (OVERHAUL) (MANDATORY 5-40)							Service	ATA:30
PN:5035-700	MOS/MSC	13-Jun-23	N/A						
SN:1205	HRS	13436.3							
WC#: 30.020	AFL	8866							
PROC. REF: AMM 30-11-09-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>30-11-09-720-801-01 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH OUTBOARD TELESCOPIC DUCT (30DL) Service ATA:30</b>								
PN:5035-600	MOS	13-Jun-23						
SN:204	HRS	13436.3	1240 (+3%)		14676.3	14713.5	850.9 (+37.2)	
WC#: 30.020	AFL	8866	1000 (+3%)		9866	9896	762 (+30)	
PROC. REF: AMM 30-11-09-720-801								
<b>30-11-09-720-801-02 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH OUTBOARD TELESCOPIC DUCT (40DL) Service ATA:30</b>								
PN:5035-700	MOS	13-Jun-23						
SN:1205	HRS	13436.3	1240 (+3%)		14676.3	14713.5	850.9 (+37.2)	
WC#: 30.020	AFL	8866	1000 (+3%)		9866	9896	762 (+30)	
PROC. REF: AMM 30-11-09-720-801								
<b>30-11-09-900-801-01 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - LH OUTBOARD TELESCOPIC DUCT (30DL) Component ATA:30</b>								
PN:5035-600	MOS/MSC	13-Jun-23	O/C	TSO 0				
SN:204	HRS	13436.3		TSO 0				
WC#: 30.020	AFL	8866		TSO 0				
PROC. REF: AMM 30-11-09-900-801								
<b>30-11-09-900-801-02 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - RH OUTBOARD TELESCOPIC DUCT (40DL) Component ATA:30</b>								
PN:5035-700	MOS/MSC	13-Jun-23	O/C					
SN:1205	HRS	13436.3						
WC#: 30.020	AFL	8866						
PROC. REF: AMM 30-11-09-900-801								
<b>30-11-11-280-801-01 SPECIAL DETAILED INSPECTION OF THE PICCOLO TUBES - LH OUTBOARD SLAT PICCOLO TUBE Service ATA:30</b>								
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-11-11-280-801								
<b>30-11-11-280-801-02 SPECIAL DETAILED INSPECTION OF THE PICCOLO TUBES - RH OUTBOARD SLAT PICCOLO TUBE Service ATA:30</b>								
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-11-11-280-801								
<b>30-11-17-200-801-01<sup>S</sup> INSPECTION OF THE WING ANTI-ICING SYSTEM COUPLINGS Service ATA:30</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 30.010	AFL	8209	3750					
PROC. REF: AMM 30-11-17-200-801								

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>30-12-01-900-801-01      REMOVAL / INSTALLATION OF THE WING ANTI-ICING VALVE - WING ANTI-ICING VALVE (20DL)      Component    ATA:30</b>								
PN:BYLB52188-6	MOS/MSC	26-Aug-10	O/C	TSR 0				
SN:87	HRS	7247		TSR 0				
WC#: 30.150	AFL	4903		TSR 0				
PROC. REF: AMM 30-12-01-900-801								
<b>30-20-00-710-801-01<sup>S</sup>      OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 1      Service    ATA:30</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 30.040	AFL	8209						
PROC. REF: AMM 30-20-00-710-801								
PKG:21								
<b>30-20-00-710-801-02<sup>S</sup>      OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 2      Service    ATA:30</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 30.040	AFL	8209						
PROC. REF: AMM 30-20-00-710-801								
PKG:21								
<b>30-20-01-700-801-01      FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - LH ENGINE AIR INTAKE ANTI-ICING VALVE (L10DN)      Service    ATA:30</b>								
PN:C142268-3	MOS	30-Nov-18						
SN:167	HRS	11464.5	5000 (+3%)		16464.5	16614.5	2639.1 (+150)	
WC#: 30.050	AFL	7700						
PROC. REF: AMM 30-20-01-700-801								
<b>30-20-01-700-801-02      FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - RH ENGINE AIR INTAKE ANTI-ICING VALVE (R10DN)      Service    ATA:30</b>								
PN:C142268-3	MOS	30-Apr-19						
SN:368	HRS	11754.9	5000 (+3%)		16754.9	16904.9	2929.5 (+150)	
WC#: 30.050	AFL	7859						
PROC. REF: AMM 30-20-01-700-801								
<b>30-20-01-900-801-01      REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - LH ENGINE AIR INTAKE ANTI-ICING VALVE (L10DN)      Component    ATA:30</b>								
PN:C142268-3	MOS/MSC	30-Nov-18	O/C	TSR 3				
SN:167	HRS	11464.5		TSR 0				
WC#: 30.050	AFL	7700		TSR 0				
PROC. REF: GENERIC NO REF								
<b>30-20-01-900-801-02      REMOVAL / INSTALLATION OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - RH ENGINE AIR INTAKE ANTI-ICING VALVE (R10DN)      Component    ATA:30</b>								
PN:C142268-3	MOS/MSC	30-Apr-19	O/C	TSR 11				
SN:368	HRS	11754.9		TSN 7961, TSR 0				
WC#: 30.050	AFL	7859		TSR 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information    S-Suppressed Requirement    \*-Estimated Due(New Requirement)    (EFF)-Effective C/W    (M)-Manual Due    U-User Task    Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
30-30-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE AIR DATA PROBE ANTI-ICING SYSTEM					Service	ATA:30	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 30.080	AFL	8209							
PROC. REF: AMM 30-30-00-710-801								PKG:21	
30-41-00-200-801-01 <sup>S</sup>		INSPECTION OF THE WINDSHIELD HEATING SYSTEM CONNECTORS					Service	ATA:30	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 30-41-00-200-801								PKG:16	
30-41-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM					Service	ATA:30	
	MOS	09-Mar-12							
	HRS	8230	4800 (+40)						
WC#: 30.130	AFL	5554							
PROC. REF: AMM 30-41-00-710-801								PKG:23	
30-41-01-900-801-01		REMOVAL / INSTALLATION OF THE WINDSHIELD RESISTOR BOXES - LH WINDSHIELD RESISTOR BOX (L503DG)					Component	ATA:30	
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-41-01-900-801									
30-41-01-900-801-02		REMOVAL / INSTALLATION OF THE WINDSHIELD RESISTOR BOXES - RH WINDSHIELD RESISTOR BOX (R503DG)					Component	ATA:30	
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-41-01-900-801									
30-43-05-900-801-01		REMOVAL / INSTALLATION OF THE WINDSHIELD WIPER MOTOR-ACTUATED ANGLE DRIVES - LH WINDSHIELD WIPER MOTOR (10DG)					Component	ATA:30	
PN:4267568	MOS/MSC	29-Mar-09	O/C		TSR 0				
SN:26122	HRS	6335.6			TSR 0				
WC#: 30.090	AFL	4286			TSR 0				
PROC. REF: AMM 30-43-05-900-801									
30-43-05-900-801-02		REMOVAL / INSTALLATION OF THE WINDSHIELD WIPER MOTOR-ACTUATED ANGLE DRIVES - RH WINDSHIELD WIPER MOTOR (15DG)					Component	ATA:30	
PN:4267575	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:25956	HRS	0			TSN 0				
WC#: 30.090	AFL	0			TSN 0				
PROC. REF: AMM 30-43-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
30-43-09-220-801-01		CHECK OF THE WINDSHIELD WIPER MOTOR BRUSHES - LH WINDSHIELD WIPER MOTOR (10DG)					Service	ATA:30	
PN:4267568	MOS	22-Jan-02							
SN:26122	HRS	0	15000 (+3%)		15000	15450	1174.6 (+450)		
WC#: 30.090	AFL	0							
PROC. REF: AMM 30-43-09-220-801									
30-43-09-220-801-02		CHECK OF THE WINDSHIELD WIPER MOTOR BRUSHES - RH WINDSHIELD WIPER MOTOR (15DG)					Service	ATA:30	
PN:4267575	MOS	22-Jan-02							
SN:25956	HRS	0	15000 (+3%)		15000	15450	1174.6 (+450)		
WC#: 30.090	AFL	0							
PROC. REF: AMM 30-43-09-220-801									
30-90-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE BRAKE HEATING SYSTEM					Service	ATA:30	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 30.140	AFL	8209							
PROC. REF: AMM 30-90-00-710-801									
PKG:21									
301801		LH WING ANTI-ICING PRESSURE SWITCH					Component	ATA:30	
PN:8G1199-5	MOS/MSC	17-Feb-11	O/C		TSN 0				
SN:4032	HRS	7598.4			TSN 0				
WC#: 30.030	AFL	5125			TSN 0				
PROC. REF: GENERIC NO REF									
301811		RH WING ANTI-ICING PRESSURE SWITCH					Component	ATA:30	
PN:8G1199-5	MOS/MSC	08-Feb-08	O/C		TSN 0				
SN:3098	HRS	5591.7			TSN 0				
WC#: 30.030	AFL	3760			TSN 0				
PROC. REF: GENERIC NO REF									
302801		LH ENGINE ANTI-ICING LOW PRESSURE SWITCH					Component	ATA:30	
PN:8G1199-5	MOS/MSC	15-Jan-14	O/C		TSN 0				
SN:4551	HRS	9451.5			TSN 0				
WC#: 30.060	AFL	6360			TSN 0				
PROC. REF: GENERIC NO REF									
302811		RH ENGINE ANTI-ICING LOW PRESSURE SWITCH					Component	ATA:30	
PN:8G1199-5	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:0857	HRS	0			TSN 0				
WC#: 30.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>302821 LH ENGINE ANTI-ICING HIGH PRESSURE SWITCH</b>								Component ATA:30
PN:8G1340-4	MOS/MSC	16-Nov-14	O/C	TSN 0				
SN:639	HRS	9781		TSN 0				
WC#: 30.070	AFL	6588		TSN 0				
PROC. REF: GENERIC NO REF								
<b>302831 RH ENGINE ANTI-ICING HIGH PRESSURE SWITCH</b>								Component ATA:30
PN:8G1340-4	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:420	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>304801 PILOT WINDSHIELD HEATING REGULATOR</b>								Component ATA:30
PN:AV30559060030-1	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:867	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>304811 COPILOT WINDSHIELD HEATING REGULATOR</b>								Component ATA:30
PN:AV30559060030-1	MOS/MSC	24-Oct-07	O/C	TSR 0				
SN:1025	HRS	5515		TSR 0				
WC#: 30.100	AFL	3710		TSR 0				
PROC. REF: GENERIC NO REF								
<b>304821 REAR WINDOW HEATING REGULATOR</b>								Component ATA:30
PN:AV30564060030	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:861	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>304831 LATERAL WINDOW HEATING REGULATOR</b>								Component ATA:30
PN:AV30564060030	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:860	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-11-01-900-801-01 REMOVAL / INSTALLATION OF THE OVERHEAD PANEL - OVERHEAD PANEL (180PC)</b>								Component ATA:31
PN:601TS08Y05	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:261	HRS	0		TSN 0				
WC#: 24.115	AFL	0		TSN 0				
PROC. REF: AMM 31-11-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
31-11-47-900-801-01		OVERHEAD PANEL "BAT" (145PC) MAGNETIC SWITCH						Component	ATA:31
PN:100F01KV2	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5398.6		TSN 0					
	AFL	3623		TSN 0					
PROC. REF: GENERIC NO REF									
31-11-47-900-801-03		OVERHEAD PANEL "GEN 1" (L140PC) MAGNETIC SWITCH						Component	ATA:31
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31-11-47-900-801-04		OVERHEAD PANEL "GEN 2" (R140PC) MAGNETIC SWITCH						Component	ATA:31
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31-11-47-900-801-05		OVERHEAD PANEL "APU" (135PC) MAGNETIC SWITCH						Component	ATA:31
PN:100F01KV2	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5398.6		TSN 0					
	AFL	3623		TSN 0					
PROC. REF: GENERIC NO REF									
31-21-05-900-801-01		PILOT CLOCK						Component	ATA:31
PN:M877-24HR	MOS/MSC	02-Jan-24	O/C						
SN:12529	HRS	13736.2							
WC#: 31.020	AFL	9052							
PROC. REF: GENERIC NO REF									
31-21-05-900-801-02		COPILOT CLOCK						Component	ATA:31
PN:M877-24HR	MOS/MSC	02-Jan-24	O/C	TSR 93					
SN:12535	HRS	13736.2		TSR 3239.5					
WC#: 31.020	AFL	9052		TSR 1954					
PROC. REF: GENERIC NO REF									
31-21-05-960-801-01		REPLACEMENT OF THE PILOT CLOCK BATTERIES - LH PILOT CLOCK (L10FS) BATTERY						Service	ATA:31
PN:M877-24HR	MOS	02-Jan-24	25		02-Feb-26		667 d	LIFE LIMIT	
SN:12529	HRS	13736.2							
WC#: 31.020	AFL	9052							
PROC. REF: AMM 31-21-05-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-21-05-960-801-02 REPLACEMENT OF THE PILOT CLOCK BATTERIES - RH PILOT CLOCK (R10FS) BATTERY Service ATA:31</b>								
PN:M877-24HR	MOS	02-Jan-24	25		02-Feb-26		667 d	LIFE LIMIT
SN:12535	HRS	13736.2						
WC#: 31.020	AFL	9052						
PROC. REF: AMM 31-21-05-960-801								
<b>31-31-00-710-802-01<sup>S</sup> OPERATIONAL TEST OF THE FLIGHT DATA RECORDER (FDR) SYSTEM Service ATA:31</b>								
	MOS	04-Mar-24	36 (+1m)					
	HRS	13817.9						
WC#: 31.110	AFL	9101						
PROC. REF: AMM 31-31-00-710-802								
<b>31-31-00-720-801-01 FUNCTIONAL TEST OF THE 88-PARAMETER FDR - FDR (715FZ) Service ATA:31</b>								
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
WC#: 31.130	AFL	0						
PROC. REF: AMM 31-31-00-720-801								
<b>31-31-00-720-802-01 FUNCTIONAL TEST OF THE 57-PARAMETER FDR - FDR (715FZ) Service ATA:31</b>								
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
WC#: 31.130	AFL	0						
PROC. REF: AMM 31-31-00-720-802								
<b>31-31-00-720-803-01 FUNCTIONAL TEST OF THE 32-PARAMETER FDR - FDR (715FZ) Service ATA:31</b>								
	MOS/MSC	14-Aug-14	O/C					
	HRS	9594.8						
WC#: 31.170	AFL	6447						
PROC. REF: AMM 31-31-00-720-803, AMM 31-31-00-720-803								
<b>31-31-00-970-801-01 DOWNLOAD OF THE FLIGHT DATA RECORDER (FDR) - FDR (715FZ) Service ATA:31</b>								
	MOS/MSC	06-Aug-15	A/R					
	HRS	10102.6						
WC#: 31.110	AFL	6810						
PROC. REF: AMM 31-31-00-970-801								
<b>31-31-09-710-801-01 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - CVR ACCELERATION CONTACT (40FZ) Service ATA:31</b>								
PN:400-10B	MOS	19-Dec-14	240 (+3%)		19-Dec-34	25-Jul-35	3909 d (+218)	
SN:7080	HRS	9832.4						
WC#: 31.080	AFL	6621						
PROC. REF: AMM 31-31-09-710-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-31-09-710-801-02 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - FDR ACCELERATION CONTACT (190FZ) OR (714FZ) Service ATA:31</b>								
PN:400-10B	MOS	19-Dec-14	240 (+3%)		19-Dec-34	25-Jul-35	3909 d (+218)	
SN:5026	HRS	9832.4						
WC#: 31.080	AFL	6621						
PROC. REF: AMM 31-31-09-710-801								
<b>31-31-09-900-801-01 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - CVR ACCELERATION CONTACT (40FZ) Component ATA:31</b>								
PN:400-10B	MOS/MSC	05-Jan-11	O/C	TSN 0				
SN:7080	HRS	7531.3		TSN 0				
WC#: 31.080	AFL	5084		TSN 0				
PROC. REF: AMM 31-31-09-900-801								
<b>31-31-09-900-801-02 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - FDR ACCELERATION CONTACT (190FZ) OR (714FZ) Component ATA:31</b>								
PN:400-10B	MOS/MSC	20-Dec-07	O/C	TSN 0				
SN:5026	HRS	5520.4		TSN 0				
WC#: 31.080	AFL	3713		TSN 0				
PROC. REF: AMM 31-31-09-900-801								
<b>31-31-31-900-801-01 REMOVAL / INSTALLATION OF THE FLIGHT DATA RECORDER (FDR) - FDR (130FZ) Component ATA:31</b>								
PN:980-4710-001	MOS/MSC	13-Jun-15	O/C	TSR 0				
SN:0254	HRS	9975		TSR 0				
WC#: 31.110	AFL	6725		TSR 0				
PROC. REF: AMM 31-31-31-900-801								
<b>31-31-33-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE FDR FLIGHT CONTROL SURFACE POSITION SENSORS - LH ROLL CONTROL SURFACE POSITION SENSOR (201FZ) Component ATA:31</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-33-900-801								
<b>31-31-33-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE FDR FLIGHT CONTROL SURFACE POSITION SENSORS - RH ROLL CONTROL SURFACE POSITION SENSOR (202FZ) Component ATA:31</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-33-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
31-31-33-900-801-03	REMOVAL / INSTALLATION / ADJUSTMENT OF THE FDR FLIGHT CONTROL SURFACE POSITION SENSORS - PITCH CONTROL SURFACE POSITION SENSOR (203FZ)						Component	ATA:31
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-33-900-801								
31-31-33-900-801-04	REMOVAL / INSTALLATION / ADJUSTMENT OF THE FDR FLIGHT CONTROL SURFACE POSITION SENSORS - YAW CONTROL SURFACE POSITION SENSOR (204FZ)						Component	ATA:31
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-33-900-801								
31-31-37-900-801-01	REMOVAL / INSTALLATION OF THE FDR FLIGHT CONTROL POSITION POTENTIOMETERS - PITCH CONTROL POSITION POTENTIOMETER (160FZ)						Component	ATA:31
PN:1002000M00	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:998	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-37-900-801								
31-31-37-900-801-02	REMOVAL / INSTALLATION OF THE FDR FLIGHT CONTROL POSITION POTENTIOMETERS - YAW CONTROL POSITION POTENTIOMETER (170FZ)						Component	ATA:31
PN:1002000M00	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:999	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-37-900-801								
31-31-37-900-801-03	REMOVAL / INSTALLATION OF THE FDR FLIGHT CONTROL POSITION POTENTIOMETERS - ROLL CONTROL POSITION POTENTIOMETER (180FZ)						Component	ATA:31
PN:1002000M00	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:1000	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-37-900-801								
31-31-38-900-801-01	REMOVAL / INSTALLATION OF THE FDR ACCELEROMETER - ACCELEROMETER (150FZ)						Component	ATA:31
PN:223-00107-196	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:7420	HRS	0		TSN 0				
WC#: 31.160	AFL	0		TSN 0				
PROC. REF: AMM 31-31-38-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-31-50-350-801-01 RESTORATION OF THE COCKPIT VOICE RECORDER (OVERHAUL) - CVR (10FZ) Service ATA:31</b>								
PN:980-6023-002	MOS/MSC	01-Oct-19	O/C					
SN:ARCVR-11022	HRS	12004.1						
WC#: 31.100	AFL	8018						
PROC. REF: AMM 31-31-50-350-801								
<b>31-31-50-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE COCKPIT VOICE RECORDER (CVR) SYSTEM - CVR (10FZ) Service ATA:31</b>								
	MOS	04-Mar-24	36 (+1m)					
	HRS	13817.9						
WC#: 31.100	AFL	9101						
PROC. REF: AMM 31-31-50-710-801								
<b>31-31-50-720-801-01<sup>U</sup> FUNCTIONAL TEST OF THE COCKPIT VOICE (CVR) RECORDER Service ATA:31</b>								
	MOS/MSC	23-Dec-08	O/C					
	HRS	6200.3						
WC#: 31.125	AFL	4178						
PROC. REF: GENERIC NO REF								
<b>31-31-50-970-801-01 DOWNLOAD OF THE COCKPIT VOICE RECORDER (CVR) - CVR (10FZ) Service ATA:31</b>								
	MOS/MSC	06-Aug-15	O/C					
	HRS	10102.6						
	AFL	6810						
PROC. REF: AMM 31-31-50-970-801								
<b>31-31-51-900-801-01 REMOVAL / INSTALLATION OF THE COCKPIT VOICE RECORDER (CVR) - CVR (10FZ) Component ATA:31</b>								
PN:980-6023-002	MOS/MSC	01-Oct-19	O/C	TSN 136				
SN:ARCVR-11022	HRS	12004.1		TSN 6112.9				
WC#: 31.100	AFL	8018		TSN 4056				
PROC. REF: AMM 31-31-51-900-801								
<b>31-31-56-960-801-01 REPLACEMENT OF THE CVR TAPE - CVR (10FZ) Service ATA:31</b>								
	MOS/MSC	01-Oct-19	N/A					
	HRS	12004.1						
WC#: 31.100	AFL	8018						
PROC. REF: AMM 31-31-56-960-801								
<b>31-32-00-970-801-01 DOWNLOAD OF THE QUICK ACCESS RECORDER (QAR) - QAR (720FZ) Service ATA:31</b>								
	MOS/MSC		O/C					
	HRS	0						
WC#: 31.150	AFL	0						
PROC. REF: AMM 31-32-00-970-801, AMM 31-32-00-970-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-32-01-900-801-01 REMOVAL / INSTALLATION OF THE QUICK ACCESS RECORDER (QAR) - QAR (720FZ) Component ATA:31</b>								
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
WC#: 31.150	AFL							
PROC. REF: AMM 31-32-01-900-801, AMM 31-32-01-900-801								
<b>31-32-05-960-801-01 REPLACEMENT OF THE QUICK ACCESS RECORDER (QAR) BATTERY - QAR (720FZ) BATTERY Service ATA:31</b>								
PN:PN	MOS/MSC		N/A					
SN:NOT INSTALLED	HRS							
WC#: 31.150	AFL							
PROC. REF: AMM 31-32-05-960-801, AMM 31-32-05-960-801								
<b>31-52-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE WARNING PANEL DUAL POWER SUPPLY Service ATA:31</b>								
	MOS	28-Feb-24	36 (+1m)					
	HRS	13817.9	2400 (+40)					
WC#: 31.010	AFL	9101						
PROC. REF: AMM 31-52-00-710-801								
<b>31-52-03-900-801-01 REMOVAL / INSTALLATION OF THE WARNING PANEL LIGHTS Component ATA:31</b>								
PN:FE1328	MOS/MSC	16-Nov-16	O/C	TSR 0				
SN:082	HRS	10526		TSR 0				
WC#: 31.070	AFL	7111		TSR 0				
PROC. REF: AMM 31-52-03-900-801								
<b>31-54-00-720-801-01 FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES: ALARM TEST Service ATA:31</b>								
	MOS	02-Jan-24						
	HRS	13736.2	700		14436.2		610.8	
WC#: 31.030	AFL	9052						
PROC. REF: AMM 31-54-00-720-801								
<b>31-54-00-720-801-01A FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES: ALARM TEST (MANDATORY 5-40) Service ATA:31</b>								
	MOS	02-Jan-24						MANDATORY 5-40
	HRS	13736.2	700		14436.2		610.8	
WC#: 31.030	AFL	9052						
PROC. REF: AMM 31-54-00-720-801								
<b>31-54-00-720-802-01<sup>S</sup> FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES: LOGIC TEST Service ATA:31</b>								
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 31.140	AFL	8209						
PROC. REF: AMM 31-54-00-720-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
31-55-00-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE LANDING SAFETIES						Service	ATA:31
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 31.040	AFL	8209							
PROC. REF: AMM 31-55-00-720-801								PKG:21	
31-56-00-900-801-01		REMOVAL / INSTALLATION OF THE AUDIO WARNING UNIT						Component	ATA:31
PN:244ZS01	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:397	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31-60-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE ENGINE INDICATOR ELECTRONIC DISPLAY (EIED)						Service	ATA:31
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 31.050	AFL	8209							
PROC. REF: AMM 31-60-00-710-801								PKG:21	
31-60-51-900-801-01		REMOVAL / INSTALLATION OF THE ENGINE INDICATOR ELECTRONIC DISPLAY (EIED) - EIED 1 (30EA)						Component	ATA:31
PN:C14000DB06	MOS/MSC	03-Jun-22	O/C	TSR 1					
SN:603	HRS	12921		TSR 0					
WC#: 31.060	AFL	8567		TSR 0					
PROC. REF: AMM 31-60-51-900-801									
31-60-51-900-801-02		REMOVAL / INSTALLATION OF THE ENGINE INDICATOR ELECTRONIC DISPLAY (EIED) - EIED 2 (40EA)						Component	ATA:31
PN:C14000DB06	MOS/MSC	10-Feb-22	O/C						
SN:1814	HRS	12691.6							
WC#: 31.060	AFL	8430							
PROC. REF: AMM 31-60-51-900-801									
31-60-51-900-801-03		REMOVAL / INSTALLATION OF THE ENGINE INDICATOR ELECTRONIC DISPLAY (EIED) - EIED 3 (50EA)						Component	ATA:31
PN:C14000DB06	MOS/MSC	14-Jan-22	O/C						
SN:1151	HRS	12628							
WC#: 31.060	AFL	8393							
PROC. REF: AMM 31-60-51-900-801									
<b>ATA 32 - LANDING GEAR</b>									
32-00-00-700-801-01		CHECK OF THE MLG AND NLG UPLOCK BOXES - NLG UPLOCK BOX (5GM)						Service	ATA:32
	MOS/MSC	31-Mar-10	O/C						
	HRS	6968.6							
WC#: 32.190	AFL	4718							
PROC. REF: AMM 32-00-00-700-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-00-00-700-801-02 CHECK OF THE MLG AND NLG UPLOCK BOXES - LH MLG UPLOCK BOX (120GM) Service ATA:32</b>								
	MOS/MSC	11-Sep-15	O/C					
	HRS	10170.4						
WC#: 32.220	AFL	6857						
PROC. REF: AMM 32-00-00-700-801								
<b>32-00-00-700-801-03 CHECK OF THE MLG AND NLG UPLOCK BOXES - RH MLG UPLOCK BOX (130GM) Service ATA:32</b>								
	MOS/MSC	17-Nov-21	O/C	Adj -54d				
	HRS	12416.2						
WC#: 32.220	AFL	8288						
PROC. REF: AMM 32-00-00-700-801								
<b>32-00-00-780-801-01 CHECK OF LANDING GEAR AND L/G DOOR OPERATING PRESSURES Service ATA:32</b>								
	MOS/MSC	22-Jan-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-00-00-780-801								
<b>32-10-00-640-801-01 LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG DOORS - LH MLG AND MLG DOOR Service ATA:32</b>								
	MOS	17-Oct-23	8 (+1m)		17-Jun-24	17-Jul-24	72 d (+30)	
	HRS	13603.5						
	AFL	8973	400		9373		269	
PROC. REF: AMM 32-10-00-640-801								
<b>32-10-00-640-801-02 LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG DOORS - RH MLG AND MLG DOOR Service ATA:32</b>								
	MOS	17-Oct-23	8 (+1m)		17-Jun-24	17-Jul-24	72 d (+30)	
	HRS	13603.5						
	AFL	8973	400		9373		269	
PROC. REF: AMM 32-10-00-640-801								
<b>32-11-00-220-801-01 DETAILED INSPECTION OF THE MLG LEGS - LH MLG LEG (5GA) Service ATA:32</b>								
PN:D23345000-8	MOS	25-Feb-21	72 (+8m)		25-Feb-27	25-Oct-27	1055 d (+242)	
SN:B70	HRS	12299.4						
	AFL	8209						
PROC. REF: AMM 32-11-00-220-801								
<b>32-11-00-220-801-02 DETAILED INSPECTION OF THE MLG LEGS - RH MLG LEG (10GA) Service ATA:32</b>								
PN:D23346000-6	MOS	25-Feb-21	72 (+8m)		25-Feb-27	25-Oct-27	1055 d (+242)	
SN:B98	HRS	12299.4						
	AFL	8209						
PROC. REF: AMM 32-11-00-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-11-00-350-801-01		RESTORATION OF THE MLG LEGS (OVERHAUL) - LH MLG LEG (5GA)						Service	ATA:32
PN:D23345000-8	MOS	10-Sep-12	144 (+3%)		10-Sep-24	19-Jan-25	157 d (+131)	OVERHAUL	
SN:B70	HRS	8623							
	AFL	5807	6000		11807		2703		
PROC. REF: AMM 32-11-00-350-801									
32-11-00-350-801-02		RESTORATION OF THE MLG LEGS (OVERHAUL) - RH MLG LEG (10GA)						Service	ATA:32
PN:D23346000-6	MOS	25-Feb-21	144 (+3%)		25-Feb-33	04-Jul-33	3247 d (+129)	OVERHAUL	
SN:B98	HRS	12299.4							
	AFL	8209	6000		14209		5105		
PROC. REF: AMM 32-11-00-350-801									
32-11-00-700-802-01		CHECK AND ADJUSTMENT OF THE AXIAL PLAY TORQUE LINKS OF THE MAIN LANDING GEARS (MLG) - LH MLG LEG (5GA)						Service	ATA:32
PN:D23345000-8	MOS	25-Feb-21	72 (+3%)		25-Feb-27	29-Apr-27	1055 d (+63)		
SN:B70	HRS	12299.4							
	AFL	8209	3000 (+3%)		11209	11299	2105 (+90)		
PROC. REF: AMM 32-11-00-700-802									
32-11-00-700-802-02		CHECK AND ADJUSTMENT OF THE AXIAL PLAY TORQUE LINKS OF THE MAIN LANDING GEARS (MLG) - RH MLG LEG (10GA)						Service	ATA:32
PN:D23346000-6	MOS	25-Feb-21	72 (+3%)		25-Feb-27	29-Apr-27	1055 d (+63)		
SN:B98	HRS	12299.4							
	AFL	8209	3000 (+3%)		11209	11299	2105 (+90)		
PROC. REF: AMM 32-11-00-700-802									
32-11-00-900-801-01		REMOVAL / INSTALLATION OF THE MLG LEGS - LH MLG LEG (5GA)						Component	ATA:32
PN:D23345000-8	MOS/MSC	25-Feb-21	H/T	TSO 101					
SN:B70	HRS	12299.4		TSO 3676.4					
WC#: 32.020	AFL	8209		TSO 2402					
PROC. REF: AMM 32-11-00-900-801									
32-11-00-900-801-02		REMOVAL / INSTALLATION OF THE MLG LEGS - RH MLG LEG (10GA)						Component	ATA:32
PN:D23346000-6	MOS/MSC	25-Feb-21	H/T	TSO 0					
SN:B98	HRS	12299.4		TSO 0					
WC#: 32.030	AFL	8209		TSO 0					
PROC. REF: AMM 32-11-00-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-11-00-960-801-01 REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITED PARTS) - LH MLG LEG (5GA)</b>								
PN:D23345000-8	MOS	22-Jan-02						Service ATA:32 LIFE LIMIT
SN:B70	HRS	0						
	AFL	0	20000		20000		10896	
PROC. REF: AMM 32-11-00-960-801								
<b>32-11-00-960-801-01A REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITEDPARTS) - LH MLG LEG (5GA)</b>								
PN:D23345000-8	MOS	22-Jan-02						Service ATA:32 MANDATORY 5-40
SN:B70	HRS	0						
	AFL	0	20000		20000		10896	
PROC. REF: AMM 32-11-00-960-801								
<b>32-11-00-960-801-02 REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITED PARTS) - RH MLG LEG (10GA)</b>								
PN:D23346000-6	MOS	25-Feb-21						Service ATA:32 LIFE LIMIT
SN:B98	HRS	12299.4						
	AFL	8209	20000		28209		19105	
PROC. REF: AMM 32-11-00-960-801								
<b>32-11-00-960-801-02A REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITEDPARTS) - RH MLG LEG (10GA)</b>								
PN:D23346000-6	MOS	25-Feb-21						Service ATA:32 MANDATORY 5-40
SN:B98	HRS	12299.4						
	AFL	8209	20000		28209		19105	
PROC. REF: AMM 32-11-00-960-801								
<b>32-11-05-610-801-01 SERVICING OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER</b>								
	MOS/MSC	22-Jan-02	O/C					Service ATA:32
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-05-610-801								
<b>32-11-05-610-801-02 SERVICING OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER</b>								
	MOS/MSC	22-Jan-02	O/C					Service ATA:32
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-05-610-801								
<b>32-11-05-780-801-01<sup>S</sup> CHECK OF THE CHARGING PRESSURE OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (5GA3)</b>								
	MOS	25-Feb-21						Service ATA:32
	HRS	12299.4	1600 (+40)					
WC#: 32.020	AFL	8209						
PROC. REF: AMM 32-11-05-780-801								

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-11-05-780-801-02<sup>S</sup> CHECK OF THE CHARGING PRESSURE OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (10GA3) Service ATA:32</b>								
	MOS	02-Jun-21						
	HRS	12299.4	1600 (+40)					
WC#: 32.030	AFL	8209						
PROC. REF: AMM 32-11-05-780-801								PKG:21
<b>32-11-05-900-801-01 REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (5GA3) Component ATA:32</b>								
PN:D23365000-3	MOS/MSC	01-Mar-06	H/T					
SN:B132	HRS	3816.7						
WC#: 32.020	AFL	2584						
PROC. REF: AMM 32-11-05-900-801								
<b>32-11-05-900-801-02 REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (10GA3) Component ATA:32</b>								
PN:D23366000-3	MOS/MSC	01-Mar-06	H/T					
SN:B132	HRS	3816.7						
WC#: 32.030	AFL	2584						
PROC. REF: AMM 32-11-05-900-801								
<b>32-11-21-900-801-01 REMOVAL / INSTALLATION OF THE MLG BRACE STRUT ACTUATORS - LH MLG BRACE STRUT ACTUATOR (40GA) Component ATA:32</b>								
PN:D23337000-3	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:B181	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 32-11-21-900-801								
<b>32-11-21-900-801-02 REMOVAL / INSTALLATION OF THE MLG BRACE STRUT ACTUATORS - RH MLG BRACE STRUT ACTUATOR (45GA) Component ATA:32</b>								
PN:D23338000-3	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:B181	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 32-11-21-900-801								
<b>32-11-25-220-801-01 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - LH MLG FRONT BALL-JOINT BEARING (L90GA) Service ATA:32</b>								
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)	
	HRS	11835						
	AFL	7916						
PROC. REF: AMM 32-11-25-220-801								
<b>32-11-25-220-801-02 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - LH MLG REAR BALL-JOINT BEARING (L100GA) Service ATA:32</b>								
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)	
	HRS	11835						
	AFL	7916						
PROC. REF: AMM 32-11-25-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-11-25-220-801-03 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - RH MLG FRONT BALL-JOINT BEARING (R90GA) Service ATA:32</b>								
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)	
	HRS	11835						
	AFL	7916						
PROC. REF: AMM 32-11-25-220-801								
<b>32-11-25-220-801-04 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - RH MLG REAR BALL-JOINT BEARING (R100GA) Service ATA:32</b>								
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)	
	HRS	11835						
	AFL	7916						
PROC. REF: AMM 32-11-25-220-801								
<b>32-11-25-900-801-01 REMOVAL / INSTALLATION OF THE MLG BALL-JOINT BEARINGS - LH MLG FRONT BALL-JOINT BEARING (L90GA) Component ATA:32</b>								
PN:BRS50RTGSP7	MOS/MSC	26-Jun-19	O/C	TSN 2				
SN:UNKNOWN	HRS	11835		TSN 0				
	AFL	7916		TSN 0				
PROC. REF: AMM 32-11-25-900-801								
<b>32-11-25-900-801-02 REMOVAL / INSTALLATION OF THE MLG BALL-JOINT BEARINGS - LH MLG REAR BALL-JOINT BEARING (L100GA) Component ATA:32</b>								
PN:BRS55TAGSP3	MOS/MSC	24-Jun-19	O/C	TSN 0				
SN:UNKNOWN	HRS	11835		TSN 0				
	AFL	7916		TSN 0				
PROC. REF: AMM 32-11-25-900-801								
<b>32-11-25-900-801-03 REMOVAL / INSTALLATION OF THE MLG BALL-JOINT BEARINGS - RH MLG FRONT BALL-JOINT BEARING (R90GA) Component ATA:32</b>								
PN:BRS50RTGSP7	MOS/MSC	26-Jun-19	O/C	TSN 2				
SN:UNKNOWN	HRS	11835		TSN 0				
	AFL	7916		TSN 0				
PROC. REF: AMM 32-11-25-900-801								
<b>32-11-25-900-801-04 REMOVAL / INSTALLATION OF THE MLG BALL-JOINT BEARINGS - RH MLG REAR BALL-JOINT BEARING (R100GA) Component ATA:32</b>								
PN:BRS55TAGSP3	MOS/MSC	26-Jun-19	O/C	TSN 2				
SN:UNKNOWN	HRS	11835		TSN 0				
	AFL	7916		TSN 0				
PROC. REF: AMM 32-11-25-900-801								
<b>32-12-17-900-801-01 REMOVAL / INSTALLATION OF THE MLG UPLOCK BOXES - LH MLG UPLOCK BOX (120GM) Component ATA:32</b>								
PN:C24244007-3	MOS/MSC	10-May-23	O/C	TSO 0				
SN:H1019	HRS	13436.3		TSO 0				
WC#: 32.220	AFL	8866		TSO 0				
PROC. REF: AMM 32-12-17-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-12-17-900-801-02 REMOVAL / INSTALLATION OF THE MLG UPLOCK BOXES - RH MLG UPLOCK BOX (130GM)								Component ATA:32
PN:C24245007-3	MOS/MSC	10-May-23	O/C	TSO 0				
SN:1628	HRS	13436.3		TSO 0				
WC#: 32.220	AFL	8866		TSO 0				
PROC. REF: AMM 32-12-17-900-801								
32-12-25-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATORS - LH MLG MAIN DOOR ACTUATOR (L50GA)								Component ATA:32
PN:VN1031-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:985	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 32-12-25-900-801								
32-12-25-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATORS - RH MLG MAIN DOOR ACTUATOR (R50GA)								Component ATA:32
PN:VN1031-2	MOS/MSC	28-Oct-13	O/C	TSR 0				
SN:1726	HRS	9294.4		TSR 0				
WC#: 32.050	AFL	6270		TSR 0				
PROC. REF: AMM 32-12-25-900-801								
32-12-29-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOOR UPLOCK BOXES - LH MLG DOOR LATCH (L170GM)								Component ATA:32
PN:C24257002-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1691	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-12-29-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOOR UPLOCK BOXES - RH MLG DOOR LATCH (R170GM)								Component ATA:32
PN:C24257002-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1692	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-20-00-640-801-01 LUBRICATION OF THE NOSE LANDING GEAR (NLG) AND NLG DOORS								Service ATA:32
	MOS	17-Oct-23	8 (+1m)		17-Jun-24	17-Jul-24	72 d (+30)	
	HRS	13603.5						
WC#: 32.070	AFL	8973	400		9373		269	
PROC. REF: AMM 32-20-00-640-801								
32-21-00-220-801-01 DETAILED INSPECTION OF THE NLG LEG - NLG LEG (5GB)								Service ATA:32
PN:D23332000-8	MOS/MSC	26-Oct-17	O/C					
SN:B54	HRS	10665.7						
	AFL	7193						
PROC. REF: AMM 32-21-00-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-21-00-350-801-01		RESTORATION OF THE NLG LEG (OVERHAUL) - NLG LEG (5GB)						Service	ATA:32
PN:D23332000-8	MOS	26-Apr-17	120 (+3%)	TAC 0	26-Apr-27	13-Aug-27	1115 d (+109)	OVERHAUL	
SN:B54	HRS	10665.7		TAC 0					
	AFL	7193	6000	TAC 0	13193		4089		
PROC. REF: AMM 32-21-00-350-801									
32-21-00-900-801-01		REMOVAL / INSTALLATION OF THE NLG LEG - NLG LEG (5GB)						Component	ATA:32
PN:D23332000-8	MOS/MSC	26-Apr-17	H/T	TSO 66, TSR 64					
SN:B54	HRS	10665.7		TSN 6385.9, TSO 0, TSR 0					
WC#: 32.080	AFL	7193		TSN 3399, TSO 0, TSR 0					
PROC. REF: AMM 32-21-00-900-801									
32-21-00-960-801-01		REPLACEMENT OF THE NLG LEG (DISCARD OF LIFE LIMITED PARTS) - NLG LEG (5GB)						Service	ATA:32
PN:D23332000-8	MOS	26-Apr-17						LIFE LIMIT	
SN:B54	HRS	10665.7							
	AFL	7193	20000	TAC 0	23794		14690		
PROC. REF: AMM 32-21-00-960-801									
32-21-00-960-801-01A		REPLACEMENT OF THE NLG LEG (DISCARD OF LIFE LIMITEDPARTS) - NLG LEG (5GB)						Service	ATA:32
PN:D23332000-8	MOS	26-Apr-17						MANDATORY 5-40	
SN:B54	HRS	10665.7							
	AFL	7193	20000	TAC 0	23794		14690		
PROC. REF: AMM 32-21-00-960-801									
32-21-01-610-801-01		SERVICING OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER						Service	ATA:32
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-21-01-610-801									
32-21-01-780-801-01 <sup>S</sup>		CHECK OF THE CHARGING PRESSURE OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (5GB5)						Service	ATA:32
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 32.110	AFL	8209							
PROC. REF: AMM 32-21-01-780-801									

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-21-01-780-802-01	CHECK OF THE CHARGING PRESSURE OF THE NLG SHOCK ABSORBER BY APPLYING A ROTATIONAL TORQUE - NLG SHOCK ABSORBER							Service	ATA:32
	MOS/MSC	11-Sep-15	N/A						
	HRS	10170.4							
WC#: 32.720	AFL	6857							
PROC. REF: AMM 32-21-01-780-802									
32-21-01-900-801-01	REMOVAL / INSTALLATION OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (5GB5)							Component	ATA:32
PN:D23367000-2	MOS/MSC	26-Oct-17	H/T						
SN:B3	HRS	10871.9							
WC#: 32.080	AFL	7356							
PROC. REF: AMM 32-21-01-900-801									
32-21-09-220-801-01	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - LH NLG DRAG BRACE BALL-JOINT BEARING							Service	ATA:32
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)		
	HRS	11833.8							
	AFL	7914							
PROC. REF: AMM 32-21-09-220-801									
32-21-09-220-801-02	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - RH NLG DRAG BRACE BALL-JOINT BEARING							Service	ATA:32
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)		
	HRS	11833.8							
	AFL	7914							
PROC. REF: AMM 32-21-09-220-801									
32-21-09-220-801-03	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - LH NLG LEG BALL-JOINT BEARING							Service	ATA:32
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)		
	HRS	11833.8							
	AFL	7914							
PROC. REF: AMM 32-21-09-220-801									
32-21-09-220-801-04	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - RH NLG LEG BALL-JOINT BEARING							Service	ATA:32
	MOS	24-Jun-19	72 (+8m)		18-Apr-25 (M)	18-Dec-25	377 d (+244)		
	HRS	11833.8							
	AFL	7914							
PROC. REF: AMM 32-21-09-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-21-09-900-801-01 REMOVAL / INSTALLATION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS - LH NLG DRAG BRACE BALL-JOINT BEARING</b> Component ATA:32								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-09-900-801								
<b>32-21-09-900-801-02 REMOVAL / INSTALLATION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS - RH NLG DRAG BRACE BALL-JOINT BEARING</b> Component ATA:32								
PN:BRS40TAGSP2-A	MOS/MSC	24-Jun-19	O/C	TSN 1				
SN:UNKNOWN	HRS	11833.8		TSN 0				
	AFL	7914		TSN 0				
PROC. REF: AMM 32-21-09-900-801								
<b>32-21-09-900-801-03 REMOVAL / INSTALLATION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS - LH NLG LEG BALL-JOINT BEARING</b> Component ATA:32								
PN:BRS40TAGSP2-A	MOS/MSC	26-Jun-19	O/C	TSN 1				
SN:UNKNOWN	HRS	11833.8		TSN 0				
	AFL	7914		TSN 0				
PROC. REF: AMM 32-21-09-900-801								
<b>32-21-09-900-801-04 REMOVAL / INSTALLATION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS - RH NLG LEG BALL-JOINT BEARING</b> Component ATA:32								
PN:BRS40TAGSP2-A	MOS/MSC	24-Jun-19	O/C	TSN 1				
SN:UNKNOWN	HRS	11833.8		TSN 0				
	AFL	7914		TSN 0				
PROC. REF: AMM 32-21-09-900-801								
<b>32-22-01-350-801-01 RESTORATION OF THE NLG DRAG BRACE YOKE ASSY (OVERHAUL) - NLG DRAG BRACE (20GB)</b> Service ATA:32								
PN:GA62269	MOS	05-Jun-23	120 (+3%)		05-Jun-33	23-Sep-33	3347 d (+110)	OVERHAUL
SN:B13-612	HRS	13436.3						
WC#: 32.080	AFL	8866	6000		14866		5762	
PROC. REF: AMM 32-22-01-350-801								
<b>32-22-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG DRAG BRACE - NLG DRAG BRACE (20GB)</b> Component ATA:32								
PN:PN-UNKNOWN	MOS/MSC	10-Sep-12	O/C					
SN:174	HRS	8623						
WC#: 32.080	AFL	5807						
PROC. REF: AMM 32-22-01-900-801								
<b>32-22-13-900-801-01 REMOVAL / INSTALLATION OF THE NLG ACTUATOR - NLG LEG ACTUATOR (10GB)</b> Component ATA:32								
PN:D22795001	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:MM83	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 32-22-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-22-17-900-801-01 REMOVAL / INSTALLATION OF THE NLG UPLOCK BOX - NLG UPLOCK BOX (5GM)								Component ATA:32
PN:C24245006-3	MOS/MSC	31-Mar-10	O/C	TSR 0				
SN:H1289	HRS	6968.6		TSR 0				
WC#: 32.190	AFL	4718		TSR 0				
PROC. REF: AMM 32-22-17-900-801								
32-30-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - NORMAL OPERATION								Service ATA:32
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 32.140	AFL	8209						
PROC. REF: AMM 32-30-00-720-801								
32-30-00-720-801-02 <sup>S</sup> FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - HYDRAULIC EMERGENCY OPERATION								Service ATA:32
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 32.140	AFL	8209						
PROC. REF: AMM 32-30-00-720-801								
32-30-00-720-801-03 <sup>S</sup> FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - MECHANICAL EMERGENCY OPERATION								Service ATA:32
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 32.140	AFL	8209						
PROC. REF: AMM 32-30-00-720-801								
32-30-13-900-801-01 REMOVAL / INSTALLATION OF THE NORMAL / EMERGENCY SELECTOR VALVE - L/G NORMAL/EMERGENCY SELECTOR VALVE (140GM)								Component ATA:32
PN:B94B09-202-1	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:A027068	HRS	0		TSN 0				
WC#: 32.230	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13-900-801								
32-31-00-700-801-01 <sup>S</sup> CHECK OF THE LANDING GEAR RETRACTION INHIBITION ON THE GROUND								Service ATA:32
	MOS	25-Feb-21						
	HRS	12299.4	1600 (+40)					
WC#: 32.170	AFL	8209						
PROC. REF: AMM 32-31-00-700-801								
32-31-01-900-801-01 REMOVAL / INSTALLATION OF THE LANDING GEAR CONTROL LEVER - L/G CONTROL LEVER (100GM)								Component ATA:32
PN:12-337-39	MOS/MSC	10-Feb-11	O/C	TSR 0				
SN:122	HRS	7584		TSR 0				
WC#: 32.210	AFL	5119		TSR 0				
PROC. REF: AMM 32-31-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-31-17-900-801-02	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR HYDRAULIC SUPPLY UNIT SOLENOID VALVES - L/G EXTENSION SOLENOID VALVE (150GM1E)						Component	ATA:32
PN:BHC1031-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:493	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: AMM 32-31-17-900-801								
32-32-00-640-801-01 <sup>S</sup>	SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - LUBRICATION OF THE NLG CONTROL						Service	ATA:32
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
WC#: 32.160	AFL	8866						
PROC. REF: AMM 32-32-00-640-801								
32-32-00-640-801-02 <sup>S</sup>	SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - CHECK OF THE NLG CONTROL ACTUATION FORCE						Service	ATA:32
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 32-32-00-640-801								
32-32-00-640-801-03 <sup>S</sup>	SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - LUBRICATION OF THE MLG CONTROLS						Service	ATA:32
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 32-32-00-640-801								
32-32-00-640-801-04 <sup>S</sup>	SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - CHECK OF THE MLG CONTROL ACTUATION FORCE						Service	ATA:32
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 32-32-00-640-801								
32-32-00-700-801-01	CHECK AFTER LANDING GEAR EMERGENCY EXTENSION						Service	ATA:32
	MOS/MSC		A/R					
	HRS							
WC#: 32.820	AFL							
PROC. REF: AMM 32-32-00-700-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-32-05-900-801-01		REMOVAL / INSTALLATION OF THE MLG MECHANICAL EMERGENCY RELEASE CONTROL CABLES - RH MLG MECHANICAL EMERGENCY EXTENSION CONTROL CABLE (260GM)					Component	ATA:32	
PN:4806551	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:15109	HRS	0		TSN 0					
WC#: 32.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-32-05-900-801-02		REMOVAL / INSTALLATION OF THE MLG MECHANICAL EMERGENCY RELEASE CONTROL CABLES - LH MLG MECHANICAL EMERGENCY EXTENSION CONTROL CABLE (261GM)					Component	ATA:32	
PN:4806567	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:15126	HRS	0		TSN 0					
WC#: 32.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-32-17-640-801-01 <sup>S</sup>		SERVICING OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL - LUBRICATION OF THE L/G HYDRAULIC EMERGENCY EXTENSION CONTROL					Service	ATA:32	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 32.150	AFL	8866							
PROC. REF: AMM 32-32-17-640-801									
32-32-17-640-801-02 <sup>S</sup>		SERVICING OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL - CHECK OF CONTROL ACTUATION LOADS					Service	ATA:32	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 32-32-17-640-801									
32-32-17-900-801-01		REMOVAL / INSTALLATION OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL CABLE - L/G HYDRAULIC EMERGENCY EXTENSION CONTROL CABLE (250GM)					Component	ATA:32	
PN:4806544	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:15126	HRS	0		TSN 0					
WC#: 32.180	AFL	0		TSN 0					
PROC. REF: AMM 32-32-17-900-801									
32-40-00-780-801-01 <sup>S</sup>		CHECK OF BRAKING PRESSURES - SYSTEM 1					Service	ATA:32	
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 32.380	AFL	7526							
PROC. REF: AMM 32-40-00-780-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-40-00-780-801-02 <sup>S</sup>		CHECK OF BRAKING PRESSURES - SYSTEM 2					Service	ATA:32	
	MOS	06-Jul-18							
	HRS	11175.5	3200 (+40)						
WC#: 32.380	AFL	7526							
PROC. REF: AMM 32-40-00-780-801								PKG:22	
32-41-00-220-801-01 <sup>S</sup>		DETAILED INSPECTION OF THE BRAKE LINKAGE CONTROL					Service	ATA:32	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 32.420	AFL	8866							
PROC. REF: AMM 32-41-00-220-801								PKG:16	
32-41-02-900-801-01		REMOVAL / INSTALLATION OF THE BSCU - BSCU 1 (L240GC)					Component	ATA:32	
PN:C203470050700	MOS/MSC	29-May-19	O/C	TSN 173					
SN:447	HRS	11797.1		TSN 9219.5					
WC#: 32.530	AFL	7891		TSN 6102					
PROC. REF: AMM 32-41-02-900-801									
32-41-02-900-801-02		REMOVAL / INSTALLATION OF THE BSCU - BSCU 2 (R240GC)					Component	ATA:32	
PN:C203470060700	MOS/MSC	12-Jan-24	O/C						
SN:00414	HRS	13758.5							
WC#: 32.530	AFL	9065							
PROC. REF: AMM 32-41-02-900-801									
32-41-05-900-801-01		REMOVAL / INSTALLATION OF THE BRAKE PEDAL POSITION TRANSDUCERS - LH BRAKE PEDALS POSITION TRANSMITTER (5GC)					Component	ATA:32	
PN:C20344000-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:00381	HRS	0		TSN 0					
WC#: 32.360	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05-900-801									
32-41-05-900-801-02		REMOVAL / INSTALLATION OF THE BRAKE PEDAL POSITION TRANSDUCERS - RH BRAKE PEDALS POSITION TRANSMITTER (10GC)					Component	ATA:32	
PN:C20344000-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:00382	HRS	0		TSN 0					
WC#: 32.360	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05-900-801									
32-41-07-610-801-01 <sup>S</sup>		SERVICING OF THE PEDAL INTERCONNECTION FLEXIBLE CONTROLS					Service	ATA:32	
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 32.430	AFL	8209	3750						
PROC. REF: AMM 32-41-07-610-801								PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-41-09-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE HYDRAULIC FUSES - LH HYDRAULIC FUSE (L415GC) Service ATA:32</b>								
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)					
WC#: 32.710	AFL	7526						
PROC. REF: AMM 32-41-09-720-801								PKG:22
<b>32-41-09-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE HYDRAULIC FUSES - RH HYDRAULIC FUSE (R415GC) Service ATA:32</b>								
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)					
	AFL	7526						
PROC. REF: AMM 32-41-09-720-801								PKG:22
<b>32-41-17-900-801-01 REMOVAL / INSTALLATION OF THE BRAKE SHUT-OFF VALVES - SYSTEM 1 BRAKE SHUT-OFF VALVE (L245GC) Component ATA:32</b>								
PN:65670-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:2397A	HRS	0		TSN 0				
WC#: 32.540	AFL	0		TSN 0				
PROC. REF: AMM 32-41-17-900-801								
<b>32-41-17-900-801-02 REMOVAL / INSTALLATION OF THE BRAKE SHUT-OFF VALVES - SYSTEM 2 BRAKE SHUT-OFF VALVE (R245GC) Component ATA:32</b>								
PN:65670-2	MOS/MSC	29-Jan-24	O/C	TSN 0				
SN:3888AB	HRS	13780		TSN 0				
WC#: 32.540	AFL	9075		TSN 0				
PROC. REF: AMM 32-41-17-900-801								
<b>32-41-37-900-801-01 SYSTEM NO. 1 BRAKE FILTER Component ATA:32</b>								
PN:ADB295-4	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:1501	HRS	0		TSN 0				
WC#: 32.570	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>32-41-37-900-801-02 SYSTEM NO. 2 BRAKE FILTER Component ATA:32</b>								
PN:ADB295-4	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:1515	HRS	0		TSN 0				
WC#: 32.570	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>32-41-37-900-801-03 PARKING BRAKE (450GC) FILTER Component ATA:32</b>								
PN:ADB295-4	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:1517	HRS	0		TSN 0				
WC#: 32.780	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-41-37-900-801-04		PARKING BRAKE (460GC) FILTER					Component	ATA:32	
PN:ADB295-4	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1519	HRS	0		TSN 0					
WC#: 32.790	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-41-37-960-801-01 <sup>S</sup>		REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - SYSTEM 1 BRAKE FILTER (L410GC)					Service	ATA:32	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 32.390	AFL	8209							
PROC. REF: AMM 32-41-37-960-801									
32-41-37-960-801-02 <sup>S</sup>		REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - SYSTEM 2 BRAKE FILTER (R410GC)					Service	ATA:32	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 32.390	AFL	8209							
PROC. REF: AMM 32-41-37-960-801									
32-41-37-960-801-03 <sup>S</sup>		REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - PARKING BRAKE FILTER (450GC)					Service	ATA:32	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 32.390	AFL	8209							
PROC. REF: AMM 32-41-37-960-801									
32-41-37-960-801-04 <sup>S</sup>		REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - PARKING BRAKE FILTER (460GC)					Service	ATA:32	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 32-41-37-960-801									
32-41-49-900-801-01		REMOVAL / INSTALLATION OF THE TACHOMETER GENERATORS - LH MLG OUTBOARD WHEEL TACHOMETER GENERATOR (L260GC)					Component	ATA:32	
PN:C20345000	MOS/MSC	04-Jun-19	O/C						
SN:0191	HRS	11811.2							
WC#: 32.400	AFL	7899							
PROC. REF: AMM 32-41-49-900-801									
32-41-49-900-801-02		REMOVAL / INSTALLATION OF THE TACHOMETER GENERATORS - LH MLG INBOARD WHEEL TACHOMETER GENERATOR (L265GC)					Component	ATA:32	
PN:C20345000	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:758	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
PROC. REF: AMM 32-41-49-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-41-49-900-801-03 REMOVAL / INSTALLATION OF THE TACHOMETER GENERATORS - RH MLG INBOARD WHEEL TACHOMETER GENERATOR (R265GC) Component ATA:32</b>								
PN:C20345000	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:756	HRS	0		TSN 0				
WC#: 32.410	AFL	0		TSN 0				
PROC. REF: AMM 32-41-49-900-801								
<b>32-41-49-900-801-04 REMOVAL / INSTALLATION OF THE TACHOMETER GENERATORS - RH MLG OUTBOARD WHEEL TACHOMETER GENERATOR (R260GC) Component ATA:32</b>								
PN:C20345000	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:757	HRS	0		TSN 0				
WC#: 32.410	AFL	0		TSN 0				
PROC. REF: AMM 32-41-49-900-801								
<b>32-41-57-900-801-01<sup>U</sup> LH SYSTEM NO.1 BRAKE SERVOVALVE Component ATA:32</b>								
PN:C20103510-1	MOS/MSC	11-Sep-15	O/C					
SN:048	HRS	10170.4						
WC#: 32.650	AFL	6857						
<b>32-41-57-900-801-01 REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - LH SYSTEM 1 BRAKE SERVOVALVE (L250GC) Component ATA:32</b>								
PN:C24594000	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1152	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: AMM 32-41-57-900-801								
<b>32-41-57-900-801-02 REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - RH SYSTEM 1 BRAKE SERVOVALVE (R250GC) Component ATA:32</b>								
PN:C24594000	MOS/MSC	19-Dec-14	O/C	TSN 0				
SN:Y00549	HRS	9832.4		TSN 0				
WC#: 32.550	AFL	6621		TSN 0				
PROC. REF: AMM 32-41-57-900-801								
<b>32-41-57-900-801-02<sup>U</sup> RH SYSTEM NO.1 BRAKE SERVOVALVE Component ATA:32</b>								
PN:C20103510-1	MOS/MSC	18-Nov-19	O/C	TSR 0				
SN:112	HRS	12082		TSR 0				
WC#: 32.650	AFL	8072		TSR 0				
<b>32-41-57-900-801-03<sup>U</sup> LH SYSTEM NO.2 BRAKE SERVOVALVE Component ATA:32</b>								
PN:C20103510-1	MOS/MSC	28-Oct-13	O/C	TSR 0				
SN:01576	HRS	9294.4		TSR 0				
WC#: 32.660	AFL	6270		TSR 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-41-57-900-801-03 REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - LH SYSTEM 2 BRAKE SERVOVALVE (L251GC) Component ATA:32</b>								
PN:C24594000	MOS/MSC	28-Oct-13	O/C	TSN 0				
SN:Y00388	HRS	9294.4		TSN 0				
WC#: 32.560	AFL	6270		TSN 0				
PROC. REF: AMM 32-41-57-900-801								
<b>32-41-57-900-801-04 REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - RH SYSTEM 2 BRAKE SERVOVALVE (R251GC) Component ATA:32</b>								
PN:C20103510-1	MOS/MSC	29-Jan-24	O/C					
SN:00412	HRS	13780						
WC#: 32.560	AFL	9075						
PROC. REF: AMM 32-41-57-900-801								
<b>32-41-57-900-801-04<sup>U</sup> RH SYSTEM NO.2 BRAKE SERVOVALVE Component ATA:32</b>								
PN:C20103510-1	MOS/MSC	29-Jan-24	O/C					
SN:00412	HRS	13780						
WC#: 32.660	AFL	9075						
<b>32-42-00-610-801-01 SERVICING OF THE PARK BRAKE CONTROL Service ATA:32</b>								
	MOS/MSC	31-Jan-17	O/C					
	HRS	10584.7						
WC#: 32.450	AFL	7139						
PROC. REF: AMM 32-42-00-610-801								
<b>32-42-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE PARK BRAKE SYSTEM - CHECK OF THE PARK BRAKE SYSTEM HYDRAULIC CAPACITY Service ATA:32</b>								
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)					
WC#: 32.370	AFL	7526						
PROC. REF: AMM 32-42-00-720-801								
<b>32-42-00-720-801-01A FUNCTIONAL TEST OF THE PARK BRAKE SYSTEM - CHECK OF THE PARK BRAKE SYSTEM HYDRAULIC CAPACITY (MANDATORY 5-40) Service ATA:32</b>								
	MOS	06-Jul-18						MANDATORY 5-40
	HRS	11175.5	3900		15075.5		1250.1	
	AFL	7526						
PROC. REF: AMM 32-42-00-720-801								
<b>32-42-00-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE PARK BRAKE SYSTEM - CHECK OF THE PARK BRAKE PRESSURES Service ATA:32</b>								
	MOS	06-Jul-18						
	HRS	11175.5	3200 (+40)					
WC#: 32.380	AFL	7526						
PROC. REF: AMM 32-42-00-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-42-01-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE SELECTOR VALVE - PARK BRAKE SELECTOR VALVE (30GC)					Component	ATA:32	
PN:70012-20	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:431	HRS	0		TSN 0					
WC#: 32.480	AFL	0		TSN 0					
PROC. REF: AMM 32-42-01-900-801									
32-42-05-720-801-02 <sup>U</sup>		FUNCTIONAL CHECK OF PARK BRAKE ACCUMULATOR CAPACITY (A/C WITHOUT SB F2000-193)					Service	ATA:32	
	MOS/MSC		O/C						
	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
32-42-05-780-801-02A		CHECK OF THE PARK BRAKE SYSTEM ACCUMULATOR PRESSURE - PARK BRAKE ACCUMULATOR (110GC) (MANDATORY 5-40)					Service	ATA:32	
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 32-42-05-780-801									
32-42-05-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE SYSTEM ACCUMULATOR - PARK BRAKE ACCUMULATOR (110GC)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.510	AFL	0		TSN 0					
PROC. REF: AMM 32-42-05-900-801									
32-42-05-900-802-01		REMOVAL / INSTALLATION OF THE PARK BRAKE SYSTEM ACCUMULATOR SWITCH - PARK BRAKE PRESSURE SWITCH (150GC)					Component	ATA:32	
PN:1203P0224	MOS/MSC	21-Jun-18	O/C	TSN 0					
SN:1797	HRS	11175.5		TSN 0					
WC#: 32.605	AFL	7526		TSN 0					
PROC. REF: AMM 32-42-05-900-802									
32-42-13-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE FLEXIBLE CONTROL - PARK BRAKE FLEXIBLE CONTROL (190GC)					Component	ATA:32	
PN:4806537	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:15115	HRS	0		TSN 0					
WC#: 32.440	AFL	0		TSN 0					
PROC. REF: AMM 32-42-13-900-801									
32-44-00-220-801-01		DETAILED INSPECTION OF THE MLG AND NLG WHEEL TIRES					Service	ATA:32	
	MOS/MSC	24-Feb-20	O/C						
	HRS	12204.7							
	AFL	8146							
PROC. REF: AMM 32-44-00-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-44-00-250-801-01		SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH MLG OUTBOARD WHEEL (L225GC)						Service	ATA:32
PN:C20384110MIC	MOS	08-Nov-23							
SN:F194	HRS	13637.6							
WC#: 32.300	AFL	8995	400 (+3%)		9395	9495	291 (+100)		
PROC. REF: AMM 32-44-00-250-801									
32-44-00-250-801-02		SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH MLG INBOARD WHEEL (L220GC)						Service	ATA:32
PN:C20384200	MOS	02-Oct-23							
SN:00732 00702 OB	HRS	13570							
WC#: 32.310	AFL	8953	400 (+3%)		9353	9453	249 (+100)		
PROC. REF: AMM 32-44-00-250-801									
32-44-00-250-801-03		SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH MLG INBOARD WHEEL (R220GC)						Service	ATA:32
PN:C20384200	MOS	07-Dec-23							
SN:00305	HRS	13681.1							
WC#: 32.320	AFL	9020	400 (+3%)		9420	9520	316 (+100)		
PROC. REF: AMM 32-44-00-250-801									
32-44-00-250-801-04		SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH MLG OUTBOARD WHEEL (R225GC)						Service	ATA:32
PN:C20384200MIC	MOS	03-Sep-23							
SN:01557	HRS	13534.5							
WC#: 32.330	AFL	8929	400 (+3%)		9329	9429	225 (+100)		
PROC. REF: AMM 32-44-00-250-801									
32-44-00-250-801-05		SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH NLG WHEEL (L300GC)						Service	ATA:32
PN:C20383000	MOS	19-Nov-23							
SN:00213	HRS	13654.2							
WC#: 32.340	AFL	9004	500 (+3%)		9504	9519	400 (+15)		
PROC. REF: AMM 32-44-00-250-801									
32-44-00-250-801-06		SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH NLG WHEEL (R300GC)						Service	ATA:32
PN:C20383000	MOS	19-Nov-23							
SN:00214	HRS	13654.2							
WC#: 32.350	AFL	9004	500 (+3%)		9504	9519	400 (+15)		
PROC. REF: AMM 32-44-00-250-801									
32-44-00-780-801-01		PRESSURE CHECK OF THE MLG AND NLG WHEEL TIRES						Service	ATA:32
	MOS	02-Apr-24	2 (+5d)		02-Jun-24	07-Jun-24	57 d (+5)		
	HRS	13825.4							
	AFL	9104							
PROC. REF: AMM 32-44-00-780-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-44-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEELS - LH NLG WHEEL (L300GC)</b>								Component ATA:32
PN:C20383000	MOS/MSC	19-Nov-23	O/C	TSO 0				
SN:00213	HRS	13654.2		TSO 0				
WC#: 32.340	AFL	9004		TSO 0				
PROC. REF: AMM 32-44-01-900-801								
<b>32-44-01-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEELS - RH NLG WHEEL (R300GC)</b>								Component ATA:32
PN:C20383000	MOS/MSC	19-Nov-23	O/C	TSO 0				
SN:00214	HRS	13654.2		TSO 0				
WC#: 32.350	AFL	9004		TSO 0				
PROC. REF: AMM 32-44-01-900-801								
<b>32-44-05-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - LH NOSE WHEEL TIRE (L310GC)</b>								Component ATA:32
PN:M08301IND03	MOS/MSC	19-Nov-23	O/C	TSN 0				
SN:1153T142	HRS	13654.2		TSN 0				
WC#: 32.340	AFL	9004		TSN 0				
PROC. REF: AMM 32-44-05-900-801								
<b>32-44-05-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - RH NLG WHEEL TIRE (R310GC)</b>								Component ATA:32
PN:M08301IND03	MOS/MSC	19-Nov-23	O/C	TSN 0				
SN:1160T178	HRS	13654.2		TSN 0				
WC#: 32.350	AFL	9004		TSN 0				
PROC. REF: AMM 32-44-05-900-801								
<b>32-44-09-900-801-01 REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG OUTBOARD WHEEL (L225GC)</b>								Component ATA:32
PN:C20384110MIC	MOS/MSC	08-Nov-23	O/C	TSO 0				
SN:F194	HRS	13637.6		TSO 0				
WC#: 32.300	AFL	8995		TSO 0				
PROC. REF: AMM 32-44-09-900-801								
<b>32-44-09-900-801-02 REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG INBOARD WHEEL (L220GC)</b>								Component ATA:32
PN:C20384200	MOS/MSC	02-Oct-23	O/C	TSO 0				
SN:00732 00702 OB	HRS	13570		TSO 0				
WC#: 32.310	AFL	8953		TSO 0				
PROC. REF: AMM 32-44-09-900-801								
<b>32-44-09-900-801-03 REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG INBOARD WHEEL (R220GC)</b>								Component ATA:32
PN:C20384200	MOS/MSC	07-Dec-23	O/C	TSO 0				
SN:00305	HRS	13681.1		TSO 0				
WC#: 32.320	AFL	9020		TSO 0				
PROC. REF: AMM 32-44-09-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-44-09-900-801-04		REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG OUTBOARD WHEEL (R225GC)					Component	ATA:32	
PN:C20384200MIC	MOS/MSC	03-Sep-23	O/C	TSO 0					
SN:01557	HRS	13534.5		TSO 0					
WC#: 32.330	AFL	8929		TSO 0					
PROC. REF: AMM 32-44-09-900-801									
32-44-13-900-801-01		REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH OUTBOARD MAIN WHEEL TIRE (L235GC)					Component	ATA:32	
PN:M15101-01	MOS/MSC	08-Nov-23	O/C	TSN 0					
SN:9154J118	HRS	13637.6		TSN 0					
WC#: 32.300	AFL	8995		TSN 0					
PROC. REF: AMM 32-44-13-900-801									
32-44-13-900-801-02		REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH INBOARD MAIN WHEEL TIRE (L230GC)					Component	ATA:32	
PN:M15101-01	MOS/MSC	02-Oct-23	O/C	TSN 0					
SN:3084K119	HRS	13570		TSN 0					
WC#: 32.310	AFL	8953		TSN 0					
PROC. REF: AMM 32-44-13-900-801									
32-44-13-900-801-03		REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH INBOARD MAIN WHEEL TIRE (R230GC)					Component	ATA:32	
PN:M15101-01	MOS/MSC	07-Dec-23	O/C	TSN 0					
SN:3168K101	HRS	13681.1		TSN 0					
WC#: 32.320	AFL	9020		TSN 0					
PROC. REF: AMM 32-44-13-900-801									
32-44-13-900-801-04		REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH OUTBOARD MAIN WHEEL TIRE (R235GC)					Component	ATA:32	
PN:M15101-01	MOS/MSC	03-Sep-23	O/C	TSN 0					
SN:2353K105	HRS	13534.5		TSN 0					
WC#: 32.330	AFL	8929		TSN 0					
PROC. REF: AMM 32-44-13-900-801									
32-44-15-900-801-01		LH OUTBOARD MAIN LANDING GEAR (MLG) FLANGE					Component	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C						
SN:UNKNOWN	HRS	9908.3							
WC#: 32.300	AFL	6674							
PROC. REF: GENERIC NO REF									
32-44-15-900-801-02		LH INBOARD MAIN LANDING GEAR (MLG) FLANGE					Component	ATA:32	
PN:PN	MOS/MSC	27-Jul-17	O/C	TSN 27					
SN:UNKNOWN	HRS	10737.3		TSN 829					
WC#: 32.310	AFL	7261		TSN 587					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-44-15-900-801-03		RH INBOARD MAIN LANDING GEAR (MLG) FLANGE					Component	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C	TSN 0					
SN:UNKNOWN	HRS	9908.3		TSN 0					
WC#: 32.320	AFL	6674		TSN 0					
PROC. REF: GENERIC NO REF									
32-44-15-900-801-04		RH OUTBOARD MAIN LANDING GEAR (MLG) FLANGE					Component	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C	TSN 0					
SN:UNKNOWN	HRS	9908.3		TSN 0					
WC#: 32.330	AFL	6674		TSN 0					
PROC. REF: GENERIC NO REF									
32-44-15-960-801-01		REPLACEMENT OF THE MLG WHEEL FLANGES - LH MLG OUTBOARD WHEEL (L225GC)					Service	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C						
SN:UNKNOWN	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-15-960-801-01A		REPLACEMENT OF THE MLG WHEEL FLANGES					Service	ATA:32	
	MOS/MSC	02-Apr-15	O/C						
	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-15-960-801-02		REPLACEMENT OF THE MLG WHEEL FLANGES - LH MLG INBOARD WHEEL (L220GC)					Service	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C						
SN:UNKNOWN	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-15-960-801-02A		REPLACEMENT OF THE MLG WHEEL FLANGES					Service	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C						
SN:UNKNOWN	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-15-960-801-03		REPLACEMENT OF THE MLG WHEEL FLANGES - RH MLG INBOARD WHEEL (R220GC)					Service	ATA:32	
PN:PN	MOS/MSC	02-Apr-15	O/C						
SN:UNKNOWN	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-44-15-960-801-03A	REPLACEMENT OF THE MLG WHEEL FLANGES							Service	ATA:32
	MOS/MSC	02-Apr-15	O/C						
	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-15-960-801-04	REPLACEMENT OF THE MLG WHEEL FLANGES - RH MLG OUTBOARD WHEEL (R225GC)							Service	ATA:32
PN:PN	MOS/MSC	02-Apr-15	O/C						
SN:UNKNOWN	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-15-960-801-04A	REPLACEMENT OF THE MLG WHEEL FLANGES							Service	ATA:32
	MOS/MSC	02-Apr-15	O/C						
	HRS	9908.3							
	AFL	6674							
PROC. REF: AMM 32-44-15-960-801									
32-44-17-350-801-01	RESTORATION OF THE BRAKES (OVERHAUL) - LH MLG OUTBOARD BRAKE (L215GC)							Service	ATA:32
PN:C20382100	MOS/MSC	31-Oct-23	A/R					OVERHAUL	
SN:00947	HRS	13621.1							
WC#: 32.460	AFL	8985							
PROC. REF: AMM 32-44-17-350-801									
32-44-17-350-801-02	RESTORATION OF THE BRAKES (OVERHAUL) - LH MLG INBOARD BRAKE (L210GC)							Service	ATA:32
PN:C20382100	MOS/MSC	08-Feb-23	A/R					OVERHAUL	
SN:F301	HRS	13303.8							
WC#: 32.460	AFL	8799							
PROC. REF: AMM 32-44-17-350-801									
32-44-17-350-801-03	RESTORATION OF THE BRAKES (OVERHAUL) - RH MLG INBOARD BRAKE (R210GC)							Service	ATA:32
PN:C20382100	MOS/MSC	25-Feb-21	A/R					OVERHAUL	
SN:00423	HRS	12299.4							
WC#: 32.470	AFL	8209							
PROC. REF: AMM 32-44-17-350-801									
32-44-17-350-801-04	RESTORATION OF THE BRAKES (OVERHAUL) - RH MLG OUTBOARD BRAKE (R215GC)							Service	ATA:32
PN:C20382100	MOS/MSC	10-Jan-13	A/R					OVERHAUL	
SN:00689	HRS	8819.3							
WC#: 32.470	AFL	5941							
PROC. REF: AMM 32-44-17-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-44-17-900-801-01 REMOVAL / INSTALLATION OF THE BRAKES - LH MLG OUTBOARD BRAKE (L215GC)</b>								Component ATA:32
PN:C20382100	MOS/MSC	31-Oct-23	O/C	TSO 0				
SN:00947	HRS	13621.1		TSO 0				
WC#: 32.460	AFL	8985		TSO 0				
PROC. REF: AMM 32-44-17-900-801								
<b>32-44-17-900-801-02 REMOVAL / INSTALLATION OF THE BRAKES - LH MLG INBOARD BRAKE (L210GC)</b>								Component ATA:32
PN:C20382100	MOS/MSC	08-Feb-23	O/C	TSO 0				
SN:F301	HRS	13303.8		TSO 0				
WC#: 32.460	AFL	8799		TSO 0				
PROC. REF: AMM 32-44-17-900-801								
<b>32-44-17-900-801-03 REMOVAL / INSTALLATION OF THE BRAKES - RH MLG INBOARD BRAKE (R210GC)</b>								Component ATA:32
PN:C20382100	MOS/MSC	25-Feb-21	O/C	TSO 0				
SN:00423	HRS	12299.4		TSO 0				
WC#: 32.470	AFL	8209		TSO 0				
PROC. REF: AMM 32-44-17-900-801								
<b>32-44-17-900-801-04 REMOVAL / INSTALLATION OF THE BRAKES - RH MLG OUTBOARD BRAKE (R215GC)</b>								Component ATA:32
PN:C20382100	MOS/MSC	10-Jan-13	O/C	TSO 0				
SN:00689	HRS	8819.3		TSO 0				
WC#: 32.470	AFL	5941		TSO 0				
PROC. REF: AMM 32-44-17-900-801								
<b>32-44-17-960-801-01 DISCARD OF THE BRAKES - LH MLG OUTBOARD BRAKE (L215GC)</b>								Service ATA:32
PN:C20382100	MOS/MSC	31-Oct-23	O/C					
SN:00947	HRS	13621.1						
WC#: 32.460	AFL	8985						
PROC. REF: AMM 32-44-17-960-801								
<b>32-44-17-960-801-02 DISCARD OF THE BRAKES - LH MLG INBOARD BRAKE (L210GC)</b>								Service ATA:32
PN:C20382100	MOS/MSC	08-Feb-23	O/C					
SN:F301	HRS	13303.8						
WC#: 32.460	AFL	8799						
PROC. REF: AMM 32-44-17-960-801								
<b>32-44-17-960-801-03 DISCARD OF THE BRAKES - RH MLG INBOARD BRAKE (R210GC)</b>								Service ATA:32
PN:C20382100	MOS/MSC	25-Feb-21	O/C					
SN:00423	HRS	12299.4						
WC#: 32.470	AFL	8209						
PROC. REF: AMM 32-44-17-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-44-17-960-801-04		DISCARD OF THE BRAKES - RH MLG OUTBOARD BRAKE (R215GC)					Service	ATA:32	
PN:C20382100	MOS/MSC	10-Jan-13	O/C						
SN:00689	HRS	8819.3							
WC#: 32.470	AFL	5941							
PROC. REF: AMM 32-44-17-960-801									
32-44-18-960-801-01		REPLACEMENT OF THE WHEEL BRAKE SEALS - LH MLG OUTBOARD BRAKE (L215GC) SEAL					Service	ATA:32	
PN:C20382100	MOS/MSC	31-Oct-23	A/R						
SN:00947	HRS	13621.1							
WC#: 32.460	AFL	8985							
PROC. REF: AMM 32-44-18-960-801									
32-44-18-960-801-02		REPLACEMENT OF THE WHEEL BRAKE SEALS - LH MLG INBOARD BRAKE (L210GC) SEAL					Service	ATA:32	
PN:C20382100	MOS/MSC	08-Feb-23	A/R						
SN:F301	HRS	13303.8							
WC#: 32.460	AFL	8799							
PROC. REF: AMM 32-44-18-960-801									
32-44-18-960-801-03		REPLACEMENT OF THE WHEEL BRAKE SEALS - RH MLG INBOARD BRAKE (R210GC) SEAL					Service	ATA:32	
PN:C20382100	MOS/MSC	25-Feb-21	A/R						
SN:00423	HRS	12299.4							
WC#: 32.470	AFL	8209							
PROC. REF: AMM 32-44-18-960-801									
32-44-18-960-801-04		REPLACEMENT OF THE WHEEL BRAKE SEALS - RH MLG OUTBOARD BRAKE (R215GC) SEAL					Service	ATA:32	
PN:C20382100	MOS/MSC	10-Jan-13	A/R						
SN:00689	HRS	8819.3							
WC#: 32.470	AFL	5941							
PROC. REF: AMM 32-44-18-960-801									
32-44-21-900-801-01		REMOVAL / INSTALLATION OF THE BRAKE SWIVEL COUPLINGS - UPPER SWIVEL COUPLING (L100GC) / (R100GC) / (L101GC) / (R101GC)					Component	ATA:32	
PN:A100-24660	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H0838	HRS	0		TSN 0					
WC#: 32.500	AFL	0		TSN 0					
PROC. REF: AMM 32-44-21-900-801									
32-44-21-900-801-02		REMOVAL / INSTALLATION OF THE BRAKE SWIVEL COUPLINGS - LOWER SWIVEL COUPLING (L102GC) / (R102GC) / (L103GC) / (R103GC)					Component	ATA:32	
PN:A101-24660	MOS/MSC	19-Nov-19	O/C	TSO 11					
SN:H0740	HRS	12082		TSO 0					
WC#: 32.500	AFL	8072		TSO 0					
PROC. REF: AMM 32-44-21-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-50-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE STEERING CONTROL SYSTEM						Service	ATA:32
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 32.670	AFL	8209	3750						
PROC. REF: AMM 32-50-00-710-801								PKG:31	
32-50-01-900-801-01		REMOVAL / INSTALLATION OF THE NLG WHEEL STEERING REPEATER BOX - NOSE WHEEL STEERING POSITION SENSOR (5GB2)						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-50-01-900-801									
32-50-13-900-801-01		REMOVAL / INSTALLATION OF THE STEERING SERVOVALVE - STEERING SERVOVALVE (5GB1)						Component	ATA:32
PN:A25455004-1	MOS/MSC	19-Dec-14	O/C	TSR 0					
SN:00428	HRS	9832.4		TSR 0					
	AFL	6621		TSR 0					
PROC. REF: AMM 32-50-13-900-801									
32-61-49-900-801-01		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH BRACE ACTUATOR MONITORING PROXIMITY SWITCH (40GAA)						Component	ATA:32
PN:D23336000-2	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:01209	HRS	8230		TSN 0					
	AFL	5554		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-02		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH BRACE ACTUATOR CONTROL PROXIMITY SWITCH (40GAB)						Component	ATA:32
PN:D23336000-2	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:01202	HRS	8230		TSN 0					
	AFL	5554		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-03		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH BRACE ACTUATOR MONITORING PROXIMITY SWITCH (45GAA)						Component	ATA:32
PN:D23336000-2	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:01221	HRS	8230		TSN 0					
	AFL	5554		TSN 0					
PROC. REF: AMM 32-61-49-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-61-49-900-801-04		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH BRACE ACTUATOR CONTROL PROXIMITY SWITCH (45GAB)					Component	ATA:32	
PN:D23336000-2	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:01299	HRS	8230		TSN 0					
	AFL	5554		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-05		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG UPLOCK BOX PROXIMITY SWITCH (120GM1)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-06		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG UPLOCK BOX PROXIMITY SWITCH (130GM1)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-07		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG DOOR LATCH CONTROL PROXIMITY SWITCH (L170GM1)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-08		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG DOOR LATCH MONITORING PROXIMITY SWITCH (L170GM2)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-09		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG DOOR LATCH CONTROL PROXIMITY SWITCH (R170GM1)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-61-49-900-801-10	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG DOOR LATCH MONITORING PROXIMITY SWITCH (R170GM2)						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-801								
32-61-49-900-801-11	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG LEG INBOARD PROXIMITY SWITCH (5GAB)						Component	ATA:32
PN:D22884000-1	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:B875	HRS	8891.1		TSN 0				
	AFL	5993		TSN 0				
PROC. REF: AMM 32-61-49-900-801								
32-61-49-900-801-12	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG LEG OUTBOARD PROXIMITY SWITCH (5GAD)						Component	ATA:32
PN:D22884000-1	MOS/MSC	14-Mar-10	O/C	TSR 0				
SN:AR7979668	HRS	6934.1		TSR 0				
	AFL	4688		TSR 0				
PROC. REF: AMM 32-61-49-900-801								
32-61-49-900-801-13	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG LEG INBOARD PROXIMITY SWITCH (10GAB)						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-801								
32-61-49-900-801-14	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG LEG OUTBOARD PROXIMITY SWITCH (10GAD)						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-801								
32-61-49-900-801-15	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NOSE GEAR DRAG BRACE MONITORING PROXIMITY SWITCH (20GBA)						Component	ATA:32
PN:D23336000-2	MOS/MSC	09-Mar-12	O/C	TSN 0				
SN:01222	HRS	8230		TSN 0				
	AFL	5554		TSN 0				
PROC. REF: AMM 32-61-49-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-61-49-900-801-16		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NOSE GEAR DRAG BRACE CONTROL PROXIMITY SWITCH (20GBB)					Component	ATA:32	
PN:D23336000-2	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:01284	HRS	8230		TSN 0					
	AFL	5554		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-17		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG UPLOCK BOX CONTROL PROXIMITY SWITCH (5GM1)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-18		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG UPLOCK BOX MONITORING PROXIMITY SWITCH (5GM2)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-19		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LEG LH PROXIMITY SWITCH (5GBC)					Component	ATA:32	
PN:D22858000-1	MOS/MSC	09-Mar-12	O/C	TSR 0					
SN:B587	HRS	8230		TSR 0					
	AFL	5554		TSR 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-20		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LEG RH PROXIMITY SWITCH (5GBD)					Component	ATA:32	
PN:D22859000-2	MOS/MSC	12-Feb-09	O/C	TSR 0					
SN:2633	HRS	6287.5		TSR 0					
	AFL	4245		TSR 0					
PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-21		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LH MAIN DOOR PROXIMITY SWITCH (L100GB)					Component	ATA:32	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-61-49-900-801-22	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG RH MAIN DOOR PROXIMITY SWITCH (R100GB)						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-801								
321811	LEFT MLG DOOR EXTENSION ACTUATOR RESTRICTOR VALVE						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
321816	RIGHT MLG DOOR EXTENSION ACTUATOR RESTRICTOR VALVE						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
321821	LEFT MLG DOOR RETRACTION ACTUATOR RESTRICTOR VALVE						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
321826	RIGHT MLG DOOR RETRACTION ACTUATOR RESTRICTOR VALVE						Component	ATA:32
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
322806	NLG DRAG BRACE HYDRAULIC SWIVEL COUPLING						Component	ATA:32
PN:C24266-1	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1085	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
322810	NOSE LANDING GEAR TELESCOPIC YOKE ASSEMBLY						Component	ATA:32
PN:GA62269	MOS/MSC	05-Jun-23	O/C	TSO 0				
SN:B13-612	HRS	13436.3		TSO 0				
WC#: 32.080	AFL	8866		TSO 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>323806</b>		<b>LEFT MAIN LANDING GEAR EXTENSION RESTRICTOR VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:A24508-5160	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2706	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323811</b>		<b>RIGHT MAIN LANDING GEAR EXTENSION RESTRICTOR VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:A24508-5160	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2705	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323851</b>		<b>NOSE LANDING GEAR EXTENSION RESTRICTOR VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:A24508-5180	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2484	HRS	0		TSN 0					
WC#: 32.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323856</b>		<b>NOSE LANDING GEAR RETRACTION RESTRICTOR VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:A24508-5070	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H2714	HRS	0		TSN 0					
WC#: 32.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323861</b>		<b>MAIN LANDING GEAR HYD PROTECTION SYSTEM CHECK VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:C24816000	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FM00785	HRS	0		TSN 0					
WC#: 32.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323866</b>		<b>LANDING GEAR EMERGENCY HYDRAULIC EXTENSION HANDLE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:4509-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:598	HRS	0		TSN 0					
WC#: 32.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324033</b>		<b>LH SYSTEM NO.1 BRAKE PRESSURE SWITCH</b>					<b>Component</b>	<b>ATA:32</b>	
PN:7G1042	MOS/MSC	19-Dec-14	O/C	TSN 0					
SN:2025	HRS	9832.4		TSN 0					
WC#: 32.580	AFL	6621		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324034</b>		<b>RH SYSTEM NO.1 BRAKE PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:32</b>
PN:7G1042	MOS/MSC	29-May-19	O/C	TSN 15					
SN:2511	HRS	11797.1	TSN 0						
WC#: 32.580	AFL	7891	TSN 0						
PROC. REF: GENERIC NO REF									
<b>324041</b>		<b>LH SYSTEM NO.2 BRAKE PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:32</b>
PN:7G1042	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:845	HRS	0	TSN 0						
WC#: 32.590	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
<b>324042</b>		<b>RH SYSTEM NO.2 BRAKE PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:32</b>
PN:7G1042	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:843	HRS	0	TSN 0						
WC#: 32.590	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
<b>324043</b>		<b>NO. 1 BRAKE TEST PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:32</b>
PN:7G1104	MOS/MSC	19-Dec-14	O/C	TSN 0					
SN:529	HRS	9832.4	TSN 0						
WC#: 32.600	AFL	6621	TSN 0						
PROC. REF: GENERIC NO REF									
<b>324044</b>		<b>NO. 2 BRAKE TEST PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:32</b>
PN:7G1042	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:433	HRS	0	TSN 0						
WC#: 32.600	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
<b>324807</b>		<b>PARKING BRAKE DISTRIBUTOR CHECK VALVE</b>					<b>Component</b>		<b>ATA:32</b>
PN:C24815000	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FM00721	HRS	0	TSN 0						
WC#: 32.480	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
<b>324809</b>		<b>LEFT BRAKE SYSTEM SHUTTLE VALVE</b>					<b>Component</b>		<b>ATA:32</b>
PN:CN100	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1140	HRS	0	TSN 0						
WC#: 32.490	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324812</b>		<b>RIGHT BRAKE SYSTEM SHUTTLE VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:CN100	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1139	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324815</b>		<b>PARK BRAKE SYSTEM THERMAL VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:V3500-61	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:182	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324825</b>		<b>PARKING BRAKE ACCUMULATOR CHECK VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:700-12-20	MOS/MSC	20-Dec-07	O/C	TSO 0					
SN:246	HRS	5520.4		TSO 0					
WC#: 32.510	AFL	3713		TSO 0					
PROC. REF: GENERIC NO REF									
<b>324827</b>		<b>BRAKE ACCUMULATOR PRESSURE GAUGE</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.520	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324860</b>		<b>LEFT SYSTEM NO.1 BRAKE CHECK VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:A24516	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FM05007	HRS	0		TSN 0					
WC#: 32.610	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324863</b>		<b>RIGHT SYSTEM NO.1 BRAKE CHECK VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:A24516	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FM05008	HRS	0		TSN 0					
WC#: 32.610	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324866</b>		<b>LEFT SYSTEM NO.2 BRAKE CHECK VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:A24516	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:FM05010	HRS	0		TSN 0					
WC#: 32.620	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324869 RIGHT SYSTEM NO.2 BRAKE CHECK VALVE</b>								Component ATA:32
PN:A24516	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:FM05011	HRS	0		TSN 0				
WC#: 32.620	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>324872 LEFT SYSTEM NO.1 BRAKE RESTRICTOR</b>								Component ATA:32
PN:C24758080	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1234	HRS	0		TSN 0				
WC#: 32.630	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>324875 RIGHT SYSTEM NO.1 BRAKE RESTRICTOR</b>								Component ATA:32
PN:C24758080	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1236	HRS	0		TSN 0				
WC#: 32.630	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>324878 LEFT SYSTEM NO.2 BRAKE RESTRICTOR</b>								Component ATA:32
PN:C24758080	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1233	HRS	0		TSN 0				
WC#: 32.640	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>324881 RIGHT SYSTEM NO.2 BRAKE RESTRICTOR</b>								Component ATA:32
PN:C24758080	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:H1235	HRS	0		TSN 0				
WC#: 32.640	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>325801 NOSE GEAR STEERING SOLENOID VALVE</b>								Component ATA:32
PN:65670-2	MOS/MSC	28-Oct-13	O/C	TSN 0				
SN:3518AB	HRS	9294.4		TSN 0				
WC#: 32.680	AFL	6270		TSN 0				
PROC. REF: GENERIC NO REF								
<b>325803 NOSE GEAR STEERING CHECK VALVE</b>								Component ATA:32
PN:A24515	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:FM02968	HRS	0		TSN 0				
WC#: 32.680	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
325806	NOSE GEAR CONTROL STEERING WHEEL							Component	ATA:32
PN:287837-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:H1195	HRS	0		TSN 0					
WC#: 32.680	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 33 - LIGHTS</b>									
33-10-07-900-801-01	REMOVAL/INSTALLATION OF THE COCKPIT DOME LIGHTS - PILOT DOME LIGHT (L31LE)							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
33-10-07-900-801-02	REMOVAL/INSTALLATION OF THE COCKPIT DOME LIGHTS - COPILOT DOME LIGHT (R31LE)							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
33-10-09-900-801-01	PILOT GLARESHIELD FLUORESCENT TUBE							Component	ATA:33
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
33-10-09-900-801-02	COPILOT GLARESHIELD FLUORESCENT TUBE							Component	ATA:33
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
33-10-09-900-801-03	PILOT GLARESHIELD UPPER ELECTRO-LUMINESCENT LIGHT STRIP RAMP							Component	ATA:33
PN:250TZ01Y	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:312	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
33-10-09-900-801-04		COPILOT GLARESHIELD ELECTRO-LUMINESCENT LIGHT STRIP						Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
33-10-09-900-801-05		PILOT GLARESHIELD BOTTOM ELECTRO-LUMINESCENT LIGHT STRIP RAMP						Component	ATA:33
PN:241TZ01Y00	MOS/MSC	20-May-16	O/C	TSN 0					
SN:534	HRS	10496.7		TSN 0					
	AFL	7098		TSN 0					
PROC. REF: GENERIC NO REF									
33-10-09-900-801-06		COPILOT GLARESHIELD BOTTOM ELECTRO-LUMINESCENT LIGHT STRIP						Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
33-10-09-960-801-01		REPLACEMENT OF THE GLARESHIELD LIGHTS - PILOT GLARESHIELD FLUORESCENT TUBE (50LC)						Service	ATA:33
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-10-09-960-801									
33-10-09-960-801-02		REPLACEMENT OF THE GLARESHIELD LIGHTS - COPILOT GLARESHIELD FLUORESCENT TUBE (60LC)						Service	ATA:33
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-10-09-960-801									
33-10-09-960-801-03		REPLACEMENT OF THE GLARESHIELD LIGHTS - PILOT GLARESHIELD ELECTRO-LUMINESCENT LIGHT STRIP (L70LC)						Service	ATA:33
PN:250TZ01Y	MOS/MSC	22-Jan-02	O/C						
SN:312	HRS	0							
	AFL	0							
PROC. REF: AMM 33-10-09-960-801									
33-10-09-960-801-04		REPLACEMENT OF THE GLARESHIELD LIGHTS - COPILOT GLARESHIELD ELECTRO-LUMINESCENT LIGHT STRIP (R70LC)						Service	ATA:33
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-10-09-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
33-10-09-960-801-05	REPLACEMENT OF THE GLARESHIELD LIGHTS - PILOT GLARESHIELD ELECTRO-LUMINESCENT LIGHT STRIP (L75LC)							Service	ATA:33
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-10-09-960-801									
33-10-09-960-801-06	REPLACEMENT OF THE GLARESHIELD LIGHTS - COPILOT GLARESHIELD ELECTRO-LUMINESCENT LIGHT STRIP (R75LC)							Service	ATA:33
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-10-09-960-801									
33-10-17-900-801-01	REMOVAL / INSTALLATION OF THE CIRCUIT BREAKER PANEL SPOTLIGHTS - LH CIRCUIT BREAKER PANEL SPOTLIGHT (L40LC)							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: AMM 33-10-17-900-801									
33-10-17-900-801-02	REMOVAL / INSTALLATION OF THE CIRCUIT BREAKER PANEL SPOTLIGHTS - RH CIRCUIT BREAKER PANEL SPOTLIGHT (R40LC)							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: AMM 33-10-17-900-801									
33-20-00-200-801-01	INSPECTION OF "ALC" LIGHTING TUBES							Service	ATA:33
	MOS	22-Sep-23	12 (+1m)		22-Sep-24	22-Oct-24	169 d (+30)		
	HRS	13560.4	400 (+40)	Adj -61	13899.4	13939.4	74 (+40)		
WC#: 33.250	AFL	8949							
PROC. REF: AMM 33-20-00-200-801									
33-40-00-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE EXTERIOR LIGHTS WITH LED TECHNOLOGY - TAXI LIGHT (100LX)							Service	ATA:33
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 33-40-00-720-801									
33-40-01-900-801-01	REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - LH NAVIGATION LIGHT (15LX) OR (15LX) / (28L) OR (15LX) / (565LX)							Component	ATA:33
PN:PN-UNKNOWN	MOS/MSC	10-Aug-12	O/C						
SN:UNKNOWN	HRS	8572.1							
	AFL	5769							
PROC. REF: AMM 33-40-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>33-40-01-900-801-02 REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - RH NAVIGATION LIGHT (10LX) OR (10LX) / (29L) OR (10LX) / (566LX)</b>								
PN:2LA006616-22	MOS/MSC	29-Dec-10	O/C	TSN 0				Component ATA:33
SN:NSN	HRS	7504.4		TSN 0				
	AFL	5072		TSN 0				
PROC. REF: AMM 33-40-01-900-801								
<b>33-40-07-900-801-01 REMOVAL / INSTALLATION OF THE WHITE REAR NAVIGATION / ANTI-COLLISION LIGHT - WHITE REAR NAVIGATION/ANTI-COLLISION LIGHT (40LX)</b>								
PN:6480601	MOS/MSC	20-May-19	O/C	TSN 2				Component ATA:33
SN:479	HRS	11790.3		TSN 0				
WC#: 33.260	AFL	7887		TSN 0				
PROC. REF: AMM 33-40-07-900-801								
<b>33-40-09-900-802-01 REMOVAL / INSTALLATION OF UPPER ANTI-COLLISION LIGHT - UPPER ANTI-COLLISION LIGHT (4LX)</b>								
PN:01-0790044-09	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:2754	HRS	0		TSN 0				
WC#: 33.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>33-40-31-960-801-01 REPLACEMENT OF THE FLASH TUBE OF THE WING WHITE ANTI-COLLISION LIGHT - FLASH TUBE OF LH WING WHITE ANTI-COLLISION LIGHT (L210LX)</b>								
PN:39-28-21	MOS/MSC	08-Aug-12	O/C	TSN 0				Component ATA:33
SN:3362	HRS	8568.1		TSN 0				
WC#: 33.160	AFL	5766		TSN 0				
PROC. REF: AMM 33-40-31-960-801								
<b>33-40-31-960-801-02 REPLACEMENT OF THE FLASH TUBE OF THE WING WHITE ANTI-COLLISION LIGHT - FLASH TUBE OF RH WHITE WING ANTI-COLLISION LIGHT (R210LX)</b>								
PN:39-28-21	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:1706	HRS	0		TSN 0				
WC#: 33.160	AFL	0		TSN 0				
PROC. REF: AMM 33-40-31-960-801								
<b>33-40-37-900-801-01 REMOVAL / INSTALLATION OF THE LANDING LIGHTS - LH LANDING LIGHT (L70LX)</b>								
PN:4240531	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:74981	HRS	0		TSN 0				
WC#: 33.130	AFL	0		TSN 0				
PROC. REF: AMM 33-40-37-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
33-40-37-900-801-02 REMOVAL / INSTALLATION OF THE LANDING LIGHTS - RH LANDING LIGHT (R70LX)								Component ATA:33
PN:Q4559X	MOS/MSC	08-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	5591.7		TSN 0				
WC#: 33.130	AFL	3760		TSN 0				
PROC. REF: AMM 33-40-37-900-801								
33-40-41-900-801-01 REMOVAL / INSTALLATION OF THE TAXI LIGHT - TAXI LIGHT (100LX)								Component ATA:33
PN:4626	MOS/MSC	19-Oct-14	O/C	TSN 0				
SN:NSN	HRS	9753		TSN 0				
WC#: 33.150	AFL	6563		TSN 0				
PROC. REF: AMM 33-40-41-900-801								
33-40-41-960-801-01 REPLACEMENT OF THE TAXI LIGHT BULB - TAXI LIGHT (100LX)								Service ATA:33
PN:4626	MOS/MSC	19-Oct-14	O/C					
SN:NSN	HRS	9753						
	AFL	6563						
PROC. REF: AMM 33-40-41-960-801								
33-40-65-900-801-01 LH WING ANTICOLLISION LIGHT POWER SUPPLY BOX								Component ATA:33
PN:6480702	MOS/MSC	07-Mar-19	O/C	TSN 4				
SN:775	HRS	11668		TSN 0				
WC#: 33.170	AFL	7801		TSN 0				
PROC. REF: AMM 33-40-65-960-801								
33-40-65-900-801-02 RH WING ANTICOLLISION LIGHT POWER SUPPLY BOX								Component ATA:33
PN:39-42-4	MOS/MSC	05-Nov-05	O/C	TSN 0				
SN:0340	HRS	3506.2		TSN 0				
WC#: 33.170	AFL	2393		TSN 0				
PROC. REF: AMM 33-40-65-960-801								
33-50-00-710-804-01 <sup>S</sup> OPERATIONAL TEST OF THE EMERGENCY LIGHTING SYSTEM - EMERGENCY LIGHTING SYSTEM								Service ATA:33
	MOS	22-Jan-02						
	HRS	0	4800 (+40)					
	AFL	0						
PROC. REF: AMM 33-50-00-710-804								
33-50-00-720-801-01 <sup>U</sup> FUNCTIONAL TEST NO. 1 EMERGENCY (EPS1) POWER SUPPLY								Service ATA:33
PN:D734-02-001	MOS/MSC	03-Jan-24	O/C					
SN:1185	HRS	13736.2						
WC#: 33.200	AFL	9052						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
33-50-00-720-801-02 <sup>U</sup> FUNCTIONAL TEST NO. 2 EMERGENCY (EPS2) POWER SUPPLY								Service ATA:33
PN:D734-02-001	MOS/MSC	16-Jun-22	O/C					
SN:1695	HRS	12928.3						
WC#: 33.200	AFL	8579						
PROC. REF: GENERIC NO REF								
33-50-00-720-801-03 <sup>U</sup> FUNCTIONAL TEST NO. 3 EMERGENCY (EPS3) POWER SUPPLY								Service ATA:33
PN:D734-02-001	MOS/MSC	01-Sep-22	O/C					
SN:922	HRS	13024.5						
WC#: 33.210	AFL	8641						
PROC. REF: GENERIC NO REF								
33-50-05-350-801-01 RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (L702LC)								Service ATA:33
PN:P2-07-0011-500	MOS	05-Jul-23	12 (+3%)		05-Jul-24	16-Jul-24	90 d (+11)	
SN:N/A	HRS	13445.4						
	AFL	8870						
PROC. REF: AMM 33-50-05-350-801, SMM 25-90-51								
33-50-05-350-801-02 RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (R702LC)								Service ATA:33
PN:P2-07-0011-500	MOS	05-Jul-23	12 (+3%)		05-Jul-24	16-Jul-24	90 d (+11)	
SN:N/A	HRS	13445.4						
	AFL	8870						
PROC. REF: AMM 33-50-05-350-801, SMM 25-90-51								
33-50-05-350-802-01 RESTORATION OF THE MAGLITE RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (L702LC)								Service ATA:33
PN:P2-07-0011-500	MOS/MSC		N/A					
SN:N/A	HRS							
	AFL							
PROC. REF: AMM 33-50-05-350-802, SMM 25-90-43								
33-50-05-350-803-01 RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (L702LC)								Service ATA:33
PN:P2-07-0011-500	MOS/MSC		N/A					
SN:N/A	HRS							
	AFL							
PROC. REF: AMM 33-50-05-350-803								
33-50-05-350-803-02 RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASHLIGHT (R702LC)								Service ATA:33
PN:P2-07-0011-500	MOS/MSC		N/A					
SN:N/A	HRS							
	AFL							
PROC. REF: AMM 33-50-05-350-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
33-50-05-900-801-01		REMOVAL / INSTALLATION OF THE RECHARGEABLE FLASHLIGHT BASES - FLASHLIGHT (L702LC)					Component	ATA:33	
PN:P2-07-0011-500	MOS/MSC	05-Jul-23	O/C	TSN 13					
SN:N/A	HRS	13445.4		TSN 517.1					
	AFL	8870		TSN 291					
PROC. REF: AMM 33-50-05-900-801									
33-50-05-900-801-02		REMOVAL / INSTALLATION OF THE RECHARGEABLE FLASHLIGHT BASES - FLASHLIGHT (R702LC)					Component	ATA:33	
PN:P2-07-0011-500	MOS/MSC	05-Jul-23	O/C	TSN 13					
SN:N/A	HRS	13445.4		TSN 517.1					
	AFL	8870		TSN 291					
PROC. REF: AMM 33-50-05-900-801									
33-50-05-960-801-01		DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - LH FLASHLIGHT BATTERY (9610ME)					Service	ATA:33	
PN:P2-07-0011-500	MOS/MSC		N/A						
SN:N/A	HRS								
	AFL								
PROC. REF: AMM 33-50-05-960-801, SMM 25-90-49									
33-50-05-960-801-02		DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - RH FLASHLIGHT BATTERY (9620ME)					Service	ATA:33	
PN:P2-07-0011-500	MOS/MSC		N/A						
SN:N/A	HRS								
	AFL								
PROC. REF: AMM 33-50-05-960-801, SMM 25-90-49									
33-50-33-610-801-01		SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 1 (5LE)					Service	ATA:33	
PN:D734-02-001	MOS/MSC	03-Jan-24	O/C						
SN:1185	HRS	13736.2							
WC#: 33.200	AFL	9052							
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801									
33-50-33-610-801-02		SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 2 (10LE)					Service	ATA:33	
PN:D734-02-001	MOS/MSC	16-Jun-22	O/C						
SN:1695	HRS	12928.3							
WC#: 33.200	AFL	8579							
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801									
33-50-33-610-801-03		SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 3 (15LE)					Service	ATA:33	
PN:D734-02-001	MOS/MSC	01-Sep-22	O/C						
SN:922	HRS	13024.5							
WC#: 33.210	AFL	8641							
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>33-50-33-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 1 (5LE)</b>								Component ATA:33
PN:D734-02-001	MOS/MSC	03-Sep-19	O/C					
SN:1185	HRS	11962.4		TSO 0				
WC#: 33.200	AFL	8000		TSO 0				
PROC. REF: AMM 33-50-33-900-801								
<b>33-50-33-900-801-02 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 2 (10LE)</b>								Component ATA:33
PN:D734-02-001	MOS/MSC	16-Jun-22	O/C	TSO 0				
SN:1695	HRS	12928.3		TSO 0				
WC#: 33.200	AFL	8579		TSO 0				
PROC. REF: AMM 33-50-33-900-801								
<b>33-50-33-900-801-03 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 3 (15LE)</b>								Component ATA:33
PN:D734-02-001	MOS/MSC	01-Sep-22	O/C	TSN 59				
SN:922	HRS	13024.5		TSN 2514.1				
WC#: 33.210	AFL	8641		TSN 1536				
PROC. REF: AMM 33-50-33-900-801								
<b>33-50-37-900-801-01 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 1 (5LE) BATTERY PACK</b>								Component ATA:33
PN:C734-01-030	MOS/MSC	03-Jan-24	O/C	TSN 0				
SN:335305	HRS	13736.2		TSN 0				
	AFL	9052		TSN 0				
PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-900-801-02 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 2 (10LE) BATTERY PACK</b>								Component ATA:33
PN:C734-01-030	MOS/MSC	16-Jun-22	O/C	TSN 0				
SN:112195	HRS	12928.3		TSN 0				
	AFL	8579		TSN 0				
PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-900-801-03 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 3 (15LE) BATTERY PACK</b>								Component ATA:33
PN:C734-01-030	MOS/MSC	01-Sep-22	O/C	TSN 0				
SN:CF 34043/42/21	HRS	13024.5		TSN 0				
	AFL	8641		TSN 0				
PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-960-802-01 DISCARD OF THE EPS BATTERY PACKS - EPS 1 (5LE) BATTERY PACK</b>								Service ATA:33
PN:C734-01-030	MOS	03-Jan-24	25		03-Feb-26		668 d	LIFE LIMIT
SN:335305	HRS	13736.2						
WC#: 33.200	AFL	9052						
PROC. REF: AMM 33-50-37-960-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>33-50-37-960-802-02 DISCARD OF THE EPS BATTERY PACKS - EPS 2 (10LE) BATTERY PACK</b>								
PN:C734-01-030	MOS	16-Jun-22	25		16-Jul-24		101 d	Service ATA:33 LIFE LIMIT
SN:112195	HRS	12928.3						
WC#: 33.200	AFL	8579						
PROC. REF: AMM 33-50-37-960-802								
<b>33-50-37-960-802-03 DISCARD OF THE EPS BATTERY PACKS - EPS 3 (15LE) BATTERY PACK</b>								
PN:C734-01-030	MOS	01-Sep-22	25		01-Oct-24		178 d	Service ATA:33 LIFE LIMIT
SN:CF 34043/42/21	HRS	13024.5						
WC#: 33.210	AFL	8641						
PROC. REF: AMM 33-50-37-960-802								
<b>331811 PILOT READING LIGHT DIMMER BOX</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>331816 COPILOT READING LIGHT DIMMER BOX</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>331841 SHIELD LIGHTING POWER SUPPLY</b>								
PN:480ZT01Y01	MOS/MSC	08-Dec-21	O/C					Component ATA:33
SN:531	HRS	12486.5						
WC#: 33.050	AFL	8325						
PROC. REF: GENERIC NO REF								
<b>331856 PILOT INSTRUMENT LIGHTING TRANSFORMER</b>								
PN:96PS002	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:763	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>331861 COPILOT INSTRUMENT LIGHTING TRANSFORMER</b>								
PN:96PS002	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:33
SN:762	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
333801	AFT SERVICING COMPARTMENT CEILING LIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
333811	BAGGAGE COMPARTMENT CEILING LIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
333821	FORWARD SERVICING COMPARTMENT CEILING LIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
333841	BAGGAGE COMPARTMENT DOOR FLOODLIGHT							Component	ATA:33
PN:32-24-2	MOS/MSC	10-Jul-05	O/C	TSN 0					
SN:UNKNOWN	HRS	3074.5		TSN 0					
WC#: 33.080	AFL	2121		TSN 0					
PROC. REF: GENERIC NO REF									
333861	NOSE CONE INSPECTION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334821	REAR NAVIGATION/ANTICOLLISION LIGHT POWER SUPPLY							Component	ATA:33
PN:39-42-4	MOS/MSC	29-Mar-09	O/C	TSN 0					
SN:2525	HRS	6335.6		TSN 0					
WC#: 33.120	AFL	4286		TSN 0					
PROC. REF: GENERIC NO REF									
334826	FIN RED ANTICOLLISION LIGHT POWER SUPPLY							Component	ATA:33
PN:39-59-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:641	HRS	0		TSN 0					
WC#: 33.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
334841	LEFT LANDING LIGHT LENS ASSEMBLY							Component	ATA:33
PN:SPSF900-10-5-0	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:2079	HRS	0			TSN 0				
WC#: 33.140	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
334846	RIGHT LANDING LIGHT LENS ASSEMBLY							Component	ATA:33
PN:4700712540	MOS/MSC	19-Apr-13	O/C						
SN:NSN	HRS	8891.1							
WC#: 33.140	AFL	5993							
PROC. REF: GENERIC NO REF									
334851	LH NAVIGATION LIGHT FAIRING							Component	ATA:33
PN:4060622	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:87351	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC									
334852	RH NAVIGATION LIGHT FAIRING							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC									
334876	LEFT WING ICE DETECTION LIGHT							Component	ATA:33
PN:4371567	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:135	HRS	0			TSN 0				
WC#: 33.180	AFL	0			TSN 0				
PROC. REF: AMM 33-40-45-900-801									
334881	RIGHT WING ICE DETECTION LIGHT							Component	ATA:33
PN:3067556	MOS/MSC	30-Sep-14	O/C						
SN:UNKNOWN	HRS	9716							
WC#: 33.180	AFL	6535							
PROC. REF: AMM 33-40-45-900-801									
335851	EVACUATION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 33.230	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
335861	OUTSIDE EMERGENCY EXIT LIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
335871	FRAME 4/5 PASSENGER DOOR SPOTLIGHT							Component	ATA:33
PN:3050747-4	MOS/MSC	20-Aug-15	O/C	TSO 0					
SN:4P11852	HRS			TSO 0					
WC#: 33.240	AFL			TSO 0					
PROC. REF: GENERIC NO REF									
335881	FRAME 6/7 PASSENGER DOOR SPOTLIGHT							Component	ATA:33
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-46	REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - PILOT READING LIGHT (L10LC)							Component	ATA:33
PN:1308	MOS/MSC	25-Apr-08	O/C	TSN 0					
SN:NSN	HRS			TSN 0					
WC#: 33.010	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-47	REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - COPILOT READING LIGHT (R10LC)							Component	ATA:33
PN:327	MOS/MSC	25-Apr-08	O/C	TSN 0					
SN:NSN	HRS			TSN 0					
WC#: 33.010	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 34 - NAVIGATION</b>									
34-00-00-900-803-02	REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - GUIDANCE PANEL CONTROLLER (150CA)							Component	ATA:34
PN:PN	MOS/MSC	11-Nov-18	O/C						
SN:NOT INSTALLED	HRS								
WC#: 22.050	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-00-00-900-803-03		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - BATTERY TEMPERATURE INDICATOR (270PC)					Component	ATA:34	
PN:206-0001-201S	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:364	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-06		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - TRIM POSITION INDICATOR (20CZ)					Component	ATA:34	
PN:4863-558-80-11	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:339	HRS	0		TSN 0					
WC#: 27.065	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-07		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - CONFIGURATION PANEL (30CZ)					Component	ATA:34	
PN:206TS04Y02	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1046	HRS	0		TSN 0					
WC#: 27.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-10		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - STAND-BY ALTIMETER (330FE)					Component	ATA:34	
PN:PN	MOS/MSC	22-Jan-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 34.100	AFL	0							
PROC. REF: GENERIC NO REF									
34-00-00-900-803-11		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - STAND-BY MACH AIRSPEED INDICATOR (340FE)					Component	ATA:34	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-21		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - DCP 1 (L370NH)					Component	ATA:34	
PN:822-0321-008	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:D54D	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00-00-900-803-22		REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - DCP 2 (R370NH)					Component	ATA:34	
PN:822-0321-008	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:DMPD	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-00-00-900-803-23 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - RSP 1 (L362NH)								Component ATA:34
PN:822-0273-002	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:4JDT	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
34-00-00-900-803-24 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - RSP 2 (R362NH)								Component ATA:34
PN:822-0273-002	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:DYHG	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
34-00-00-900-803-25 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - AIRBRAKE/TAILPLANE/TRIM CONTROL BOX (10CZ)								Component ATA:34
PN:FGFB600271010A2	MOS/MSC	11-Sep-15	O/C	TSN 0				
SN:1636	HRS	10170.4		TSN 0				
WC#: 27.050	AFL	6857		TSN 0				
PROC. REF: GENERIC NO REF								
34-00-00-900-803-29 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - ICS 1 (L10RL)								Component ATA:34
PN:990-3333-264	MOS/MSC	20-May-16	O/C	TSR 2				
SN:01080008376	HRS	10496.7		TSR 0				
WC#: 23.060	AFL	7098		TSR 0				
PROC. REF: GENERIC NO REF								
34-00-00-900-803-32 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - ICS 2 (R10RL)								Component ATA:34
PN:990-3333-264	MOS/MSC	20-Aug-12	O/C					
SN:01030002480	HRS	8605.5						
WC#: 23.060	AFL	5792						
PROC. REF: GENERIC NO REF								
34-00-00-900-803-33 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - HF 2 CONTROLLER (R170RC)								Component ATA:34
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
34-00-00-900-803-48 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - STAND-BY COMPASS (10NH)								Component ATA:34
PN:KCA0105W	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:AN5150301	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>34-01-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE EFIS SYSTEM - PFD 1 (L360NH) Service ATA:34</b>								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
WC#: 34.010	AFL	8866						
PROC. REF: AMM 34-01-00-720-801								PKG:16
<b>34-01-00-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE EFIS SYSTEM - PFD 2 (R360NH) Service ATA:34</b>								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 34-01-00-720-801								PKG:16
<b>34-01-00-720-801-03<sup>S</sup> FUNCTIONAL TEST OF THE EFIS SYSTEM - MFD 1 (L361NH) Service ATA:34</b>								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 34-01-00-720-801								PKG:16
<b>34-01-00-720-801-04<sup>S</sup> FUNCTIONAL TEST OF THE EFIS SYSTEM - MFD 2 (R361NH) Service ATA:34</b>								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 34-01-00-720-801								PKG:16
<b>34-01-13-900-801-01 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - PFD 1 (L360NH) Component ATA:34</b>								
PN:622-9978-122	MOS/MSC	09-Dec-22	O/C					
SN:2762	HRS	13190.2						
WC#: 34.230	AFL	8735						
PROC. REF: AMM 34-01-13-900-801								
<b>34-01-13-900-801-02 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - PFD 2 (R360NH) Component ATA:34</b>								
PN:622-9978-122	MOS/MSC	07-Nov-18	O/C	TSR 0				
SN:288	HRS	11408		TSR 0				
WC#: 34.230	AFL	7668		TSR 0				
PROC. REF: AMM 34-01-13-900-801								
<b>34-01-13-900-801-03 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - MFD 1 (L361NH) Component ATA:34</b>								
PN:622-9978-122	MOS/MSC	16-May-12	O/C					
SN:50WW	HRS							
WC#: 34.240	AFL							
PROC. REF: AMM 34-01-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-01-13-900-801-04		REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - MFD 2 (R361NH)					Component	ATA:34	
PN:622-9978-122	MOS/MSC	02-Nov-21	O/C						
SN:1879	HRS	12357.4							
WC#: 34.240	AFL	8249							
PROC. REF: AMM 34-01-13-900-801									
34-01-25-710-801-05		OPERATIONAL TEST OF THE EFIS FANS - EFIS FANS					Service	ATA:34	
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 34-01-25-710-801									
34-03-01-900-801-01		REMOVAL / INSTALLATION OF THE DIGITAL DISTANCE RADIO MAGNETIC INDICATOR (DDRMI) - DDRMI (110NH)					Component	ATA:34	
PN:520-3020-005	MOS/MSC	20-Nov-13	O/C						
SN:15216	HRS	9369.7							
	AFL	6317							
PROC. REF: AMM 34-03-01-900-801									
34-10-00-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE AIR DATA SYSTEM					Service	ATA:34	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 34.030	AFL	8866							
PROC. REF: AMM 34-10-00-720-801									
34-10-01-900-801-01		REMOVAL / INSTALLATION OF THE OUTSIDE AIR TEMPERATURE PROBE - OUTSIDE AIR TEMPERATURE PROBE (120FE)					Component	ATA:34	
PN:102AU1CK	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:A35909	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-10-01-900-801									
34-10-11-720-801-01 <sup>S</sup>		CHECK OF THE ELECTRICAL ZERO SETTING OF ANGLE-OF-ATTACK SENSORS - LH AOA SENSOR (L10CM)					Service	ATA:34	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 34-10-11-720-801									
34-10-11-720-801-02 <sup>S</sup>		CHECK OF THE ELECTRICAL ZERO SETTING OF ANGLE-OF-ATTACK SENSORS - RH AOA SENSOR (R10CM)					Service	ATA:34	
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 34-10-11-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-10-11-900-801-01		REMOVAL / INSTALLATION OF THE ANGLE-OF-ATTACK SENSOR - LH AOA SENSOR (L10CM)					Component	ATA:34	
PN:861CAU2	MOS/MSC	28-May-09	O/C	TSR 0					
SN:1517A	HRS	6404.7		TSR 0					
WC#: 27.425	AFL	4336		TSR 0					
PROC. REF: AMM 34-10-11-900-801									
34-10-11-900-801-02		REMOVAL / INSTALLATION OF THE ANGLE-OF-ATTACK SENSOR - RH AOA SENSOR (R10CM)					Component	ATA:34	
PN:861CAU2	MOS/MSC	26-May-09	O/C						
SN:0499A	HRS	6403.8							
WC#: 27.425	AFL	4335							
PROC. REF: AMM 34-10-11-900-801									
34-11-00-680-801-01 <sup>S</sup>		DRAINING OF THE TOTAL / STATIC PRESSURE SYSTEM - DRAINING PITOT/STATIC LINES					Service	ATA:34	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 34.480	AFL	8866							
PROC. REF: AMM 34-11-00-680-801									
PKG:16									
34-11-00-790-801-01		LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - PILOT STATIC AIR PRESSURE SYSTEM					Service	ATA:34	
	MOS/MSC	03-Jan-24	A/R						
	HRS	13736.2							
WC#: 34.550	AFL	9052							
PROC. REF: AMM 34-11-00-790-801									
34-11-01-200-801-01		CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - LH TOTAL PRESSURE PROBE (L100FE)					Service	ATA:34	
	MOS/MSC	30-Jan-17	O/C						
	HRS	10584.7							
WC#: 34.060	AFL	7139							
PROC. REF: AMM 34-11-01-200-801									
34-11-01-200-801-02		CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - RH TOTAL PRESSURE PROBE (R100FE)					Service	ATA:34	
	MOS/MSC	30-Jan-17	O/C						
	HRS	10584.7							
	AFL	7139							
PROC. REF: AMM 34-11-01-200-801									
34-11-01-200-801-03		CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - STAND-BY TOTAL PRESSURE PROBE (105FE)					Service	ATA:34	
	MOS/MSC	30-Jan-17	O/C						
	HRS	10584.7							
	AFL	7139							
PROC. REF: AMM 34-11-01-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-11-01-900-801-01		REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - LH TOTAL PRESSURE PROBE (L100FE)					Component	ATA:34	
PN:50520	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2573	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-11-01-900-801									
34-11-01-900-801-02		REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - RH TOTAL PRESSURE PROBE (R100FE)					Component	ATA:34	
PN:50520	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2574	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-11-01-900-801									
34-11-01-900-801-03		REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - STAND-BY TOTAL PRESSURE PROBE (105FE)					Component	ATA:34	
PN:50520	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:2575	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-11-01-900-801									
34-11-05-900-801-01		REMOVAL / INSTALLATION OF THE STATIC PRESSURE PROBES - LH STATIC PRESSURE PROBE (L110FE)					Component	ATA:34	
PN:49800-01	MOS/MSC	20-Nov-18	O/C						
SN:1699	HRS	11422.2							
WC#: 34.080	AFL	7685							
PROC. REF: AMM 34-11-05-900-801, AMM 34-11-05-900-801									
34-11-05-900-801-02		REMOVAL / INSTALLATION OF THE STATIC PRESSURE PROBES - RH STATIC PRESSURE PROBE (R110FE)					Component	ATA:34	
PN:49800-01	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:1234	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-11-05-900-801, AMM 34-11-05-900-801									
34-11-05-900-802-01		REMOVAL / INSTALLATION OF THE STAND-BY STATIC PRESSURE PROBES - PILOT STAND-BY STATIC PRESSURE PROBE (L900FE)					Component	ATA:34	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-05-900-802									
34-11-05-900-802-02		REMOVAL / INSTALLATION OF THE STAND-BY STATIC PRESSURE PROBES - COPILOT STAND-BY STATIC PRESSURE PROBE (R900FE)					Component	ATA:34	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-05-900-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-14-01-700-881-01		TEST NO. 1 AIR DATA (ADC) COMPUTER (FAR 91.411)							Service ATA:34
PN:822-0374-440	MOS	01-Jun-23	24		01-Jun-25		421 d	MANDATORY	
SN:2582	HRS								
WC#: 34.050	AFL								
PROC. REF: FAR 91.411									
34-14-01-700-881-02		TEST NO. 2 AIR DATA (ADC) COMPUTER (FAR 91.411)							Service ATA:34
PN:822-0374-440	MOS	01-Jun-23	24		01-Jun-25		421 d	MANDATORY	
SN:FTYY	HRS								
WC#: 34.050	AFL								
PROC. REF: FAR 91.411									
34-14-01-900-801-01		REMOVAL / INSTALLATION OF THE AIR DATA COMPUTERS (ADC) - ADC 1 (L320FE)							Component ATA:34
PN:822-0374-440	MOS/MSC	20-May-16	O/C						
SN:2582	HRS	10496.7							
WC#: 34.050	AFL	7098							
PROC. REF: AMM 34-14-01-900-801									
34-14-01-900-801-02		REMOVAL / INSTALLATION OF THE AIR DATA COMPUTERS (ADC) - ADC 2 (R320FE)							Component ATA:34
PN:822-0374-440	MOS/MSC	27-Jul-19	O/C	TSO 0					
SN:FTYY	HRS	11894.5		TSO 0					
WC#: 34.050	AFL	7955		TSO 0					
PROC. REF: AMM 34-14-01-900-801									
34-15-02-700-881-01		TEST STAND-BY ALTIMETER (FAR 91.411)							Service ATA:34
PN:PN	MOS/MSC	03-Jan-24	N/A						
SN:UNKNOWN	HRS	13736.2							
WC#: 34.100	AFL	9052							
PROC. REF: FAR 91.411									
34-16-00-720-801-01		FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADC 1 (L320FE)							Service ATA:34
PN:822-0374-440	MOS	01-Jun-23	24 (+3%)		01-Jun-25	22-Jun-25	421 d (+21)		
SN:2582	HRS	13436.3							
WC#: 34.050	AFL	8866							
PROC. REF: AMM 34-16-00-720-801									
34-16-00-720-801-02		FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADC 2 (R320FE)							Service ATA:34
PN:822-0374-440	MOS	01-Jun-23	24 (+3%)		01-Jun-25	22-Jun-25	421 d (+21)		
SN:FTYY	HRS	13436.3							
WC#: 34.050	AFL	8866							
PROC. REF: AMM 34-16-00-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-16-00-720-801-03		FUNCTIONAL TEST OF THE AIR DATA INDICATORS - STAND-BY ALTIMETER (330FE)							Service ATA:34
PN:PN	MOS/MSC	03-Jan-24	N/A						
SN:UNKNOWN	HRS	13736.2							
WC#: 34.100	AFL	9052							
PROC. REF: AMM 34-16-00-720-801									
34-16-00-720-801-04		FUNCTIONAL TEST OF THE AIR DATA INDICATORS - STAND-BY MACH AIRSPEED INDICATOR (340FE)							Service ATA:34
PN:PN	MOS/MSC	21-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 34.110	AFL	0							
PROC. REF: AMM 34-16-00-720-801									
34-16-00-720-801-05		FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADU (470FE)							Service ATA:34
PN:27100-01-01	MOS	14-Dec-23	24 (+3%)		14-Dec-25	05-Jan-26	617 d (+22)		
SN:M010743	HRS	13690.8							
WC#: 34.510	AFL	9024							
PROC. REF: AMM 34-16-00-720-801									
34-21-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 1 (151NP)							Service ATA:34
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 34.420	AFL	8209							
PROC. REF: AMM 34-21-00-710-801									
PKG:21									
34-21-00-710-801-02 <sup>S</sup>		OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 2 (250NP)							Service ATA:34
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 34-21-00-710-801									
PKG:21									
34-21-00-710-801-03		OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 3 (51NP)							Service ATA:34
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 34-21-00-710-801									
34-21-00-710-801-04 <sup>S</sup>		OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - AHC (710NP)							Service ATA:34
	MOS	22-Aug-23							
	HRS	13513.4	1600 (+40)						
	AFL	8912							
PROC. REF: AMM 34-21-00-710-801									
PKG:21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-21-01-900-801-01		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) AND ATTITUDE AND HEADING COMPUTER (AHC) - IRU 1 (150NP) OR (151NP)					Component	ATA:34	
PN:HG2001GD03	MOS/MSC	29-Apr-10	O/C						
SN:02027297	HRS	7027.6							
WC#: 34.410	AFL	4754							
PROC. REF: AMM 34-21-01-900-801									
34-21-01-900-801-02		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) AND ATTITUDE AND HEADING COMPUTER (AHC) - IRU 2 (250NP)					Component	ATA:34	
PN:HG2001GD03	MOS/MSC	14-Aug-14	O/C	TSR 0					
SN:02057711	HRS	9594.8		TSR 0					
WC#: 34.410	AFL	6447		TSR 0					
PROC. REF: AMM 34-21-01-900-801									
34-21-01-900-801-03		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) AND ATTITUDE AND HEADING COMPUTER (AHC) - IRU 3 (51NP)					Component	ATA:34	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.415	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01-900-801									
34-21-01-900-801-04		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) AND ATTITUDE AND HEADING COMPUTER (AHC) - AHC (710NP)					Component	ATA:34	
PN:622-9336-400	MOS/MSC	22-Aug-23	O/C						
SN:25R4P	HRS	13513.4							
WC#: 34.210	AFL	8912							
PROC. REF: AMM 34-21-01-900-801									
34-21-13-100-801-01 <sup>S</sup>		CLEANING / REPLACEMENT OF THE IRU FAN FILTERS					Service	ATA:34	
	MOS	30-Jan-17							
	HRS	10584.7	3200 (+40)						
WC#: 34.410	AFL	7139							
PROC. REF: AMM 34-21-13-100-801									
34-22-00-710-801-01		OPERATIONAL TEST OF THE ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS)					Service	ATA:34	
	MOS	10-Feb-17							
	HRS	10584.7	3200 (+40)		14280.7 (M)	14320.7	455.3 (+40)		
WC#: 34.120	AFL	7139							
PROC. REF: AMM 34-22-00-710-801									

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>34-23-00-720-801-01 FUNCTIONAL TEST OF THE SECONDARY FLIGHT DISPLAY (SFD) AND AIR DATA UNIT (ADU) - ADU (470FE) Service ATA:34</b>								
PN:27100-01-01	MOS	14-Dec-23	24 (+3%)		14-Dec-25	05-Jan-26	617 d (+22)	
SN:M010743	HRS	13690.8						
	AFL	9024						
PROC. REF: AMM 34-23-00-720-801								
<b>34-23-00-720-801-02 FUNCTIONAL TEST OF THE SECONDARY FLIGHT DISPLAY (SFD) AND AIR DATA UNIT (ADU) - SFD (320NH1) Service ATA:34</b>								
PN:PN-UNKNOWN	MOS/MSC	28-Oct-13	O/C					
SN:M011566	HRS	9294.4						
	AFL	6270						
PROC. REF: AMM 34-23-00-720-801								
<b>34-23-00-720-801-03<sup>U</sup> FUNCTIONAL TEST OF THE SECONDARY FLIGHT DISPLAY (SFD) AND AIR DATA UNIT (ADU) - STAND-BY HORIZON Service ATA:34</b>								
	MOS/MSC	01-Sep-06	O/C					
	HRS	4381.8						
	AFL	2954						
<b>34-23-00-820-801-01 CALIBRATION OF THE STAND-BY HORIZON - STAND-BY HORIZON (320NH) Service ATA:34</b>								
PN:38104-00-01	MOS/MSC	24-Oct-05	C/C					
SN:M011567	HRS	3459.7						
WC#: 34.170	AFL	2374						
PROC. REF: AMM 34-23-00-820-801								
<b>34-23-00-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY HORIZON - STAND-BY HORIZON (320NH) Component ATA:34</b>								
PN:38104-00-01	MOS/MSC	24-Oct-05	O/C	TSR 0				
SN:M011567	HRS	3459.7		TSR 0				
WC#: 34.170	AFL	2374		TSR 0				
PROC. REF: AMM 34-23-00-900-801								
<b>34-23-01-900-801-01 REMOVAL / INSTALLATION OF THE SECONDARY FLIGHT DISPLAY (SFD) - SFD (320NH1) Component ATA:34</b>								
PN:PN-UNKNOWN	MOS/MSC	28-Oct-13	O/C					
SN:M011566	HRS	9294.4						
WC#: 34.490	AFL	6270						
PROC. REF: AMM 34-23-01-900-801								
<b>34-23-05-700-881-01 TEST SECONDARY FLIGHT DISPLAY (SFD) DATA UNIT (FAR 91.411) Service ATA:34</b>								
PN:27100-01-01	MOS	03-Jan-24	24		03-Jan-26		637 d	MANDATORY
SN:M010743	HRS							
WC#: 34.510	AFL							
PROC. REF: FAR 91.411								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-23-05-900-801-01 REMOVAL / INSTALLATION OF THE SECONDARY FLIGHT DISPLAY AIR DATA UNIT (ADU) - ADU (470FE)								Component ATA:34
PN:27100-01-01	MOS/MSC	14-Dec-23	O/C					
SN:M010743	HRS	13690.8						
WC#: 34.510	AFL	9024						
PROC. REF: AMM 34-23-05-900-801								
34-25-00-820-801-01 COMPENSATION OF STAND-BY COMPASS								Service ATA:34
	MOS/MSC	25-Apr-14	A/R					
	HRS	9480.7						
	AFL	6374						
PROC. REF: AMM 34-25-00-820-801								
34-31-00-710-801-01 OPERATIONAL TEST OF THE HEAD-UP GUIDANCE SYSTEM (HGS)								Service ATA:34
	MOS/MSC		O/C					
	HRS							
WC#: 34.530	AFL							
PROC. REF: AMM 34-31-00-710-801								
34-31-00-720-801-01 FUNCTIONAL TEST OF THE HGS DUAL POWER SUPPLY								Service ATA:34
	MOS/MSC		N/A					
	HRS							
WC#: 34.040	AFL							
PROC. REF: AMM 34-31-00-720-801								
34-31-00-720-801-01A FUNCTIONAL TEST FUNCTIONAL TEST OF THE HGS DUAL POWER SUPPLY (MANDATORY 5-40)								Service ATA:34
	MOS/MSC		N/A					
	HRS							
WC#: 34.040	AFL							
PROC. REF: AMM 34-31-00-720-801								
34-31-01-900-801-01 REMOVAL / INSTALLATION OF THE HGS OVERHEAD UNIT - OHU (215NH)								Component ATA:34
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 34-31-01-900-801								
34-31-05-900-801-01 REMOVAL / INSTALLATION OF THE HGS COMBINER - HGS COMBINER (221NH)								Component ATA:34
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 34-31-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-31-09-900-801-01		REMOVAL / INSTALLATION OF THE HGS COMPUTER - HGS COMPUTER (211NH)					Component	ATA:34	
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-31-09-900-801									
34-31-17-900-801-01		REMOVAL / INSTALLATION OF THE HGS CONTROL PANEL - HGS CONTROL PANEL (225NH)					Component	ATA:34	
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-31-17-900-801									
34-41-01-900-801-01		REMOVAL / INSTALLATION OF THE WEATHER RADAR RECEIVER / TRANSMITTER / ANTENNA ASSEMBLY - WEATHER RADAR RECEIVER / TRANSMITTER/ ANTENNA (210NP)					Component	ATA:34	
PN:622-8441-003	MOS/MSC	03-Feb-15	O/C	TSO 0					
SN:1419	HRS	9851.6		TSO 0					
WC#: 34.290	AFL	6634		TSO 0					
PROC. REF: AMM 34-41-01-900-801									
34-41-13-900-801-01		REMOVAL / INSTALLATION OF THE WEATHER RADAR CONTROL PANEL - WEATHER RADAR CONTROL PANEL (L220NP)					Component	ATA:34	
PN:622-9932-002	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:F92G	HRS	0		TSN 0					
WC#: 34.292	AFL	0		TSN 0					
PROC. REF: AMM 34-41-13-900-801									
34-42-00-710-801-01		OPERATIONAL TEST OF THE RADIO ALTIMETER SYSTEM - RADIO ALTIMETER 1 RECEIVER/TRANSMITTER (20NL)					Service	ATA:34	
PN:622-2855-011	MOS	05-Jul-23	25 (+3%)		05-Aug-25	28-Aug-25	486 d (+23)		
SN:9517	HRS	13445.4							
	AFL	8870							
PROC. REF: AMM 34-42-00-710-801									
34-42-00-710-801-02		OPERATIONAL TEST OF THE RADIO ALTIMETER SYSTEM - RADIO ALTIMETER 2 RECEIVER/TRANSMITTER (50NL)					Service	ATA:34	
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 34-42-00-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-42-01-900-801-01	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER AND CONVERTER - RADIO ALTIMETER 1 RECEIVER/TRANSMITTER (20NL)							Component	ATA:34
PN:622-2855-011	MOS/MSC	05-Jul-23	O/C						
SN:9517	HRS	13445.4							
WC#: 34.295	AFL	8870							
PROC. REF: AMM 34-42-01-900-801									
34-42-01-900-801-02	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER AND CONVERTER - RADIO ALTIMETER 2 RECEIVER/TRANSMITTER (50NL)							Component	ATA:34
PN:PN	MOS/MSC	22-Jan-02	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 34-42-01-900-801									
34-42-01-900-801-03	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER AND CONVERTER - RADIO ALTIMETER CONVERTER (21NL)							Component	ATA:34
PN:622-7209-002	MOS/MSC	26-Apr-15	O/C						
SN:2698	HRS	9928.1							
WC#: 34.280	AFL	6691							
PROC. REF: AMM 34-42-01-900-801									
34-42-09-900-801-01	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 1 TRANSMITTER ANTENNA (10NL)							Component	ATA:34
PN:S67-2002-13	MOS/MSC	02-Mar-13	O/C						
SN:545-5159	HRS	8885.3							
WC#: 34.270	AFL	5987							
PROC. REF: AMM 34-42-09-900-801									
34-42-09-900-801-02	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 1 RECEIVER ANTENNA (11NL)							Component	ATA:34
PN:S67-2002-13	MOS/MSC	20-Mar-19	O/C	TSN 4					
SN:545-6677	HRS	11693.3		TSN 0					
WC#: 34.270	AFL	7814		TSN 0					
PROC. REF: AMM 34-42-09-900-801									
34-44-01-900-801-01	REMOVAL / INSTALLATION OF THE TCAS TRANSCEIVER - TCAS TRANSCEIVER (350NP)							Component	ATA:34
PN:822-1294-032	MOS/MSC	01-Apr-22	O/C	TSO 0					
SN:147524	HRS	12814.3		TSO 0					
	AFL	8494		TSO 0					
PROC. REF: AMM 34-44-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-51-01-820-801-01 CALIBRATION OF THE VOR / ILS / MARKER RECEIVERS - VOR/ILS/MARKER 1 RECEIVER (L210NR)								Service ATA:34
PN:622-7194-201	MOS/MSC	14-Feb-12	A/R					
SN:1MRMT	HRS	8228.2						
WC#: 34.340	AFL	5551						
PROC. REF: AMM 34-51-01-820-801								
34-51-01-820-801-02 CALIBRATION OF THE VOR / ILS / MARKER RECEIVERS - VOR/ILS/MARKER 2 RECEIVER (R210NR)								Service ATA:34
PN:622-7194-201	MOS/MSC	22-Jan-02	A/R					
SN:DC4J	HRS	0						
WC#: 34.340	AFL	0						
PROC. REF: AMM 34-51-01-820-801								
34-51-05-900-801-01 REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - LH VOR/LOC ANTENNA (L230NR)								Component ATA:34
PN:DMN4-45-3	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8588	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: AMM 34-51-05-900-801								
34-51-05-900-801-02 REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - RH VOR/LOC ANTENNA (R230NR)								Component ATA:34
PN:DMN4-45-3	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8607	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: AMM 34-51-05-900-801								
34-51-17-900-801-01 REMOVAL / INSTALLATION OF THE MARKER ANTENNA - MARKER ANTENNA (260NR)								Component ATA:34
PN:S35-1000-1	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:4911	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-51-17-900-801								
34-52-05-900-801-01 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME 1 ANTENNA (L330NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:79137	HRS	0		TSN 0				
WC#: 34.400	AFL	0		TSN 0				
PROC. REF: AMM 34-52-05-900-801								
34-52-05-900-801-02 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME 2 ANTENNA (R330NR)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	02-Jun-21	O/C	TSN 0				
SN:144283	HRS	12299.4		TSN 0				
WC#: 34.400	AFL	8209		TSN 0				
PROC. REF: AMM 34-52-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-54-00-700-881-01		TEST NO. 1 AIR TRAFFIC CONTROL (ATC) TRANSPONDER (FAR 91.413)							Service ATA:34
PN:622-9210-008	MOS	01-Jun-23	24		01-Jun-25		421 d	MANDATORY	
SN:GCHV	HRS								
WC#: 34.300	AFL								
PROC. REF: FAR 91.413									
34-54-00-700-881-02		TEST NO. 2 AIR TRAFFIC CONTROL (ATC) TRANSPONDER (FAR 91.413)							Service ATA:34
PN:622-9210-008	MOS	01-Jun-23	24		01-Jun-25		421 d	MANDATORY	
SN:6429	HRS								
WC#: 34.300	AFL								
PROC. REF: FAR 91.413									
34-54-00-720-802-01		FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 1 SYSTEM PERIODIC TESTS							Service ATA:34
PN:622-9210-008	MOS	01-Jun-23	24 (+3%)		01-Jun-25	22-Jun-25	421 d (+21)		
SN:GCHV	HRS	13436.3							
WC#: 34.300	AFL	8866							
PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802									
34-54-00-720-802-02		FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 2 SYSTEM PERIODIC TESTS							Service ATA:34
PN:622-9210-008	MOS	01-Jun-23	24 (+3%)		01-Jun-25	22-Jun-25	421 d (+21)		
SN:6429	HRS	13436.3							
WC#: 34.300	AFL	8866							
PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802									
34-54-05-900-801-01		REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 UPPER ANTENNA (L330NP)							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:79133	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-54-05-900-801									
34-54-05-900-801-02		REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 UPPER ANTENNA (R330NP)							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:79135	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-54-05-900-801									
34-54-05-900-801-03		REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 LOWER ANTENNA (L331NP)							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:79134	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 34-54-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-54-05-900-801-04		REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 LOWER ANTENNA (R331NP)					Component	ATA:34	
PN:DMNI50-2-2	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:79136	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 34-54-05-900-801									
34-58-01-710-881-01		CHECK VOR EQUIPMENT FOR IFR OPERATIONS (FAR 91.171)					Service	ATA:34	
	DAYS	02-Apr-24	30		02-May-24		26 d	MANDATORY	
	HRS	13825.4							
WC#: 34.345	AFL	9104							
PROC. REF: FAR 91.171									
34-61-01-900-801-01		REMOVAL / INSTALLATION OF THE FMS COMPUTER (COLLINS) - FMC 1 (L110NG)					Component	ATA:34	
PN:822-0868-057	MOS/MSC	02-Jun-23	O/C						
SN:NNFJ	HRS	13436.3							
WC#: 34.540	AFL	8866							
PROC. REF: AMM 34-61-01-900-801									
34-61-01-900-801-02		REMOVAL / INSTALLATION OF THE FMS COMPUTER (COLLINS) - FMC 2 (R110NG)					Component	ATA:34	
PN:PN	MOS/MSC	03-May-21	O/C						
SN:NOT INSTALLED	HRS	12299.4							
WC#: 34.540	AFL	8209							
PROC. REF: AMM 34-61-01-900-801									
34-61-01-900-801-03		REMOVAL / INSTALLATION OF THE FMS COMPUTER (COLLINS) - FMC 3 (L146NG)					Component	ATA:34	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.540	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01-900-801									
34-61-09-960-801-01		REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - CDU 3 (740NG) (OPTIONAL)					Service	ATA:34	
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-61-09-960-801									
34-90-10-900-801-01		HONEYWELL FMS CONTROL DISPLAY (CDU) UNIT					Component	ATA:34	
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>340121<sup>U</sup> REPLACE (MDC) MAINTENANCE DIAGNOSTIC COMPUTER INTERNAL BATTERY Service ATA:34</b>								
PN:622-9818-213	MOS/MSC	02-Jun-21	O/C					
SN:63MM	HRS	12299.4						
WC#: 34.210	AFL	8209						
PROC. REF: GENERIC NO REF								
<b>341091<sup>U</sup> REPLACE NO. 1 AIR DATA (ADC) COMPUTER BATTERY Service ATA:34</b>								
PN:822-0374-440	MOS/MSC	01-Jun-23	O/C					
SN:2582	HRS	13436.3						
WC#: 34.050	AFL	8866						
PROC. REF: GENERIC NO REF								
<b>341092<sup>U</sup> REPLACE NO. 2 AIR DATA (ADC) COMPUTER BATTERY Service ATA:34</b>								
PN:822-0374-440	MOS/MSC	01-Jun-23	O/C					
SN:FTYY	HRS	13436.3						
WC#: 34.050	AFL	8866						
PROC. REF: GENERIC NO REF								
<b>342011 NO. 1 AHRS - (ECU) EXTERNAL COMPENSATION/(CCU) COMPENSATION AND CONTROL UNIT Component ATA:34</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>342012 NO. 2 AHRS - (ECU) EXTERNAL COMPENSATION/(CCU) COMPENSATION AND CONTROL UNIT Component ATA:34</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>342121<sup>U</sup> REPLACE NO. 1 (AHC) ATTITUDE AND HEADING REFERENCE COMPUTER BATTERY Service ATA:34</b>								
PN:622-9336-400	MOS/MSC		O/C					
SN:25R4P	HRS							
WC#: 34.210	AFL							
PROC. REF: GENERIC NO REF								
<b>342122<sup>U</sup> REPLACE NO. 2 (AHC) ATTITUDE AND HEADING REFERENCE COMPUTER BATTERY Service ATA:34</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C					
SN:UNKNOWN	HRS	0						
WC#: 34.210	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342831	<b>(IAP) INTEGRATED AVIONICS PROCESSOR</b>							Component	ATA:34
PN:822-1407-001	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:DWXV	HRS	0			TSN 0				
WC#: 34.190	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342841	<b>(DAU) DATA ACQUISITION UNIT</b>							Component	ATA:34
PN:822-0320-003	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:D2LN	HRS	0			TSN 0				
WC#: 34.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342842	<b>LH UPPER (1A) I/O CONCENTRATOR</b>							Component	ATA:34
PN:622-9814-634	MOS/MSC	04-Dec-07	O/C						
SN:D8LT	HRS	4952.7							
WC#: 34.450	AFL	3315							
PROC. REF: GENERIC NO REF									
342843	<b>LH LOWER (1B) I/O CONCENTRATOR</b>							Component	ATA:34
PN:622-9814-634	MOS/MSC	04-Dec-07	O/C						
SN:DMVK	HRS	4952.7							
WC#: 34.450	AFL	3315							
PROC. REF: GENERIC NO REF									
342844	<b>RH UPPER (2B) I/O CONCENTRATOR</b>							Component	ATA:34
PN:622-9814-634	MOS/MSC	04-Dec-07	O/C						
SN:DL2N	HRS	4952.7							
WC#: 34.460	AFL	3315							
PROC. REF: GENERIC NO REF									
342845	<b>RH LOWER (2A) I/O CONCENTRATOR</b>							Component	ATA:34
PN:622-9814-634	MOS/MSC	04-Dec-07	O/C		TSN 0				
SN:DL2P	HRS	4952.7			TSN 0				
WC#: 34.460	AFL	3315			TSN 0				
PROC. REF: GENERIC NO REF									
342847	<b>(DBU) DATA BASE UNIT</b>							Component	ATA:34
PN:G7240-002	MOS/MSC	10-Mar-10	O/C						
SN:480	HRS	6933.4							
WC#: 34.520	AFL	4687							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342850</b>		<b>NO. 2 (AHC) ATTITUDE AND HEADING REFERENCE COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>342852</b>		<b>NO. 1 ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) FLUX VALVE</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9336-400	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:DMMR	HRS	0		TSN 0					
WC#: 34.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>342854</b>		<b>NO. 2 ATTITUDE AND HEADING REFERENCE SYSTEM (AHRS) FLUX VALVE</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-8154-003	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:21263	HRS	0		TSN 0					
WC#: 34.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>344806</b>		<b>NO. 1 AIR TRAFFIC CONTROL (ATC) TRANSPONDER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9210-008	MOS/MSC	21-Apr-16	O/C						
SN:GCHV	HRS								
WC#: 34.300	AFL								
PROC. REF: GENERIC NO REF									
<b>344811</b>		<b>NO. 2 AIR TRAFFIC CONTROL (ATC) TRANSPONDER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9210-008	MOS/MSC	21-Apr-16	O/C						
SN:6429	HRS								
WC#: 34.300	AFL								
PROC. REF: GENERIC NO REF									
<b>345801</b>		<b>NO. 1 ADF RECEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-7382-101	MOS/MSC	11-Jun-02	O/C	TSR 0					
SN:4248	HRS	199.7		TSR 0					
WC#: 34.350	AFL	152		TSR 0					
PROC. REF: GENERIC NO REF									
<b>345806</b>		<b>NO. 2 ADF RECEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-7382-101	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:DVDM	HRS	0		TSN 0					
WC#: 34.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345811</b>		<b>NO. 1 ADF LOOP ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7383-001	MOS/MSC	09-Mar-12	O/C	TSN 0					
SN:22GWW	HRS	8230		TSN 0					
WC#: 34.360	AFL	5554		TSN 0					
PROC. REF: GENERIC NO REF									
<b>345816</b>		<b>NO. 2 ADF LOOP ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7383-001	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:2HL6D	HRS	5398.6		TSN 0					
WC#: 34.360	AFL	3623		TSN 0					
PROC. REF: GENERIC NO REF									
<b>345836</b>		<b>GLIDE SLOPE ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:DMN25-2	MOS/MSC	15-Dec-22	O/C	TSN 0					
SN:8980-8985	HRS	13197.8		TSN 0					
WC#: 34.380	AFL	8741		TSN 0					
PROC. REF: GENERIC NO REF									
<b>345841</b>		<b>NO. 1 DME TRANSCEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7309-101	MOS/MSC	01-Jul-07	O/C						
SN:FBKG	HRS	5201.3							
WC#: 34.390	AFL	3479							
PROC. REF: GENERIC NO REF									
<b>345846</b>		<b>NO. 2 DME TRANSCEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7309-101	MOS/MSC	26-May-14	O/C	TSO 0					
SN:4152	HRS	9507.4		TSO 0					
WC#: 34.390	AFL	6391		TSO 0					
PROC. REF: GENERIC NO REF									
<b>345861</b>		<b>NO. 1 VOR/ILS/MARKER RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7194-201	MOS/MSC	14-Feb-12	O/C	TSO 0					
SN:1MRMT	HRS	8228.2		TSO 0					
WC#: 34.340	AFL	5551		TSO 0					
PROC. REF: GENERIC NO REF									
<b>345866</b>		<b>NO. 2 VOR/ILS/MARKER RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7194-201	MOS/MSC	24-Oct-08	O/C						
SN:DC4J	HRS	6154.4							
WC#: 34.340	AFL	4148							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>345A03<sup>U</sup> NAV DATABASE UPDATE Service ATA:34</b>								
	MOS/MSC	22-Jan-02	A/R					
	HRS	0						
	AFL	0						
<b>346121<sup>U</sup> REPLACE NO. 1 FLIGHT MANAGEMENT (FMC) COMPUTER BATTERY Service ATA:34</b>								
PN:822-0868-057	MOS/MSC	02-Jun-23	O/C					
SN:NNFJ	HRS	13436.3						
WC#: 34.540	AFL	8866						
PROC. REF: GENERIC NO REF								
<b>346122<sup>U</sup> REPLACE NO. 2 FLIGHT MANAGEMENT (FMC) COMPUTER BATTERY Service ATA:34</b>								
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
WC#: 34.540	AFL							
PROC. REF: GENERIC NO REF								
<b>346123<sup>U</sup> REPLACE NO. 3 FLIGHT MANAGEMENT (FMC) COMPUTER BATTERY Service ATA:34</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C					
SN:UNKNOWN	HRS	0						
WC#: 34.540	AFL	0						
PROC. REF: GENERIC NO REF								
<b>349806 NO. 1 INERTIAL REFERENCE SYSTEM (IRS) MODE SELECT (MSU) UNIT Component ATA:34</b>								
PN:CG1042AB03	MOS/MSC	20-May-16	O/C	TSR 3				
SN:00113239	HRS	10496.7		TSR 0				
WC#: 34.430	AFL	7098		TSR 0				
PROC. REF: GENERIC NO REF								
<b>349816 NO. 2 INERTIAL REFERENCE SYSTEM (IRS) MODE SELECT (MSU) UNIT Component ATA:34</b>								
PN:CG1042AB03	MOS/MSC	18-Nov-19	O/C	TSR 3				
SN:94081605	HRS			TSR 0				
WC#: 34.430	AFL	8072		TSR 0				
PROC. REF: GENERIC NO REF								
<b>349826 NO. 3 INERTIAL REFERENCE SYSTEM (IRS) MODE SELECT (MSU) UNIT Component ATA:34</b>								
PN:CG1042AB03	MOS/MSC	01-Feb-11	O/C	TSR 0				
SN:01063411	HRS	7565.6		TSR 0				
WC#: 34.430	AFL	5109		TSR 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>34-00-00-900-803-31 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - LH PILOT OXYGEN MASK BOX (L20WH)</b> Component ATA:35								
PN:MC10-12-152	MOS/MSC	02-Oct-23	O/C	TSO 0				
SN:SE50590	HRS	13570		TSO 0				
WC#: 35.030	AFL	8953		TSO 0				
PROC. REF: GENERIC NO REF								
<b>34-00-00-900-803-36 REMOVAL / INSTALLATION OF THE COCKPIT EQUIPMENT - RH PILOT OXYGEN MASK BOX (R20WH)</b> Component ATA:35								
PN:MXP334	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:SE52102	HRS	8891.1		TSN 0				
WC#: 35.030	AFL	5993		TSN 0				
PROC. REF: GENERIC NO REF								
<b>35-10-05-350-801-01 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - LH PILOT OXYGEN MASK (L10WH1)</b> Service ATA:35								
PN:MC10-12-152	MOS	03-Jun-18	72 (+3%)		03-Jun-24	07-Aug-24	58 d (+65)	OVERHAUL
SN:116624	HRS							
WC#: 35.020	AFL							
PROC. REF: AMM 35-10-05-350-801								
<b>35-10-05-350-801-02 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - RH PILOT OXYGEN MASK (R10WH1)</b> Service ATA:35								
PN:MC10-12-152	MOS	01-Sep-22	72 (+3%)		01-Sep-28	05-Nov-28	1609 d (+65)	OVERHAUL
SN:96890	HRS	13024.5						
WC#: 35.020	AFL	8641						
PROC. REF: AMM 35-10-05-350-801								
<b>35-10-05-350-801-03 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - THIRD CREW MEMBER OXYGEN MASK (M10WH1)</b> Service ATA:35								
PN:MC10-12-100	MOS	02-Jun-21	72 (+3%)		02-Jun-27	06-Aug-27	1152 d (+65)	OVERHAUL
SN:14567	HRS	12299.4						
WC#: 35.020	AFL	8209						
PROC. REF: AMM 35-10-05-350-801								
<b>35-10-05-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE CREW OXYGEN MASKS - LH PILOT OXYGEN MASK (L10WH1)</b> Service ATA:35								
	MOS	28-Feb-24	12 (+1m)					
	HRS	13817.9						
WC#: 35.020	AFL	9101						
PROC. REF: AMM 35-10-05-710-801								
<b>35-10-05-710-801-02<sup>S</sup> OPERATIONAL TEST OF THE CREW OXYGEN MASKS - RH PILOT OXYGEN MASK (R10WH1)</b> Service ATA:35								
	MOS	28-Feb-24	12 (+1m)					
	HRS	13817.9						
WC#: 35.020	AFL	9101						
PROC. REF: AMM 35-10-05-710-801								

PKG:15

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>35-10-05-710-801-03<sup>S</sup> OPERATIONAL TEST OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (M10WH1)</b>								
	MOS	28-Feb-24	12 (+1m)					Service ATA:35
	HRS	13817.9						
WC#: 35.020	AFL	9101						
PROC. REF: AMM 35-10-05-710-801								PKG:15
<b>35-10-05-900-801-01 REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - LH PILOT OXYGEN MASK (L10WH1)</b>								
PN:MC10-12-152	MOS/MSC	04-Jun-18	O/C	TSO 1				Component ATA:35
SN:116624	HRS	11175.5		TSO 0				
WC#: 35.020	AFL	7526		TSO 0				
PROC. REF: AMM 35-10-05-900-801								
<b>35-10-05-900-801-02 REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - RH PILOT OXYGEN MASK (R10WH1)</b>								
PN:MC10-12-152	MOS/MSC	01-Sep-22	O/C	TSO 0				Component ATA:35
SN:96890	HRS	13024.5		TSO 0				
WC#: 35.020	AFL	8641		TSO 0				
PROC. REF: AMM 35-10-05-900-801								
<b>35-10-05-900-801-03 REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (M10WH1)</b>								
PN:MC10-12-100	MOS/MSC	02-Jun-21	O/C	TSO 0				Component ATA:35
SN:14567	HRS	12299.4		TSO 0				
WC#: 35.020	AFL	8209		TSO 0				
PROC. REF: AMM 35-10-05-900-801								
<b>35-20-00-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE PASSENGER OXYGEN MASKS AND SMOKE MASKS</b>								
	MOS	05-Jun-23	24 (+1m)					Service ATA:35
	HRS	13436.3						
WC#: 35.160	AFL	8866						
PROC. REF: AMM 35-20-00-210-801								PKG:16
<b>35-20-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE PASSENGER OXYGEN SYSTEM</b>								
	MOS	26-Oct-22						Service ATA:35
	HRS	13123.7	1600 (+40)					
	AFL	8702						
PROC. REF: AMM 35-20-00-720-801, AMM 35-20-00-720-801								PKG:21
<b>35-20-00-720-801-01A FUNCTIONAL TEST OF THE PASSENGER OXYGEN SYSTEM (MANDATORY 5-40)</b>								
	MOS	26-Oct-22						Service ATA:35
	HRS	13123.7	1740		14863.7		1038.3	MANDATORY 5-40
WC#: 35.040	AFL	8702						
PROC. REF: AMM 35-20-00-720-801, AMM 35-20-00-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>35-20-01-350-801-01 RESTORATION OF THE PASSENGER OXYGEN CONTROLLER (OVERHAUL) - PASSENGER OXYGEN CONTROLLER (10WJ) Service ATA:35</b>								
PN:RCA74-03	MOS	03-Jun-18	72 (+3%)		03-Jun-24	07-Aug-24	58 d (+65)	OVERHAUL
SN:755	HRS							
WC#: 35.050	AFL							
PROC. REF: AMM 35-20-01-350-801								
<b>35-20-01-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER OXYGEN CONTROLLER Component ATA:35</b>								
PN:RCA74-03	MOS/MSC	05-Jul-18	H/T	TSN 380, TSO 0				
SN:755	HRS	11175.5		TSN 2347.5, TSO 0				
WC#: 35.050	AFL	7526		TSN 1517, TSO 0				
PROC. REF: AMM 35-20-01-900-801, AMM 35-20-01-900-801								
<b>35-20-09-900-801-01 NO. 01 PASSENGER OXYGEN MASK Component ATA:35</b>								
PN:289-601-228	MOS/MSC	04-Jun-18	O/C	TSN 0				
SN:UNKNOWN	HRS	11175.5		TSN 0				
WC#: 35.070	AFL	7526		TSN 0				
PROC. REF: AMM 35-20-09-900-801								
<b>35-20-09-900-801-01 NO. 02 PASSENGER OXYGEN MASK Component ATA:35</b>								
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0				
SN:UNKNOWN	HRS	5520.4		TSN 0				
WC#: 35.070	AFL	3713		TSN 0				
PROC. REF: AMM 35-20-09-900-801								
<b>35-20-09-900-801-01 NO. 03 PASSENGER OXYGEN MASK Component ATA:35</b>								
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0				
SN:UNKNOWN	HRS	5520.4		TSN 0				
WC#: 35.070	AFL	3713		TSN 0				
PROC. REF: AMM 35-20-09-900-801								
<b>35-20-09-900-801-01 NO. 04 PASSENGER OXYGEN MASK Component ATA:35</b>								
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0				
SN:UNKNOWN	HRS	5520.4		TSN 0				
WC#: 35.080	AFL	3713		TSN 0				
PROC. REF: AMM 35-20-09-900-801								
<b>35-20-09-900-801-01 NO. 05 PASSENGER OXYGEN MASK Component ATA:35</b>								
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0				
SN:UNKNOWN	HRS	5520.4		TSN 0				
WC#: 35.080	AFL	3713		TSN 0				
PROC. REF: AMM 35-20-09-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
35-20-09-900-801-01		NO. 06 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.080	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01		NO. 07 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.090	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01		NO. 08 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.090	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01		NO. 09 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.090	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01		NO. 10 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.100	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01		NO. 11 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.100	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01		NO. 12 PASSENGER OXYGEN MASK							Component ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.100	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
35-20-09-900-801-01	NO. 13 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	20-Dec-07	O/C	TSN 0					
SN:UNKNOWN	HRS	5520.4		TSN 0					
WC#: 35.105	AFL	3713		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01	NO. 14 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.105	AFL	0		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01	NO. 15 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.100	AFL	0		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-20-09-900-801-01	NO. 16 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.170	AFL	0		TSN 0					
PROC. REF: AMM 35-20-09-900-801									
35-21-05-210-801-01 <sup>S</sup>	INSPECTION OF THE RILSAN TUBE ASSEMBLY							Service	ATA:35
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 35-21-05-210-801, SMM 35-90-01									
PKG:21									
35-21-20-900-801-01	FIRST AID OXYGEN CYLINDER							Component	ATA:35
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
35-30-01-960-801-01	DISCARD OF THE SMOKE HOOD - SMOKE HOOD (5WK)							Service	ATA:35
PN:802300-14	MOS	01-Mar-15	120		01-Mar-25		329 d	LIFE LIMIT	
SN:E15030689	HRS								
WC#: 35.110	AFL								
PROC. REF: AMM 35-30-01-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>35-30-05-210-801-01 GENERAL VISUAL INSPECTION OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (10WK) Service ATA:35</b>								
PN:56009M6A-FF30A	MOS	17-Oct-23	12 (+3%)		17-Oct-24	28-Oct-24	194 d (+11)	
SN:825702904	HRS	13603.5						
WC#: 35.140	AFL	8973						
PROC. REF: AMM 35-30-05-210-801								
<b>35-30-05-350-801-01 RESTORATION OF THE PORTABLE OXYGEN BOTTLE (OVERHAUL) - PORTABLE OXYGEN BOTTLE AND MASKS (10WK) Service ATA:35</b>								
PN:56009M6A-FF30A	MOS	13-Oct-22	60 (+3%)		13-Oct-27	07-Dec-27	1285 d (+55)	OVERHAUL
SN:825702904	HRS	13106.8						
WC#: 35.140	AFL	8694						
PROC. REF: AMM 35-30-05-350-801								
<b>35-30-05-610-801-01 REFILLING OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (10WK) Service ATA:35</b>								
PN:56009M6A-FF30A	MOS/MSC	13-Oct-22	O/C					
SN:825702904	HRS	13106.8						
	AFL	8694						
PROC. REF: AMM 35-30-05-610-801								
<b>35-30-05-960-801-01 DISCARD OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (10WK) Service ATA:35</b>								
PN:56009M6A-FF30A	MOS/MSC		N/A					
SN:825702904	HRS							
	AFL							
PROC. REF: AMM 35-30-05-960-801								
<b>35-30-09-100-801-01 CLEANING OF THE PORTABLE OXYGEN MASKS - PORTABLE OXYGEN BOTTLE AND MASKS (10WK) Service ATA:35</b>								
PN:289-601-228	MOS/MSC	20-May-16	O/C					
SN:NSN	HRS	10496.7						
WC#: 35.140	AFL	7098						
PROC. REF: AMM 35-30-09-100-801								
<b>35-30-09-350-801-01 RESTORATION OF THE SMOKE MASKS (OVERHAUL) - SMOKE MASK (730WJ) Service ATA:35</b>								
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
WC#: 35.110	AFL							
PROC. REF: AMM 35-30-09-350-801								
<b>35-40-01-720-801-01 FUNCTIONAL TEST OF THE OXYGEN CYLINDER AND REGULATOR ASSEMBLY - OXYGEN CYLINDER (10WY) Service ATA:35</b>								
PN:176219-115	MOS	01-Jul-22	60 (+3%)		01-Jul-27	25-Aug-27	1181 d (+55)	
SN:1925-20414	HRS							
	AFL							
PROC. REF: AMM 35-40-01-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>35-40-01-790-801-01<sup>U</sup> HYDROSTATIC TEST OXYGEN CYLINDER</b> Service ATA:35								
PN:176219-115	MOS/MSC	10-Jan-23	O/C		31-Jul-27 (M)		1211 d	
SN:1925-20414	HRS	13263.7						
WC#: 35.010	AFL	8773						
PROC. REF: GENERIC NO REF								
<b>35-40-01-900-801-01 REMOVAL / INSTALLATION OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (10WY)</b> Component ATA:35								
PN:176219-115	MOS/MSC	10-Jan-23	H/T	TSO 0				
SN:1925-20414	HRS	13263.7		TSO 0				
WC#: 35.010	AFL	8773		TSO 0				
PROC. REF: AMM 35-40-01-900-801								
<b>35-40-01-960-801-01 DISCARD OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (10WY)</b> Service ATA:35								
PN:176219-115	MOS	01-Apr-22	180		01-Apr-37		4743 d	LIFE LIMIT
SN:1925-20414	HRS							
WC#: 35.010	AFL							
PROC. REF: AMM 35-40-01-960-801								
<b>35-40-05-720-801-01<sup>U</sup> FUNCTIONAL TEST OF THE OXYGEN CYLINDER PRESSURE REDUCING VALVE</b> Service ATA:35								
	MOS/MSC	19-Dec-14	O/C					
	HRS	9832.4						
WC#: 35.010	AFL	6621						
PROC. REF: GENERIC NO REF								
<b>350801 OXYGEN CYLINDER PRESSURE GAUGE</b> Component ATA:35								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>353004 NO. 1 PORTABLE OXYGEN BOTTLE MASK</b> Component ATA:35								
PN:289-601-228	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:NSN	HRS	8891.1		TSN 0				
WC#: 35.140	AFL	5993		TSN 0				
PROC. REF: GENERIC NO REF								
<b>353801 SMOKE HOOD</b> Component ATA:35								
PN:802300-14	MOS/MSC	20-May-16	O/C	TSN 2				
SN:E15030689	HRS	10496.7		TSN 0				
	AFL	7098		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
353851	NO. 1 PORTABLE OXYGEN BOTTLE							Component	ATA:35
PN:56009M6A-FF30A	MOS/MSC	13-Oct-22	H/T		TSO 0				
SN:825702904	HRS	13106.8			TSO 0				
WC#: 35.140	AFL	8694			TSO 0				
PROC. REF: GENERIC NO REF									
354801	SMOKE MASK							Component	ATA:35
PN:PN	MOS/MSC	06-Aug-15	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
<b>ATA 36 - PNEUMATIC</b>									
36-10-00-790-801-01	LEAK CHECK OF THE BLEED AIR SYSTEM AFTER COMPONENT INSTALLATION							Service	ATA:36
	MOS/MSC	28-Oct-13	O/C						
	HRS	9294.4							
	AFL	6270							
PROC. REF: AMM 36-10-00-790-801									
36-10-05-200-801-01 <sup>S</sup>	INSPECTION OF THE BLEED AIR CHECK VALVES - LH ENGINE BLEED CHECK VALVE (L20HU)							Service	ATA:36
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 36.040	AFL	8209	3750						
PROC. REF: AMM 36-10-05-200-801									
36-10-05-200-801-02 <sup>S</sup>	INSPECTION OF THE BLEED AIR CHECK VALVES - RH ENGINE BLEED CHECK VALVE (R20HU)							Service	ATA:36
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 36.040	AFL	8209	3750						
PROC. REF: AMM 36-10-05-200-801									
36-10-05-200-801-03 <sup>S</sup>	INSPECTION OF THE BLEED AIR CHECK VALVES - APU CHECK VALVE (130KH)							Service	ATA:36
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 36.040	AFL	8209	3750						
PROC. REF: AMM 36-10-05-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
36-10-05-200-801-03A	INSPECT OF THE APU CHECK VALVE (MANDATORY 5-40)							Service	ATA:36
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7	7500		16980.7		3155.3		
WC#: 36.040	AFL	6374							
PROC. REF: AMM 36-10-05-200-801									
36-10-21-710-802-01 <sup>S</sup>	OPERATIONAL TEST OF THE FEEDER ISOLATION VALVE							Service	ATA:36
	MOS	17-Nov-21							
	HRS	12416.2	1600 (+40)						
WC#: 05.010	AFL	8288							
PROC. REF: MPD 05-10-00, AMM 36-10-21-710-802									
36-10-21-710-802-01A	OPERATIONAL TEST OF THE FEEDER ISOLATION VALVE (MANDATORY 5-40)							Service	ATA:36
	MOS	17-Nov-21						MANDATORY 5-40	
	HRS	12416.2	2500		14916.2		1090.8		
	AFL	8288							
PROC. REF: AMM 36-10-21-710-802									
361061	LH ENGINE BLEED AIR CHECK VALVE							Component	ATA:36
PN:CYLB51161-2	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:2073	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361062	RH ENGINE BLEED AIR CHECK VALVE							Component	ATA:36
PN:CYLB51161-2	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:2080	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361063	APU CHECK VALVE							Component	ATA:36
PN:CYLB51161-2	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:2088	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361801	FEEDER ISOLATION VALVE							Component	ATA:36
PN:BYLB52023	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:182	HRS	0			TSN 0				
WC#: 36.050	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
<b>361811</b>		<b>LEFT ENGINE BLEED AIR VALVE</b>					<b>Component</b>		<b>ATA:36</b>
PN:BYLB51994	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:431	HRS	0		TSN 0					
WC#: 36.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>361821</b>		<b>RIGHT ENGINE BLEED AIR VALVE</b>					<b>Component</b>		<b>ATA:36</b>
PN:BYLB51994	MOS/MSC	22-Feb-08	O/C	TSR 0					
SN:484	HRS	5622.9		TSR 0					
WC#: 36.060	AFL	3779		TSR 0					
PROC. REF: GENERIC NO REF									
<b>ATA 38 - WATER/WASTE</b>									
<b>38-00-00-610-801-01<sup>S</sup></b>		<b>SERVICING OF THE WATER SYSTEM</b>					<b>Service</b>		<b>ATA:38</b>
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 38.030	AFL	8866							
PROC. REF: AMM 38-00-00-610-801									
PKG:16									
<b>38-00-00-900-801-01</b>		<b>REMOVAL / INSTALLATION OF THE FULL LIGHT INHIBITION MICROSWITCH - FULL LIGHT INHIBITION MICROSWITCH (260MT) / (713MT)</b>					<b>Component</b>		<b>ATA:38</b>
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-00-00-900-801									
<b>38-10-00-210-801-01<sup>S</sup></b>		<b>DETAILED INSPECTION OF WATER SYSTEM COMPONENTS</b>					<b>Service</b>		<b>ATA:38</b>
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 38-10-00-210-801									
PKG:31									
<b>38-10-00-670-801-01</b>		<b>STERILIZATION OF THE POTABLE WATER SYSTEM - STANDARD STERILIZATION</b>					<b>Service</b>		<b>ATA:38</b>
	MOS	26-Feb-24	6 (+1m)	Adj -1d	25-Aug-24	25-Sep-24	141 d (+31)		
	HRS	13817.9							
WC#: 38.010	AFL	9101							
PROC. REF: AMM 38-10-00-670-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 38 - WATER/WASTE</b>								
<b>38-10-00-720-801-01 FUNCTIONAL TEST OF THE WATER SUPPLY SYSTEM Service ATA:38</b>								
	MOS/MSC	14-Aug-14	O/C					
	HRS	9594.8						
	AFL	6447						
PROC. REF: AMM 38-10-00-720-801								
<b>38-13-09-900-801-01 REMOVAL / INSTALLATION OF THE REAR WATER HEATER - REAR WATER HEATER (22MT) Component ATA:38</b>								
PN:8921082G6	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:0590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-13-09-900-801								
<b>38-13-09-900-802-01 REMOVAL / INSTALLATION OF THE FORWARD WATER HEATER - GALLEY WATER HEATER (724MT) Component ATA:38</b>								
PN:8921082G6	MOS/MSC	26-Apr-09	O/C					
SN:N0902103	HRS	6373.3						
	AFL	4315						
PROC. REF: AMM 38-13-09-900-802								
<b>38-13-55-710-801-01 OPERATIONAL TEST OF THE LAVATORY WATER SOLENOID / PAD Service ATA:38</b>								
	MOS/MSC	31-Jan-17	O/C					
	HRS	10584.7						
	AFL	7139						
PROC. REF: AMM 38-13-55-710-801, SMM 38-90-17								
<b>38-15-09-900-801-01 REMOVAL / INSTALLATION OF THE UV LAMP - UV LAMP (9870MT) Component ATA:38</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-15-09-900-801								
<b>38-15-09-960-801-01 REPLACEMENT OF THE UV LAMP - UV LAMP (9870MT) Service ATA:38</b>								
PN:PN	MOS/MSC	09-Mar-12	N/A					
SN:UNKNOWN	HRS	8230						
	AFL	5554						
PROC. REF: AMM 38-15-09-960-801								
<b>38-15-17-100-801-01 CLEANING OF THE UV STERILIZER QUARTZ SLEEVE - QUARTZ SLEEVE (9890MT) Service ATA:38</b>								
	MOS	30-Jan-24	12 (+1m)		30-Jan-25	28-Feb-25	299 d (+29)	
	HRS	13780	800 (+40)		14580	14620	754.6 (+40)	
	AFL	9075						
PROC. REF: AMM 38-15-17-100-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
38-30-00-710-801-01		OPERATIONAL TEST OF THE DRAIN MAST ANTI-ICING SYSTEM							Service ATA:38
	MOS/MSC	24-Jul-13	O/C						
	HRS	9118.2							
	AFL	6156							
PROC. REF: AMM 38-30-00-710-801									
38-30-01-900-801-01		REMOVAL / INSTALLATION OF THE REAR DRAIN MAST - REAR DRAIN MAST (25MT)							Component ATA:38
PN:MAT-200506-A	MOS/MSC	28-Oct-13	O/C	TSN 0					
SN:AD192-03	HRS	9294.4		TSN 0					
	AFL	6270		TSN 0					
PROC. REF: AMM 38-30-01-900-801									
38-31-01-900-801-01		REMOVAL / INSTALLATION OF THE FRONT DRAIN MAST - FRONT DRAIN MAST (26MT)							Component ATA:38
PN:MAT-302706-A	MOS/MSC	24-Jul-13	O/C	TSN 0					
SN:971	HRS	9118.2		TSN 0					
WC#: 38.020	AFL	6156		TSN 0					
PROC. REF: AMM 38-31-01-900-801									
38-31-13-960-801-01		REPLACEMENT OF THE GALLEY WATER FILTER							Service ATA:38
	MOS/MSC	22-Feb-11	O/C						
	HRS	7607.3							
	AFL	5132							
PROC. REF: AMM 38-31-13-960-801									
38-31-17-200-801-01 <sup>S</sup>		INSPECTION OF THE DRAIN BOX - DRAIN BOX (905MD)							Service ATA:38
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 38.040	AFL	8209	3750						
PROC. REF: AMM 38-31-17-200-801									
38-34-21-210-801-01 <sup>S</sup>		GENERAL VISUAL INSPECTION OF THE AFT TOILET DRAIN CONTROL - AFT TOILET DRAIN CONTROL (102MN)							Service ATA:38
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9							
	AFL	9101							
PROC. REF: AMM 38-34-21-210-801									
38-90-01-200-802-01 <sup>S</sup>		INSPECTION METALLIC WATER TANK FOR CORROSION AND PITTING							Service ATA:38
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: SMM 38-90-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-10-02-900-801-01	REMOVAL / INSTALLATION OF THE MAINTENANCE DIAGNOSTIC COMPUTER (MDC) MODULE - MAINTENANCE AND DIAGNOSTIC COMPUTER (355NH)						Component	ATA:45
PN:622-9818-213	MOS/MSC	02-Jun-21	O/C					
SN:63MM	HRS	12299.4						
WC#: 34.210	AFL	8209						
PROC. REF: AMM 45-10-02-900-801								
45-20-00-910-801-01	USE OF THE MAINTENANCE PC						Service	ATA:45
	MOS/MSC	25-Sep-13	A/R					
	HRS	9230.7						
WC#: 45.030	AFL	6230						
PROC. REF: AMM 45-20-00-910-801								
45-30-00-910-801-01	USE OF THE HAND HELD TESTER						Service	ATA:45
	MOS/MSC		A/R					
	HRS							
WC#: 45.020	AFL							
PROC. REF: AMM 45-30-00-910-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 46 - INFORMATION SYSTEMS</b>									
46-20-02-720-801-01	FUNCTIONAL TEST OF THE EDU BATTERIES - LH EDU (L7101NS)							Service	ATA:46
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 46-20-02-720-801, SMM 46-90-03									
46-20-02-720-801-02	FUNCTIONAL TEST OF THE EDU BATTERIES - RH EDU (R7101NS)							Service	ATA:46
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 46-20-02-720-801, SMM 46-90-03									
46-90-03-900-801-01	PILOT ELECTRONIC FLIGHT BAG (EFB) UNIT							Component	ATA:46
PN:PN	MOS/MSC	22-Jan-02	O/C						
SN:NOT INSTALLED	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
46-90-03-900-801-02	COPILOT ELECTRONIC FLIGHT BAG (EFB) UNIT							Component	ATA:46
PN:PN	MOS/MSC	22-Jan-02	O/C						
SN:NOT INSTALLED	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
49-10-05-220-801-01	APU - DETAILED INSPECTION COMPRESSOR ROTOR							Service	ATA:49
PN:3822281-1	MOS/MSC	22-Nov-13	O/C						
SN:11-162053-402228	HRS	5431							
	APUS	6622							
49-10-05-960-801-01	APU - DISCARD OF THE APU COMPRESSOR ROTOR - AUXILIARY POWER UNIT (10KA)							Service	ATA:49
PN:3822281-1	MOS	22-Nov-13					LIFE LIMIT		
SN:11-162053-402228	HRS	5431	100000	TAC 877	104554		95801		
	APUS	6622	100000	TAC 1264	105358		93819		
PROC. REF: AMM 49-10-05-960-801									
49-10-09-960-801-01	APU - DISCARD OF THE APU TURBINE ROTOR - AUXILIARY POWER UNIT (10KA)							Service	ATA:49
PN:3615880-1	MOS	22-Nov-13					LIFE LIMIT		
SN:040134508418	HRS	5532	10000		15532		6779		
	APUS	6798	10000		16798		5259		
PROC. REF: AMM 49-10-09-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-20-00-220-801-01	APU - DETAILED INSPECTION OF THE APU HOT SECTION							Service	ATA:49
	MOS/MSC	22-Nov-13	O/C						
	HRS	5431							
	APUS	6622							
	PROC. REF: GENERIC NO REF								
49-31-07-960-801-01	APU - REPLACEMENT OF THE APU FUEL FILTER							Service	ATA:49
	MOS	28-Apr-23							
	HRS	8503	1000 (+3%)	Adj -72	9431	9461	678 (+30)		
	APUS	11119							
	PROC. REF: MM 49-30-52, AMM 49-31-07-960-801, AMM 49-31-07-960-801, AMM 49-31-07-960-801, AMM 49-31-07-960-801, AMM 49-31-07-960-801								
49-31-09-200-801-01	APU - CHECK OF THE FLOW RATE OF THE APU FUEL NOZZLE							Service	ATA:49
	MOS	28-Oct-13							
	HRS	5431	4500 (+3%)		9931	10066	1178 (+135)		
	APUS	6622							
	PROC. REF: MM 49-20-00, AMM 49-31-09-200-801								
49-41-04-220-801-01	APU - DETAILED INSPECTION 9 O'CLOCK IGNITER PLUG							Service	ATA:49
PN:CH34549	MOS	20-Sep-22							
SN:N/A	HRS	8280	750 (+3%)		9030	9052.5	277 (+22.5)		
	APUS	10773							
	PROC. REF: MM 49-40-33, AMM 49-41-04-220-801								
49-41-04-220-801-02	APU - DETAILED INSPECTION 5 O'CLOCK IGNITER PLUG (IF INSTALLED)							Service	ATA:49
PN:CH38013	MOS	28-Apr-23							
SN:N/A	HRS	8507	750 (+3%)		9257	9279.5	504 (+22.5)		
	APUS	11130							
	PROC. REF: MM 49-40-33								
49-41-04-900-801-01	APU - 9 O'CLOCK IGNITER PLUG							Component	ATA:49
PN:CH34549	MOS/MSC	20-Sep-22	O/C						
SN:N/A	HRS	8280							
	APUS	10773							
49-41-04-900-801-02	APU - 5 O'CLOCK IGNITER PLUG							Component	ATA:49
PN:CH38013	MOS/MSC	28-Apr-23	O/C	TSN 91					
SN:N/A	HRS	8507		TSN 2463					
	APUS	11130		TSN 3527					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>								
<b>49-41-04-960-801-01 APU - REPLACE 9 O'CLOCK IGNITER PLUG Service ATA:49</b>								
PN:CH34549	MOS/MSC		O/C					
SN:N/A	HRS							
	APUS							
PROC. REF: MM 49-40-33								
<b>49-41-04-960-801-02 APU - REPLACE 5 O'CLOCK IGNITER PLUG Service ATA:49</b>								
PN:CH38013	MOS/MSC	25-Feb-21	O/C					
SN:N/A	HRS	7785						
	APUS	9988						
PROC. REF: MM 49-40-33								
<b>49-50-01-900-802-02 REMOVAL / INSTALLATION OF THE APU AIR INLET DOOR AND DOOR ACTUATOR - APU DOOR ACTUATOR (10KH) Component ATA:49</b>								
PN:221400M04	MOS/MSC	15-Feb-18	O/C					
SN:162	HRS	10998.6						
WC#: 49.190	AFL	7432						
PROC. REF: AMM 49-50-01-900-802								
<b>49-52-01-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE APU BLEED AIR VALVE CLOSURE WHEN ENGINE BLEED AIR VALVES ARE FAILED OPEN - APU BLEED AIR VALVE (9KA) Service ATA:49</b>								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 36.020	AFL	8209	3750					
PROC. REF: AMM 49-52-01-710-801								
<b>49-52-01-710-801-01A OPERATIONAL TEST OF THE APU BLEED AIR VALVE CLOSURE WHEN ENGINE BLEED AIR VALVES ARE FAILED OPEN (MANDATORY 5-40) Service ATA:49</b>								
	MOS	25-Apr-14						MANDATORY 5-40
	HRS	9480.7	7500		16980.7		3155.3	
WC#: 36.020	AFL	6374						
PROC. REF: AMM 49-52-01-710-801								
<b>49-90-00-280-801-01 APU - SPECTROMETRIC ANALYSIS OF APU OIL AND OIL FILTER (SOAP) Service ATA:49</b>								
	MOS	02-Apr-24						
	HRS	8753	500 (+3%)		9253	9268	500 (+15)	
	APUS	11539						
PROC. REF: AMM 49-90-00-280-801, AMM 49-90-00-280-801, AMM 49-90-00-280-801, AMM 49-90-00-280-801, AMM 49-90-00-280-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
49-91-00-610-802-01	APU - REPLACEMENT OF THE APU OIL							Service	ATA:49
	MOS/MSC	20-Nov-18	O/C						
	HRS								
	APUS								
PROC. REF: MM 49-20-00, AMM 49-91-00-610-802									
49-91-01-220-801-01	APU - INSPECTION OF THE APU MAGNETIC DRAIN PLUG							Service	ATA:49
	MOS	28-Apr-23							
	HRS	8503	750 (+3%)		9253	9275.5	500 (+22.5)		
	APUS	11119							
PROC. REF: MM 49-90-46, AMM 49-91-01-220-801									
49-91-04-960-801-01	APU - REPLACEMENT OF THE APU OIL FILTER ELEMENT							Service	ATA:49
	MOS/MSC	20-Sep-22	O/C						
	HRS	8280							
	APUS	10773							
PROC. REF: MM 49-90-47, AMM 49-91-04-960-801									
491010	APU - TURBINE ROTOR							Component	ATA:49
PN:3615880-1	MOS/MSC	22-Nov-13	O/C	TSO 0					
SN:040134508418	HRS	5532		TSN 5532, TSO 0					
	APUS	6798		TSN 6798, TSO 0					
491020	APU - COMPRESSOR ROTOR							Component	ATA:49
PN:3822281-1	MOS/MSC	22-Nov-13	O/C	TSR 0					
SN:11-162053-402228	HRS	5431		TSN 877, TSR 0					
	APUS	6622		TSN 1264, TSR 0					
491122	APU - FUEL SHUTOFF VALVE							Component	ATA:49
PN:692545-18	MOS/MSC	30-Jan-08	O/C						
SN:1655	HRS								
	APUS								
PROC. REF: MM 49-30-54									
491134	APU CONTROLLER COMPUTER							Component	ATA:49
PN:2118844-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:20-AO176	HRS	0		TSN 0					
WC#: 49.205	AFL	0		TSN 0					
	APH		0						
PROC. REF: EMM 49-60-46									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
492005	APU - PLAIN, ENCASED SEAL (COMPRESSOR INLET ASSEMBLY)							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492007	APU - CASE ASSY							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-01	APU - NO. 1 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-02	APU - NO. 2 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-03	APU - NO. 3 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-04	APU - NO. 4 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-05	APU - NO. 5 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-06	APU - NO. 6 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>								
<b>492011-07 APU - NO. 7 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-08 APU - NO. 8 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-09 APU - NO. 9 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-10 APU - NO. 10 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-11 APU - NO. 11 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-12 APU - NO. 12 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-13 APU - NO. 13 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
<b>492011-14 APU - NO. 14 VANE ASSEMBLY SET</b> Component ATA:49								
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
492011-15	APU - NO. 15 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-16	APU - NO. 16 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-17	APU - NO. 17 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-18	APU - NO. 18 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-19	APU - NO. 19 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-20	APU - NO. 20 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-21	APU - NO. 21 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-22	APU - NO. 22 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
492011-23	APU - NO. 23 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492011-24	APU - NO. 24 VANE ASSEMBLY SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492012	APU - CONTAINMENT RING							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492016	APU - GAS TURBING ENGINE POWER SECTION ASSEMBLY							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492017	APU - SEAL SET, GENERATOR, MATCHED							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492019	APU - COMPRESSOR CASE ASSEMBLY (MATCHED SET)							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492030	APU - PLANET SPUR GEAR SET							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492031	APU - ANNULAR BALL BEARING							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
492040	APU - SEAL SET, COMPRESSOR, MATCHED							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492050	APU - CYLINDRICAL ROLLER BEARING							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
493010	APU - FUEL CONTROL							Component	ATA:49
PN:3882730-8	MOS/MSC	22-Nov-13	O/C						
SN:28594	HRS	5431		TSN 5431					
	APUS	6622		TSN 6622					
					PROC. REF: MM 49-30-52				
493011	APU - FUEL CONTROL TORQUE MOTOR							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
493012	APU - VALVE AND SLEEVE SET ASSEMBLY							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
493030	APU - ORIFICE FITTING							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
					PROC. REF: MM 49-30-56				
493060	APU - CONTROLLER							Component	ATA:49
PN:2118844-1	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:94-A0320	HRS	0		TSN 0					
	APUS	0		TSN 0					
					PROC. REF: MM 49-60-46				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
493070	APU - LOAD CONTROL VALVE							Component	ATA:49
PN:109812-14	MOS/MSC	08-Dec-22	O/C		TSO 0				
SN:3108	HRS	8352			TSO 0				
	APUS	10900			TSO 0				
PROC. REF: MM 49-50-33									
494010	APU - IGNITION UNIT							Component	ATA:49
PN:PN	MOS/MSC	26-Apr-21	O/C						
SN:NOT INSTALLED	HRS								
	APUS								
PROC. REF: MM 49-40-32									
495033	APU - ELECTRO-MAGNETIC CONTROL VALVE							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
495042	APU - P3 PRESSURE SENOR							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: MM 49-50-42									
495050	APU - P2 PRESSURE SENSOR							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
495090	APU - MODULATING DIFFUSER VANE ACTUATOR							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
496010	APU - LINEAR TRANSDUCER							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
497010	APU - MOTIONAL PICK UP TRANSDUCER							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: MM 49-60-43									
497020	APU - IMMERSION THERMOCOUPLE							Component	ATA:49
PN:3876003-3	MOS/MSC	09-May-12	O/C		TSN 0				
SN:1215027700282	HRS				TSN 0				
	APUS				TSN 0				
PROC. REF: MM 49-60-45									
497030	APU - HOURMETER							Component	ATA:49
PN:3888126-1	MOS/MSC	22-Nov-13	O/C						
SN:UNKNOWN	HRS	5431			TSN 5431				
	APUS	6622			TSN 6622				
PROC. REF: MM 49-70-41									
499001	APU - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
499010	APU - OIL ROTARY PUMP							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: MM 49-90-51									
499050	APU - OIL PRESSURE REGULATOR VALVE							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: MM 49-90-52									
499060	APU - HIGH OIL TEMPERATURE SENSOR							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: MM 49-60-46									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
499070	APU - LOW OIL PRESSURE SWITCH							Component	ATA:49
PN:3876001-8	MOS/MSC	09-Dec-21	O/C	TSN 206					
SN:N/A	HRS	7915		TSN 7915					
	APUS	10257		TSN 10257					
PROC. REF: MM 49-60-43									
499080	APU - OIL LEVEL DETECTOR							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
499901	APU - FORGING							Component	ATA:49
PN:PN	MOS/MSC	19-Oct-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
49APU1	APU							Component	ATA:49
PN:3800548-2	MOS/MSC	25-Apr-14	E/C	TSN 0					
SN:P-402	HRS	9480.7		TSN 0					
WC#: 49.APU1	AFL	0		TSN 0					
PROC. REF: AMM 49-10-01-900-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 51 - STD PRACTICES AND STRUCT-GENRL</b>									
51-00-00-200-801-01 <sup>S</sup>	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 12 M OR 800 FH INSPECTION							Service	ATA:51
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
	AFL	9075							
					PROC. REF: AMM 51-00-00-200-801			PKG:5	
51-00-00-200-802-01 <sup>S</sup>	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 24 M OR 1600 FH INSPECTION							Service	ATA:51
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
	AFL	8866							
					PROC. REF: AMM 51-00-00-200-802			PKG:6	
51-00-00-200-803-01 <sup>S</sup>	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 1C INSPECTION							Service	ATA:51
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
					PROC. REF: AMM 51-00-00-200-803			PKG:31	
51-00-00-200-804-01 <sup>S</sup>	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 2C INSPECTION							Service	ATA:51
	MOS	22-Jan-02	144 (+2m)						
	HRS	0							
	AFL	0	7500						
					PROC. REF: AMM 51-00-00-200-804			PKG:32	
<b>ATA 52 - DOORS</b>									
52-00-00-200-801-01 <sup>S</sup>	INSPECTION / CHECK OF THE DOORS SEALS - PASSENGER							Service	ATA:52
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.120	AFL	8209	3750						
					PROC. REF: AMM 52-00-00-200-801			PKG:31	
52-00-00-200-801-02 <sup>S</sup>	INSPECTION / CHECK OF THE DOORS SEALS - BAGGAGE COMPARTMENT							Service	ATA:52
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.120	AFL	8209	3750						
					PROC. REF: AMM 52-00-00-200-801			PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-00-00-200-801-03 <sup>S</sup> INSPECTION / CHECK OF THE DOORS SEALS - FORWARD SERVICING COMPARTMENT Service ATA:52								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 53.120	AFL	8209	3750					
					PROC. REF: AMM 52-00-00-200-801			PKG:31
52-00-00-200-801-04 <sup>S</sup> INSPECTION / CHECK OF THE DOORS SEALS - AFT SERVICING COMPARTMENT Service ATA:52								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 53.120	AFL	8209	3750					
					PROC. REF: AMM 52-00-00-200-801			PKG:31
52-00-00-640-801-01 <sup>S</sup> LUBRICATION OF SERVICE DOORS Service ATA:52								
	MOS	28-Feb-24	12 (+1m)					
	HRS	13817.9						
WC#: 52.010	AFL	9101						
					PROC. REF: AMM 52-00-00-640-801			PKG:15
52-10-00-220-801-01 DETAILED INSPECTION OF THE PASSENGER DOOR COUNTERBALANCING SYSTEM Service ATA:52								
	MOS/MSC		O/C					
	HRS							
WC#: 52.030	AFL							
					PROC. REF: AMM 52-10-00-220-801			
52-10-00-610-801-01 <sup>S</sup> SERVICING OF THE PASSENGER DOOR Service ATA:52								
	MOS	28-Feb-24	36 (+1m)					
	HRS	13817.9						
WC#: 52.020	AFL	9101						
					PROC. REF: AMM 52-10-00-610-801			PKG:17
52-10-00-610-802-01 <sup>S</sup> SERVICING OF THE PASSENGER DOOR SAFETY CATCH Service ATA:52								
	MOS	28-Feb-24	36 (+1m)					
	HRS	13817.9						
	AFL	9101						
					PROC. REF: AMM 52-10-00-610-802			PKG:17
52-10-00-640-801-01 <sup>S</sup> LUBRICATION OF THE ROLLERS OF THE PASSENGER DOOR LOWER MECHANISM Service ATA:52								
	MOS	25-Apr-14	144 (+2m)					
	HRS	9480.7						
WC#: 52.035	AFL	6374	7500					
					PROC. REF: AMM 52-10-00-640-801			PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE PASSENGER DOOR Service ATA:52								
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
WC#: 52.020	AFL	8209	3750					
PROC. REF: AMM 52-10-00-720-801								PKG:31
52-10-01-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR - PASSENGER DOOR (PAX) Component ATA:52								
PN:FGFB295D4	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:281HP472	HRS	0		TSN 0				
WC#: 52.020	AFL	0		TSN 0				
PROC. REF: AMM 52-10-01-900-801								
52-10-03-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (10MA1) Component ATA:52								
PN:222900-1M03	MOS/MSC	26-Nov-21	O/C	TSN 0				
SN:3026	HRS	12446.8		TSN 0				
WC#: 52.035	AFL	8298		TSN 0				
PROC. REF: AMM 52-10-03-900-801								
52-10-03-960-801-01 DISCARD OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (10MA1) Service ATA:52								
PN:222900-1M03	MOS	26-Nov-21	60		26-Nov-26		964 d	LIFE LIMIT
SN:3026	HRS	12446.8						
WC#: 52.035	AFL	8298						
PROC. REF: AMM 52-10-03-960-801								
52-10-09-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR REDUCING GEAR MOTOR - PASSENGER DOOR REDUCING GEAR MOTOR (50MA) Component ATA:52								
PN:222200-1M01	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:52	HRS	0		TSN 0				
WC#: 52.030	AFL	0		TSN 0				
PROC. REF: AMM 52-10-09-900-801								
52-10-11-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR COUNTERBALANCING LEAF-SPRING ACTUATOR - PASSENGER DOOR COUNTERBALANCING ACTUATOR (10MA) Component ATA:52								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.030	AFL	0		TSN 0				
PROC. REF: AMM 52-10-11-900-801								
52-10-19-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR HANDRAIL Component ATA:52								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-19-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
52-20-00-610-801-01 <sup>S</sup>	SERVICING OF THE EMERGENCY EXIT DOOR - TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM INSIDE THE CABIN							Service	ATA:52
	MOS	05-Jun-23	24						
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 52-20-00-610-801							PKG:16	
52-20-00-610-801-01A	SERVICING OF THE EMERGENCY EXIT DOOR - TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM INSIDE THE CABIN (MANDATORY 5-40)							Service	ATA:52
	MOS	10-May-23	24		10-May-25		399 d	MANDATORY 5-40	
	HRS	13436.3							
WC#: 52.040	AFL	8866							
	PROC. REF: AMM 52-20-00-610-801								
52-20-00-610-801-02 <sup>S</sup>	SERVICING OF THE EMERGENCY EXIT DOOR							Service	ATA:52
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 52.040	AFL	8866							
	PROC. REF: AMM 52-20-00-610-801							PKG:16	
52-20-00-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM OUTSIDE							Service	ATA:52
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 52.040	AFL	8209							
	PROC. REF: AMM 52-20-00-710-801							PKG:21	
52-20-01-900-801-01	REMOVAL / INSTALLATION OF THE EMERGENCY EXIT DOOR							Component	ATA:52
PN:F2MA296001A1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:BZ303	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
	PROC. REF: AMM 52-20-01-900-801								
52-30-00-610-801-01 <sup>S</sup>	SERVICING OF THE BAGGAGE COMPARTMENT DOOR - BAGGAGE COMPARTMENT DOOR (900MC)							Service	ATA:52
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9							
WC#: 52.050	AFL	9101							
	PROC. REF: AMM 52-30-00-610-801							PKG:17	
52-30-00-710-801-01 <sup>S</sup>	CHECK OF THE BAGGAGE COMPARTMENT DOOR MECHANISM							Service	ATA:52
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 52.060	AFL	8209	3750						
	PROC. REF: AMM 52-30-00-710-801							PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30-01-900-801-01 REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT DOOR								Component ATA:52
PN:F2MA249001801	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:TA176SL178	HRS	0		TSN 0				
WC#: 52.050	AFL	0		TSN 0				
PROC. REF: AMM 52-30-01-900-801								
52-40-00-210-801-01 <sup>S</sup> GENERAL VISUAL INSPECTION OF THE ACCESS PANELS AND DOORS								Service ATA:52
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
WC#: 52.090	AFL	8866						
PROC. REF: AMM 52-40-00-210-801								
52-41-07-610-801-01 <sup>S</sup> SERVICING OF THE NLG WELL CEILING DOOR								Service ATA:52
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
WC#: 52.100	AFL	8866						
PROC. REF: AMM 52-41-07-610-801								
52-50-00-710-801-01 <sup>S</sup> INSPECTION / TEST OF THE BLOWOUT DOORS / PANELS								Service ATA:52
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
	AFL	8209	3750					
PROC. REF: AMM 52-50-00-710-801								
52-54-00-210-801-01 <sup>S</sup> GENERAL VISUAL INSPECTION OF CABIN DOORS, DIVIDERS AND BULKHEADS								Service ATA:52
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
	AFL	8209	3750					
PROC. REF: AMM 52-54-00-210-801, SMM 52-90-05								
52-54-05-210-801-02 <sup>S</sup> GENERAL VISUAL INSPECTION OF THE GALLEY POCKET SLIDING DOOR - INSPECTION OF MOUNTING LOCATIONS, LAMINATE AND MECHANISM								Service ATA:52
	MOS	25-Feb-21	72 (+2m)					
	HRS	12299.4						
	AFL	8209	3750					
PROC. REF: AMM 52-54-05-210-801, SMM 52-90-07								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-54-05-210-802-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE GALLEY POCKET SLIDING DOOR CABLES AND CABLE SILENCER - INSPECTION OF THE GALLEY POCKET SLIDING DOOR CABLES AND CABLE SILENCER							Service	ATA:52
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
	AFL	8866							
	PROC. REF: AMM 52-54-05-210-802							PKG:6	
52-60-01-610-801-01 <sup>S</sup>	SERVICING OF THE FORWARD SERVICING COMPARTMENT DOOR							Service	ATA:52
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9							
WC#: 52.070	AFL	9101							
	PROC. REF: AMM 52-60-01-610-801							PKG:17	
52-60-09-610-801-01 <sup>S</sup>	SERVICING OF THE AFT SERVICING COMPARTMENT DOOR							Service	ATA:52
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9							
WC#: 52.080	AFL	9101							
	PROC. REF: AMM 52-60-09-610-801							PKG:17	
52-70-00-710-802-01 <sup>S</sup>	OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM - PASSENGER							Service	ATA:52
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 52.120	AFL	8866							
	PROC. REF: AMM 52-70-00-710-802							PKG:6	
52-70-00-710-802-02 <sup>S</sup>	OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM - EMERGENCY EXIT							Service	ATA:52
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 52.120	AFL	8866							
	PROC. REF: AMM 52-70-00-710-802							PKG:6	
52-70-00-710-802-03 <sup>S</sup>	OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM - BAGGAGE COMPARTMENT							Service	ATA:52
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 52.120	AFL	8866							
	PROC. REF: AMM 52-70-00-710-802							PKG:6	
52-70-00-710-802-04 <sup>S</sup>	OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM - FORWARD SERVICING COMPARTMENT							Service	ATA:52
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 52.120	AFL	8866							
	PROC. REF: AMM 52-70-00-710-802							PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
52-70-00-710-802-05 <sup>S</sup>		OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM - AFT SERVICING COMPARTMENT					Service	ATA:52	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 52.120	AFL	8866							
PROC. REF: AMM 52-70-00-710-802								PKG:6	
52-70-00-710-802-06 <sup>S</sup>		OPERATIONAL TEST OF THE DOOR INDICATING SYSTEM - FORWARD LAVATORY SERVICE DOOR					Service	ATA:52	
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 52.120	AFL	8866							
PROC. REF: AMM 52-70-00-710-802								PKG:6	
523801		FORWARD SERVICING COMPARTMENT DOOR					Component	ATA:52	
PN:F2MA259003409	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:TA178LN179	HRS	0		TSN 0					
WC#: 52.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
523806		AFT SERVICING COMPARTMENT DOOR					Component	ATA:52	
PN:F2MA259011801	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:SL181	HRS	0		TSN 0					
WC#: 52.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 53 - FUSELAGE</b>									
53-00-00-200-803-01		INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 26 - GENERAL VISUAL INSPECTION					Service	ATA:53	
	MOS	25-Apr-14							
	HRS	9480.7							
WC#: 53.150	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-00-00-200-803									
53-00-00-200-803-01A		GENERAL VISUAL INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 26 (MANDATORY 5-40)					Service	ATA:53	
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.150	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-00-00-200-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-00-00-200-803-02	INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 26 - DETAILED INSPECTION IN SPECIFIC AREAS							Service	ATA:53
	MOS	22-Jan-02							
	HRS	0							
WC#: 53.435	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-00-00-200-803									
53-00-00-200-803-02A	DETAILED INSPECTION IN SPECIFIC AREAS OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 26 (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.435	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-00-00-200-803									
53-00-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE FUSELAGE EXTERIOR - GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.010	AFL	8866							
PROC. REF: AMM 53-00-00-210-801									
53-00-00-210-801-01C	GENERAL VISUAL INSPECTION OF THE FUSELAGE EXTERIOR - GENERAL VISUAL INSPECTION (CPCP)							Service	ATA:53
	MOS	19-May-23	24 (+1m)	Adj -55d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 53-00-00-210-801									
53-00-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE FUSELAGE EXTERIOR - DETAILED INSPECTION							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.425	AFL	8209	3750						
PROC. REF: AMM 53-00-00-220-801									
53-00-00-220-801-01C	DETAILED INSPECTION OF THE FUSELAGE EXTERIOR - DETAILED INSPECTION (CPCP)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 53-00-00-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00-00-370-802-01 <sup>U</sup>	RENEWAL OF THE CORROSION INHIBITOR COMPOUND IN NLG AND MLG BAYS - RENEWAL OF THE CORROSION INHIBITOR COMPOUND IN NLG BAY							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
53-00-00-370-802-02 <sup>U</sup>	RENEWAL OF THE CORROSION INHIBITOR COMPOUND IN NLG AND MLG BAYS - RENEWAL OF THE CORROSION INHIBITOR COMPOUND IN LH MLG BAY							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
53-00-00-370-802-03 <sup>U</sup>	RENEWAL OF THE CORROSION INHIBITOR COMPOUND IN NLG AND MLG BAYS - RENEWAL OF THE CORROSION INHIBITOR COMPOUND IN RH MLG BAY							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
53-10-00-200-808-01 <sup>S</sup>	INSPECTION OF THE NLG BAY							Service	ATA:53
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 53.110	AFL	9101							
PROC. REF: AMM 53-10-00-200-808									
53-10-00-200-808-01C	INSPECTION OF THE NLG BAY (CPCP)							Service	ATA:53
	MOS	17-Oct-23	12 (+1m)	Adj -30d	17-Sep-24	17-Oct-24	164 d (+30)	CPCP	
	HRS	13603.5							
	AFL	8973							
PROC. REF: AMM 53-10-00-200-808									
53-10-00-200-810-01	INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 - GENERAL VISUAL INSPECTION OF SKIN							Service	ATA:53
	MOS	25-Apr-14							
	HRS	9480.7							
WC#: 53.140	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-10-00-200-810									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-200-810-01A	GENERAL VISUAL INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.140	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-10-00-200-810									
53-10-00-200-810-02	INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 - DETAILED INSPECTION IN SPECIFIC AREAS							Service	ATA:53
	MOS	22-Jan-02							
	HRS	0							
WC#: 53.430	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-10-00-200-810									
53-10-00-200-810-02A	DETAILED INSPECTION IN SPECIFIC AREAS OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4(MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.430	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-10-00-200-810									
53-10-00-210-802-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE FLIGHT COMPARTMENT							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.0301	AFL	8866							
PROC. REF: AMM 53-10-00-210-802									
53-10-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE STATIC PRESSURE PROBES AND OF THE FUSELAGE SKIN IN THE PROBE AREAS							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)					RVSM	
	HRS	13436.3							
WC#: 53.155	AFL	8866							
PROC. REF: AMM 53-10-00-220-801									
53-10-00-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE FLIGHT COMPARTMENT							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.0302	AFL	8209	3750						
PROC. REF: AMM 53-10-00-220-802									
53-10-00-220-802-01C	DETAILED INSPECTION OF THE FLIGHT COMPARTMENT (CPCP)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 53-10-00-220-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-01-250-801-01	EDDY CURRENT INSPECTION OF THE FRAME 0 STIFFENER TIP							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.190	AFL	8209	3750		11959		2855		
PROC. REF: AMM 53-10-01-250-801									
53-10-03-220-801-03 <sup>S</sup>	DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS							Service	ATA:53
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
	AFL	6374	7500						
PROC. REF: AMM 53-10-03-220-801									
53-10-03-220-801-03C	DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS (CPCP)							Service	ATA:53
	MOS	25-Apr-14	144 (+2m)		25-Apr-26	25-Jun-26	749 d (+61)	CPCP	
	HRS	9480.7							
	AFL	6374							
PROC. REF: AMM 53-10-03-220-801									
53-10-03-250-801-01	SPECIAL DETAILED INSPECTION OF THE PASSENGER DOOR FRAME EDGING							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.180	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-10-03-250-801									
53-10-03-250-801-01A	SPECIAL DETAILED INSPECTION OF THE PASSENGER DOOR FRAME EDGING (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.180	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-10-03-250-801									
53-10-33-220-802-01	INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES / RETAINERS AND ATTACHMENTS							Service	ATA:53
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 53.220	AFL	6374							
PROC. REF: AMM 53-10-33-220-802									
53-10-33-220-802-01C	INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES / RETAINERS AND ATTACHMENTS (CPCP)							Service	ATA:53
	MOS/MSC	25-Apr-14	N/A						
	HRS	9480.7							
	AFL	6374							
PROC. REF: AMM 53-10-33-220-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-39-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE LOWER SECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.200	AFL	8209	3750						
PROC. REF: AMM 53-10-39-220-801								PKG:31	
53-10-39-220-801-01C	DETAILED INSPECTION OF THE LOWER SECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (CPCP)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 53-10-39-220-801									
53-10-39-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES							Service	ATA:53
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 53.230	AFL	6374	7500						
PROC. REF: AMM 53-10-39-220-802								PKG:32	
53-10-39-220-802-01A	DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.230	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-10-39-220-802									
53-10-39-220-802-01C	DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (CPCP)							Service	ATA:53
	MOS	25-Apr-14	144 (+2m)		25-Apr-26	25-Jun-26	749 d (+61)	CPCP	
	HRS	9480.7							
	AFL	6374							
PROC. REF: AMM 53-10-39-220-802									
53-10-41-220-801-01	DETAILED INSPECTION OF THE ATTACHMENT FITTING OF THE NLG ACTUATOR - FITTING							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 53.350	AFL	0							
PROC. REF: AMM 53-10-41-220-801									
53-10-41-220-801-01A	DETAILED INSPECTION OF ATTACHMENT FITTING OF NOSE LANDING GEAR ACTUATOR (MANDATORY 5-40)							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C					MANDATORY 5-40	
	HRS	0							
WC#: 53.350	AFL	0							
PROC. REF: AMM 53-10-41-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-10-41-220-801-02 <sup>S</sup>	DETAILED INSPECTION OF THE ATTACHMENT FITTING OF THE NLG ACTUATOR - VERTICAL PANEL SUPPORTING THE FITTING							Service	ATA:53
	MOS	25-Feb-21	216 (+2m)						
	HRS	12299.4							
WC#: 53.360	AFL	8209	11250						
PROC. REF: AMM 53-10-41-220-801								PKG:33	
53-10-41-220-801-02A	DETAILED INSPECTION OF THE VERTICAL PANEL SUPPORTING ATTACHMENT FITTING OF THE NLG ACTUATOR (MANDATORY 5-40)							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 53.360	AFL	0							
PROC. REF: AMM 53-10-41-220-801									
53-11-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.0201	AFL	8866							
PROC. REF: AMM 53-11-00-210-801								PKG:16	
53-11-00-210-801-01C	GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA (CPCP)							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)		05-Jun-25	05-Jul-25	425 d (+30)	CPCP	
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 53-11-00-210-801									
53-11-00-220-802-01	DETAILED INSPECTION OF THE IAPS SUPPORT IN THE NOSE CONE							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 53.370	AFL	0							
PROC. REF: AMM 53-11-00-220-802									
53-11-00-760-801-01 <sup>S</sup>	CHECK OF THE NOSE CONE ELECTRICAL BONDING							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.380	AFL	8866							
PROC. REF: AMM 53-11-00-760-801								PKG:16	
53-11-01-900-801-01	REMOVAL / INSTALLATION OF THE NOSE CONE							Component	ATA:53
PN:FGFB208D2	MOS/MSC	10-Sep-12	O/C		TSR 0				
SN:BZ128	HRS	8623			TSR 0				
	AFL	5807			TSR 0				
PROC. REF: AMM 53-11-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-11-09-900-801-01		REMOVAL / INSTALLATION OF THE RADOME						Component	ATA:53
PN:FGFB207D2	MOS/MSC	11-Sep-15	O/C	TSR 36					
SN:658	HRS	10170.4		TSR 1547.4					
	AFL	6857		TSR 1050					
PROC. REF: AMM 53-11-09-900-801									
53-11-21-960-801-01		REPLACEMENT OF THE NOSE CONE SEAL						Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.405	AFL	8209	7500		15709		6605		
PROC. REF: AMM 53-11-21-960-801									
53-30-00-210-802-01 <sup>S</sup>		GENERAL VISUAL INSPECTION OF THE PASSENGER CABIN						Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.0401	AFL	8866							
PROC. REF: AMM 53-30-00-210-802									
53-30-00-220-801-01 <sup>S</sup>		DETAILED INSPECTION OF THE PASSENGER CABIN - UNDER THE FLOOR						Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.0402	AFL	8209	3750						
PROC. REF: AMM 53-30-00-220-801									
53-30-00-220-801-01C		DETAILED INSPECTION OF THE PASSENGER CABIN - UNDER THE FLOOR (CPCP)						Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 53-30-00-220-801									
53-30-00-220-801-02 <sup>S</sup>		DETAILED INSPECTION OF THE PASSENGER CABIN - ABOVE THE FLOOR						Service	ATA:53
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 53.0402	AFL	6374	7500						
PROC. REF: AMM 53-30-00-220-801									
53-30-00-250-801-01		EDDY-CURRENT INSPECTION OF THE EMERGENCY EXIT DOOR FRAME ROUNDED ANGLES						Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.170	AFL	8209	3750		11959		2855		
PROC. REF: AMM 53-30-00-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-250-801-01A	EDDY-CURRENT INSPECTION OF THE EMERGENCY EXIT DOOR FRAME ROUNDED ANGLES (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.170	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-30-00-250-801									
53-30-00-250-802-01	EDDY CURRENT INSPECTION OF THE SKIN PANELS AROUND CABIN WINDOW CUT-OUTS							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.160	AFL	8209	3750		11959		2855		
PROC. REF: AMM 53-30-00-250-802									
53-30-00-250-802-01A	EDDY-CURRENT INSPECTION OF THE SKIN PANELS AROUND CABIN WINDOW CUT-OUTS (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.160	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-30-00-250-802									
53-30-21-250-801-01	EDDY CURRENT INSPECTION AT FRAME 21							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.240	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-30-21-250-801									
53-30-26-220-801-01	DETAILED INSPECTION AT FRAME 26 - STIFFENER 9							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.280	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-30-26-220-801									
53-30-26-220-801-01A	DETAILED INSPECTION AT FRAME 26 - STIFFENER 9 (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.280	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-30-26-220-801									
53-30-26-220-801-02	DETAILED INSPECTION AT FRAME 26 - STIFFENER 17 WEB FRAME							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.290	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-30-26-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-30-26-220-801-02A	DETAILED INSPECTION AT FRAME 26 - STIFFENER 17 WEB FRAME(MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.290	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-30-26-220-801									
53-30-26-250-801-01	EDDY CURRENT INSPECTION AT FRAME 26 - VERTICAL BEAMS							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.250	AFL	8209	3750		11959		2855		
PROC. REF: AMM 53-30-26-250-801									
53-30-26-250-801-01A	EDDY-CURRENT INSPECTION AT FRAME 26 - VERTICAL BEAMS (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.250	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-30-26-250-801									
53-30-26-250-801-02	EDDY CURRENT INSPECTION AT FRAME 26 - STIFFENER 17							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.260	AFL	8209	3750		11959		2855		
PROC. REF: AMM 53-30-26-250-801									
53-30-26-250-801-02A	EDDY-CURRENT INSPECTION AT FRAME 26 - STIFFENER 17 (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.260	AFL	6374	3750		10124		1020		
PROC. REF: AMM 53-30-26-250-801									
53-30-26-250-801-03	EDDY CURRENT INSPECTION AT FRAME 26 - KEEL BEAM FLANGE CONNECTION							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.270	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-30-26-250-801									
53-30-26-250-801-03A	EDDY-CURRENT INSPECTION AT FRAME 26 - KEEL BEAM FLANGE CONNECTION (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.270	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-30-26-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-27-220-801-01	DETAILED INSPECTION OF THE FASTENERS AT FRAME 27							Service	ATA:53
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 53.375	AFL	0							
	PROC. REF: AMM 53-30-27-220-801								
53-40-00-200-804-01 <sup>S</sup>	INSPECTION OF THE MLG BAYS - LH MLG BAY							Service	ATA:53
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 53.100	AFL	9101							
	PROC. REF: AMM 53-40-00-200-804								PKG:15
53-40-00-200-804-01C	INSPECTION OF THE MLG BAYS - LH MLG BAY (CPCP)							Service	ATA:53
	MOS	17-Oct-23	12 (+1m)	Adj -30d	17-Sep-24	17-Oct-24	164 d (+30)	CPCP	
	HRS	13603.5							
	AFL	8973							
	PROC. REF: AMM 53-40-00-200-804								
53-40-00-200-804-02 <sup>S</sup>	INSPECTION OF THE MLG BAYS - RH MLG BAY							Service	ATA:53
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 53.100	AFL	9101							
	PROC. REF: AMM 53-40-00-200-804								PKG:15
53-40-00-200-804-02C	INSPECTION OF THE MLG BAYS - RH MLG BAY (CPCP)							Service	ATA:53
	MOS	17-Oct-23	12 (+1m)	Adj -30d	17-Sep-24	17-Oct-24	164 d (+30)	CPCP	
	HRS	13603.5							
	AFL	8973							
	PROC. REF: AMM 53-40-00-200-804								
53-40-00-210-802-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE FUSELAGE LOWER SECTION AREAS							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.0601	AFL	8866							
	PROC. REF: AMM 53-40-00-210-802								PKG:16
53-40-00-210-802-01C	GENERAL VISUAL INSPECTION OF THE FUSELAGE LOWER SECTION AREAS (CPCP)							Service	ATA:53
	MOS	19-May-23	24 (+1m)	Adj -55d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 53-40-00-210-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-40-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE FUSELAGE LOWER SECTION AREAS							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.0602	AFL	8209	3750						
PROC. REF: AMM 53-40-00-220-801								PKG:31	
53-40-00-220-801-01C	DETAILED INSPECTION OF THE FUSELAGE LOWER SECTION AREAS (CPCP)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 53-40-00-220-801									
53-40-00-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE FUSELAGE STRUCTURAL FUEL TANKS							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.050	AFL	8209	3750						
PROC. REF: AMM 53-40-00-220-802								PKG:31	
53-40-00-220-802-01C	DETAILED INSPECTION OF THE FUSELAGE STRUCTURAL FUEL TANKS (CPCP)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 53-40-00-220-802									
53-41-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE UPPER WING ROOT BOLT RECESSES - LH WING							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801								PKG:16	
53-41-00-220-801-01C	DETAILED INSPECTION OF THE UPPER WING ROOT BOLT RECESSES - LH WING (CPCP)							Service	ATA:53
	MOS	22-May-23	24 (+1m)	Adj -58d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801									
53-41-00-220-801-02 <sup>S</sup>	DETAILED INSPECTION OF THE UPPER WING ROOT BOLT RECESSES - RH WING							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801								PKG:16	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-41-00-220-801-02C	DETAILED INSPECTION OF THE UPPER WING ROOT BOLT RECESSES - RH WING (CPCP)							Service	ATA:53
	MOS	22-May-23	24 (+1m)	Adj -58d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801								
53-41-00-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.130	AFL	8209	3750						
	PROC. REF: AMM 53-41-00-220-802								
53-41-00-220-802-01A	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
WC#: 53.130	AFL	6374	7500		13874		4770		
	PROC. REF: AMM 53-41-00-220-802								
53-41-00-220-802-02 <sup>S</sup>	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 53-41-00-220-802								
53-41-00-220-802-02A	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING (MANDATORY 5-40)							Service	ATA:53
	MOS	25-Apr-14						MANDATORY 5-40	
	HRS	9480.7							
	AFL	6374	7500		13874		4770		
	PROC. REF: AMM 53-41-00-220-802								
53-41-00-620-802-01 <sup>U</sup>	RENEWAL OF THE TEMPORARY PROTECTION OF THE LH WING UPPER ROOT BOLT RECESSES							Service	ATA:53
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 57.120	AFL	6374							
	PROC. REF: GENERIC NO REF								
53-41-00-620-802-02 <sup>U</sup>	RENEWAL OF THE TEMPORARY PROTECTION OF THE RH WING UPPER ROOT BOLT RECESSES							Service	ATA:53
	MOS/MSC	25-Apr-14	O/C						
	HRS	9480.7							
WC#: 57.130	AFL	6374							
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-41-01-640-801-01 <sup>S</sup>	LUBRICATION OF THE WING TO FUSELAGE CONNECTING ROD - LH LINK ROD							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.020	AFL	8209	3750						
	PROC. REF: AMM 53-41-01-640-801								PKG:31
53-41-01-640-801-02 <sup>S</sup>	LUBRICATION OF THE WING TO FUSELAGE CONNECTING ROD - RH LINK ROD							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.020	AFL	8209	3750						
	PROC. REF: AMM 53-41-01-640-801								PKG:31
53-50-00-210-804-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE AFT SERVICING COMPARTMENT							Service	ATA:53
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 53.0901	AFL	9101							
	PROC. REF: AMM 53-50-00-210-804								PKG:15
53-50-00-210-804-01C	GENERAL VISUAL INSPECTION OF THE AFT SERVICING COMPARTMENT (CPCP)							Service	ATA:53
	MOS	17-Oct-23	12 (+1m)	Adj -30d	17-Sep-24	17-Oct-24	164 d (+30)	CPCP	
	HRS	13603.5							
	AFL	8973							
	PROC. REF: AMM 53-50-00-210-804								
53-50-00-210-805-02 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE FORWARD SERVICING COMPARTMENT							Service	ATA:53
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
	AFL	9101							
	PROC. REF: AMM 53-50-00-210-805								PKG:15
53-50-00-210-806-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 53.0701	AFL	8866							
	PROC. REF: AMM 53-50-00-210-806								PKG:16
53-50-00-210-806-01C	GENERAL VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT (CPCP)							Service	ATA:53
	MOS	17-May-23	24 (+1m)	Adj -53d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 53-50-00-210-806								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-50-00-210-807-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE APU AREA							Service	ATA:53
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 53.410	AFL	9101							
				PROC. REF: AMM 53-50-00-210-807				PKG:15	
53-50-00-220-803-01 <sup>S</sup>	DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.0702	AFL	8209	3750						
				PROC. REF: AMM 53-50-00-220-803				PKG:31	
53-50-00-220-803-01C	DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT (CPCP)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
				PROC. REF: AMM 53-50-00-220-803					
53-50-00-220-804-01 <sup>S</sup>	DETAILED INSPECTION OF THE FORWARD SERVICING COMPARTMENT							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 53.0802	AFL	8209	3750						
				PROC. REF: AMM 53-50-00-220-804				PKG:31	
53-50-23-250-802-01	EDDY CURRENT INSPECTION OF THE BAGGAGE COMPARTMENT SKIN PANELS AROUND DOOR LOWER ROUNDED ANGLE AT FRAME 23							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.210	AFL	8209	T:11250		19459		10355		
				PROC. REF: AMM 53-50-23-250-802					
53-50-23-250-802-01A	EDDY-CURRENT INSPECTION OF BAGGAGE COMPARTMENT SKIN PANELS AROUND DOOR LOWER ROUNDED ANGLES AT FRAME 23 (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.210	AFL	0	T:11250		11250		2146		
				PROC. REF: AMM 53-50-23-250-802					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-50-30-250-801-01	EDDY-CURRENT INSPECTION AT FRAME 30							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.300	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-50-30-250-801									
53-50-30-250-801-01A	EDDY-CURRENT INSPECTION AT FRAME 30 (MANDATORY 05-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.300	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-50-30-250-801									
53-50-33-250-801-01	EDDY-CURRENT INSPECTION AT FRAME 33							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.310	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-50-33-250-801									
53-50-33-250-801-01A	EDDY-CURRENT INSPECTION AT FRAME 33 (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.310	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-50-33-250-801									
53-50-43-250-801-01	EDDY-CURRENT INSPECTION OF THE LOWER FIN FRONT SPAR FLANGES							Service	ATA:53
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 53.320	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 53-50-43-250-801									
53-50-43-250-801-01A	EDDY-CURRENT INSPECTION OF LOWER FIN FRONT SPAR FLANGES (MANDATORY 5-40)							Service	ATA:53
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 53.320	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-50-43-250-801									
53-50-45-250-801-01	EDDY-CURRENT INSPECTION OF THE FIN STUB REAR SPAR							Service	ATA:53
	MOS	22-Jan-02							
	HRS	0							
WC#: 53.330	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 53-50-45-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-50-47-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF LOWER FIN DOOR FRAME SKIN							Service	ATA:53
	MOS	25-Feb-21	216 (+2m)						
	HRS	12299.4							
WC#: 53.340	AFL	8209	11250						
	PROC. REF: AMM 53-50-47-220-801								PKG:33
53-60-00-760-801-01 <sup>S</sup>	CHECK OF THE FUSELAGE VENTRAL FAIRING ELECTRICAL BONDING							Service	ATA:53
	MOS	28-Feb-24	36 (+1m)						
	HRS	13817.9							
WC#: 53.390	AFL	9101							
	PROC. REF: AMM 53-60-00-760-801								PKG:17
53-80-00-200-801-01 <sup>S</sup>	CHECK OF THE FUSELAGE CONDENSATION AND STREAM WATER DRAINS							Service	ATA:53
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 51.010	AFL	8866							
	PROC. REF: AMM 53-80-00-200-801								PKG:16
53-80-09-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE "CIRCLE SEAL" AUTOMATIC DRAINS - STRUCTURE AUTOMATIC DRAIN (L10SX)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 51.020	AFL	8209	3750						
	PROC. REF: AMM 53-80-09-710-801								PKG:31
53-80-09-710-801-02 <sup>S</sup>	OPERATIONAL TEST OF THE "CIRCLE SEAL" AUTOMATIC DRAINS - STRUCTURE AUTOMATIC DRAIN (R10SX)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 53-80-09-710-801								PKG:31
53-80-09-710-801-03 <sup>S</sup>	OPERATIONAL TEST OF THE "CIRCLE SEAL" AUTOMATIC DRAINS - FUEL AUTOMATIC DRAIN (70QD)							Service	ATA:53
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
	PROC. REF: AMM 53-80-09-710-801								PKG:31
536401	APU FIREWALL ASSEMBLY							Component	ATA:53
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.400	AFL	0			TSN 0				
	PROC. REF: AMM 53-76-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-00-00-210-810-01	GENERAL VISUAL INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 1 (L5EZ)							Service	ATA:54
	MOS	26-Oct-22	24 (+1m)		26-Oct-24	26-Nov-24	203 d (+31)		
	HRS	13123.7	800 (+40)	Adj -24.3	13899.4	13939.4	74 (+40)		
WC#: 54.010	AFL	8702							
PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-810-01C	GENERAL VISUAL INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 1 (L5EZ) (CPCP)							Service	ATA:54
	MOS	26-Oct-22	24 (+1m)		26-Oct-24	26-Nov-24	203 d (+31)	CPCP	
	HRS	13123.7		Adj -24.3					
	AFL	8702							
PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-810-02	GENERAL VISUAL INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 2 (R5EZ)							Service	ATA:54
	MOS	26-Oct-22	24 (+1m)		26-Oct-24	26-Nov-24	203 d (+31)		
	HRS	13123.7	800 (+40)	Adj -24.3	13899.4	13939.4	74 (+40)		
WC#: 54.010	AFL	8702							
PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-810-02C	GENERAL VISUAL INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 2 (R5EZ) (CPCP)							Service	ATA:54
	MOS	26-Oct-22	24 (+1m)		26-Oct-24	26-Nov-24	203 d (+31)	CPCP	
	HRS	13123.7		Adj -24.3					
	AFL	8702							
PROC. REF: AMM 54-00-00-210-810									
54-00-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 1 (L5EZ)							Service	ATA:54
	MOS	25-Feb-21	144 (+2m)						
	HRS	12299.4							
WC#: 54.020	AFL	8209	7500						
PROC. REF: AMM 54-00-00-220-801									
54-00-00-220-801-01C	DETAILED INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 1 (CPCP)							Service	ATA:54
	MOS	25-Feb-21	144 (+2m)		25-Feb-33	25-Apr-33	3247 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 54-00-00-220-801									
54-00-00-220-801-02 <sup>S</sup>	DETAILED INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 2 (R5EZ)							Service	ATA:54
	MOS	25-Feb-21	144 (+2m)						
	HRS	12299.4							
WC#: 54.020	AFL	8209	7500						
PROC. REF: AMM 54-00-00-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-00-00-220-801-02C	DETAILED INSPECTION OF THE ENGINE NACELLES AND PYLONS - ENGINE 2 (CPCP)							Service	ATA:54
	MOS	25-Feb-21	144 (+2m)		25-Feb-33	25-Apr-33	3247 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
	PROC. REF: AMM 54-00-00-220-801								
54-11-00-610-801-01 <sup>S</sup>	SERVICING OF THE ENGINE COWLINGS - ENGINE 1 (L5EZ)							Service	ATA:54
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 54.050	AFL	8866							
	PROC. REF: AMM 54-11-00-610-801							PKG:16	
54-11-00-610-801-02 <sup>S</sup>	SERVICING OF THE ENGINE COWLINGS - ENGINE 2 (R5EZ)							Service	ATA:54
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 54.050	AFL	8866							
	PROC. REF: AMM 54-11-00-610-801							PKG:16	
54-11-00-760-801-01 <sup>S</sup>	CHECK OF THE ENGINE COWLING ELECTRICAL BONDING - ENGINE 1							Service	ATA:54
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 54.065	AFL	8866							
	PROC. REF: AMM 54-11-00-760-801							PKG:16	
54-11-00-760-801-02 <sup>S</sup>	CHECK OF THE ENGINE COWLING ELECTRICAL BONDING - ENGINE 2							Service	ATA:54
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 54.065	AFL	8866							
	PROC. REF: AMM 54-11-00-760-801							PKG:16	
54-14-01-210-802-01	GENERAL VISUAL INSPECTION OF THE THRUST REVERSER POD FAIRINGS - ENGINE 1 THRUST REVERSER							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 78.090	AFL	0							
	PROC. REF: AMM 54-14-01-210-802								
54-14-01-210-802-01A	GENERAL VISUAL INSPECTION OF THE NO.1 ENGINE THRUST REVERSER POD FAIRINGS (MANDATORY 5-40)							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 78.090	AFL	0							
	PROC. REF: AMM 54-14-01-210-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-14-01-210-802-02	GENERAL VISUAL INSPECTION OF THE THRUST REVERSER POD FAIRINGS - ENGINE 2 THRUST REVERSER							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 78.090	AFL	0							
PROC. REF: AMM 54-14-01-210-802									
54-14-01-210-802-02A	GENERAL VISUAL INSPECTION OF THE NO.2 ENGINE THRUST REVERSER POD FAIRINGS (MANDATORY 5-40)							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
WC#: 78.090	AFL	0							
PROC. REF: AMM 54-14-01-210-802									
54-41-00-280-801-01 <sup>U</sup>	SPECIAL DETAILED INSPECTION OF THE INNER FACE OF THE ENGINE AIR INTAKE							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
54-41-00-280-801-02 <sup>S</sup>	SPECIAL DETAILED INSPECTION OF THE INNER FACE OF THE ENGINE AIR INTAKE - ENGINE 1							Service	ATA:54
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 54-41-00-280-801									
54-41-00-280-801-03 <sup>S</sup>	SPECIAL DETAILED INSPECTION OF THE INNER FACE OF THE ENGINE AIR INTAKE - ENGINE 2							Service	ATA:54
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 54-41-00-280-801									
54-50-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE ENGINE PYLON UPPER SKIN PANEL - ENGINE 1							Service	ATA:54
	MOS	25-Feb-21	216 (+2m)						
	HRS	12299.4							
	AFL	8209	11250						
PROC. REF: AMM 54-50-00-210-801									
54-50-00-210-801-01A	GENERAL VISUAL INSPECTION OF THE NO. 1 ENGINE PYLON UPPER SKIN PANEL (MANDATORY 5-40)							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 54-50-00-210-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 54 - NACELLES/PYLONS</b>									
54-50-00-210-801-02 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE ENGINE PYLON UPPER SKIN PANEL - ENGINE 2							Service	ATA:54
	MOS	25-Feb-21	216 (+2m)						
	HRS	12299.4							
	AFL	8209	11250						
	PROC. REF: AMM 54-50-00-210-801								PKG:33
54-50-00-210-801-02A	GENERAL VISUAL INSPECTION OF THE NO. 2 ENGINE PYLON UPPER SKIN PANEL (MANDATORY 5-40)							Service	ATA:54
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 54-50-00-210-801								
<b>ATA 55 - STABILIZERS</b>									
55-00-00-210-802-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS							Service	ATA:55
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 55.0101	AFL	8866							
	PROC. REF: AMM 55-00-00-210-802								PKG:16
55-00-00-210-802-01C	GENERAL VISUAL INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS (CPCP)							Service	ATA:55
	MOS	10-May-23	24 (+1m)	Adj -46d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 55-00-00-210-802								
55-00-00-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS							Service	ATA:55
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 55.0102	AFL	8209	3750						
	PROC. REF: AMM 55-00-00-220-802								PKG:31
55-00-00-220-802-01C	DETAILED INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS (CPCP)							Service	ATA:55
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
	PROC. REF: AMM 55-00-00-220-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-00-00-760-801-01 <sup>S</sup>	CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - RUDDER							Service	ATA:55
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 55.110	AFL	8866							
				PROC. REF: AMM 55-00-00-760-801				PKG:16	
55-00-00-760-801-02 <sup>S</sup>	CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - LH ELEVATOR							Service	ATA:55
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 55.090	AFL	8866							
				PROC. REF: AMM 55-00-00-760-801				PKG:16	
55-00-00-760-801-03 <sup>S</sup>	CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - RH ELEVATOR							Service	ATA:55
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 55.100	AFL	8866							
				PROC. REF: AMM 55-00-00-760-801				PKG:16	
55-10-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER INTERNAL BOX STRUCTURE - DETAILED INSPECTION OF THE HS INTERNAL BOX STRUCTURE							Service	ATA:55
	MOS	25-Feb-21	144 (+2m)						
	HRS	12299.4							
	AFL	8209	7500						
				PROC. REF: AMM 55-10-00-220-801				PKG:32	
55-10-00-220-801-01C	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER INTERNAL BOX STRUCTURE - DETAILED INSPECTION OF THE HS INTERNAL BOX STRUCTURE (CPCP)							Service	ATA:55
	MOS	25-Feb-21	144 (+2m)		25-Feb-33	25-Apr-33	3247 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
				PROC. REF: AMM 55-10-00-220-801					
55-10-00-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER FRONT AND REAR SPARS							Service	ATA:55
	MOS	25-Feb-21	144 (+2m)						
	HRS	12299.4							
	AFL	8209	7500						
				PROC. REF: AMM 55-10-00-220-802				PKG:32	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-10-00-220-802-01C	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER FRONT AND REAR SPARS (CPCP)							Service	ATA:55
	MOS	25-Feb-21	144 (+2m)		25-Feb-33	25-Apr-33	3247 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
PROC. REF: AMM 55-10-00-220-802									
55-10-00-270-801-01	ULTRASONIC INSPECTION OF THE HORIZONTAL STABILIZER HINGE FITTINGS							Service	ATA:55
	MOS	21-Feb-02	T:288 (+2m)		21-Feb-26	21-Apr-26	686 d (+59)		
	HRS	0							
WC#: 55.020	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-10-00-270-801									
55-10-00-270-801-01A	ULTRASONIC INSPECTION OF THE HORIZONTAL STABILIZER HINGE FITTINGS (MANDATORY 5-40)							Service	ATA:55
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 55.020	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-10-00-270-801									
55-10-00-640-802-01 <sup>S</sup>	GREASING OF THE HORIZONTAL STABILIZER FRONT TORQUE LINK AND ACTUATOR UPPER HINGE - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (210CH)							Service	ATA:55
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 27.245	AFL	8866							
PROC. REF: AMM 55-10-00-640-802									
55-10-03-640-801-01 <sup>S</sup>	LUBRICATION OF THE SPRING-LOADED FAIRING MECHANISM							Service	ATA:55
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 55.050	AFL	8866							
PROC. REF: AMM 55-10-03-640-801									
55-10-31-220-801-01 <sup>S</sup>	DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS							Service	ATA:55
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 55.080	AFL	8209	3750						
PROC. REF: AMM 55-10-31-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-10-31-220-801-01A	DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS (MANDATORY 5-40)							Service	ATA:55
	MOS	25-Feb-21						MANDATORY 5-40	
	HRS	12299.4							
WC#: 55.080	AFL	8209	3750		11959		2855		
PROC. REF: AMM 55-10-31-220-801									
55-10-33-640-801-01	LUBRICATION OF THE HORIZONTAL STABILIZER REAR HINGE PINS							Service	ATA:55
	MOS	02-Jan-24	36 (+1m)		02-Jan-27	02-Feb-27	1001 d (+31)		
	HRS	13736.2	600 (+40)	Adj -160.7	14175.5	14215.5	350.1 (+40)		
WC#: 27.230	AFL	9052							
PROC. REF: AMM 55-10-33-640-801									
55-10-39-220-801-01	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - LOWER FIN SIDE							Service	ATA:55
	MOS	22-Jan-02							
	HRS	0							
WC#: 55.030	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-10-39-220-801									
55-10-39-220-801-01A	NON DESTRUCTIVE CHECK OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - LOWER FIN SIDE (MANDATORY 5-40)							Service	ATA:55
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 55.030	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-10-39-220-801									
55-10-39-220-801-02	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - HORIZONTAL STABILIZER SIDE							Service	ATA:55
	MOS	22-Jan-02							
	HRS	0							
WC#: 55.030	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-10-39-220-801									
55-10-39-220-801-02A	NON DESTRUCTIVE CHECK OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - HORIZONTAL STABILIZER SIDE (MANDATORY 5-40)							Service	ATA:55
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 55.030	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-10-39-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-20-01-900-801-01		REMOVAL / INSTALLATION OF THE ELEVATORS - LH ELEVATOR					Component	ATA:55	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-20-01-900-801									
55-20-01-900-801-02		REMOVAL / INSTALLATION OF THE ELEVATORS - RH ELEVATOR					Component	ATA:55	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-20-01-900-801									
55-20-03-640-801-01 <sup>S</sup>		LUBRICATION OF THE ELEVATOR BEARINGS					Service	ATA:55	
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 55.060	AFL	6374	7500						
PROC. REF: AMM 55-20-03-640-801									
55-20-03-640-802-01 <sup>S</sup>		LUBRICATION OF THE ELEVATOR CONTROL SURFACE HINGES					Service	ATA:55	
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 27.175	AFL	9101							
PROC. REF: AMM 55-20-03-640-802									
55-20-05-640-801-01 <sup>S</sup>		LUBRICATION OF THE ELEVATOR CONTROL BEARINGS AND U-JOINTS					Service	ATA:55	
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
WC#: 27.240	AFL	9075							
PROC. REF: AMM 55-20-05-640-801									
55-30-00-270-801-01		ULTRASONIC INSPECTION OF THE VERTICAL STABILIZER / STUB ATTACHMENTS					Service	ATA:55	
	MOS	21-Feb-02	T:288 (+2m)		22-Jan-26 (M)	22-Mar-26	656 d (+59)		
	HRS	0							
WC#: 55.040	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-30-00-270-801									
55-30-00-270-801-01A		ULTRASONIC INSPECTION OF THE VERTICAL STABILIZER / STUB ATTACHMENTS (MANDATORY 5-40)					Service	ATA:55	
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
WC#: 55.040	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 55-30-00-270-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-40-05-640-801-01 <sup>S</sup>		LUBRICATION OF THE RUDDER BEARINGS							Service ATA:55
	MOS	25-Apr-14	144 (+2m)						
	HRS	9480.7							
WC#: 55.070	AFL	6374	7500						
PROC. REF: AMM 55-40-05-640-801								PKG:32	
55-40-05-640-802-01 <sup>S</sup>		LUBRICATION OF THE RUDDER CONTROL SURFACE HINGES							Service ATA:55
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 27.145	AFL	9101							
PROC. REF: AMM 55-40-05-640-802								PKG:15	
<b>ATA 56 - WINDOWS</b>									
56-10-01-900-801-01		REMOVAL / INSTALLATION OF THE WINDSHIELDS - PILOT WINDSHIELD (10SA)							Component ATA:56
PN:SPSF2M1-3-2	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:321	HRS	0			TSN 0				
WC#: 56.030	AFL	0			TSN 0				
PROC. REF: AMM 56-10-01-900-801									
56-10-01-900-801-02		REMOVAL / INSTALLATION OF THE WINDSHIELDS - COPILOT WINDSHIELD (20SA)							Component ATA:56
PN:SPSF2M2-2-2	MOS/MSC	25-Feb-21	O/C		TSN 0				
SN:2149	HRS	12299.4			TSN 0				
WC#: 56.030	AFL	8209			TSN 0				
PROC. REF: AMM 56-10-01-900-801									
56-10-01-900-801-03		REMOVAL / INSTALLATION OF THE WINDSHIELDS - FRONT WINDSHIELD (5SA)							Component ATA:56
PN:SPSF2M3-2-2	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:482	HRS	0			TSN 0				
WC#: 56.030	AFL	0			TSN 0				
PROC. REF: AMM 56-10-01-900-801									
56-10-07-900-801-02		REMOVAL / INSTALLATION OF THE RH LATERAL WINDOW - RH LATERAL WINDOW (40SA)							Component ATA:56
PN:SPSF900-5-8-2	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:1118	HRS	0			TSN 0				
WC#: 56.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-09-640-801-01 <sup>S</sup> LUBRICATION OF THE OPENING WINDOW MECHANISM - LH OPENING WINDOW (30SA) Service ATA:56								
	MOS	05-Jun-23	24 (+1m)					
	HRS	13436.3						
WC#: 56.010	AFL	8866						
PROC. REF: AMM 56-10-09-640-801								PKG:16
56-10-09-900-801-01 REMOVAL / INSTALLATION OF THE OPENING WINDOW - LH OPENING WINDOW (30SA) Component ATA:56								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 56-10-09-900-801								
56-10-11-900-801-01 REMOVAL / INSTALLATION OF THE REAR WINDOWS - LH REAR WINDOW (60SA) Component ATA:56								
PN:SPSF900-4-6-1	MOS/MSC	08-Jun-07	O/C	TSN 0				
SN:1793	HRS	5130.8		TSN 0				
WC#: 56.040	AFL	3432		TSN 0				
PROC. REF: AMM 56-10-11-900-801								
56-10-11-900-801-02 REMOVAL / INSTALLATION OF THE REAR WINDOWS - RH REAR WINDOW (65SA) Component ATA:56								
PN:SPSF900-7-8-2	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:2520	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 56-10-11-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 1 LEFT PASSENGER CABIN WINDOW Component ATA:56								
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8744	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 1 RIGHT PASSENGER CABIN WINDOW Component ATA:56								
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8743	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 10 LEFT PASSENGER CABIN WINDOW Component ATA:56								
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8748	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 56 - WINDOWS</b>								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 10 RIGHT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.120	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 2 LEFT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8110	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 2 RIGHT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:7754	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 3 LEFT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8750	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 3 RIGHT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:7755	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 4 LEFT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:7490	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 4 RIGHT PASSENGER CABIN WINDOW</b>								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8749	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 56 - WINDOWS</b>								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 5 LEFT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8742	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 5 RIGHT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8738	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 6 LEFT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8737	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 6 RIGHT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8734	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 7 LEFT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8740	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 7 RIGHT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:7732	HRS	0		TSN 0				
WC#: 56.110	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								
56-20-05-900-801-01 REMOVAL / INSTALLATION OF THE NO. 8 LEFT PASSENGER CABIN WINDOW								Component ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:8746	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
56-20-05-900-801-01	REMOVAL / INSTALLATION OF THE NO. 8 RIGHT PASSENGER CABIN WINDOW							Component	ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:7757	HRS	0		TSN 0					
WC#: 56.110	AFL	0		TSN 0					
PROC. REF: AMM 56-20-05-900-801									
56-20-05-900-801-01	REMOVAL / INSTALLATION OF THE NO. 9 LEFT PASSENGER CABIN WINDOW							Component	ATA:56
PN:SPSF2M8-3-0	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:8739	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-05-900-801									
56-20-05-900-801-01	REMOVAL / INSTALLATION OF THE NO. 9 RIGHT PASSENGER CABIN WINDOW							Component	ATA:56
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.110	AFL	0		TSN 0					
PROC. REF: AMM 56-20-05-900-801									
<b>ATA 57 - WINGS</b>									
57-00-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING							Service	ATA:57
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 57.0101	AFL	8866							
PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-01C	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING (CPCP)							Service	ATA:57
	MOS	10-May-23	24 (+1m)	Adj -46d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-02 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING							Service	ATA:57
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 57.0101	AFL	8866							
PROC. REF: AMM 57-00-00-210-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00-00-210-801-02C	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING (CPCP)							Service	ATA:57
	MOS	10-May-23	24 (+1m)	Adj -46d	25-Mar-25	25-Apr-25	353 d (+31)	CPCP	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 57-00-00-210-801								
57-00-00-210-801-03 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING ANTI-ICING SYSTEM							Service	ATA:57
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 57-00-00-210-801							PKG:16	
57-00-00-210-801-03A	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING ANTI-ICING SYSTEM (MANDATORY 5-40)							Service	ATA:57
	MOS	10-May-23	26		10-Jul-25		460 d	FDBCK	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 57-00-00-210-801								
57-00-00-210-801-04 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING ANTI-ICING SYSTEM							Service	ATA:57
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 57-00-00-210-801							PKG:16	
57-00-00-210-801-04A	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING ANTI-ICING SYSTEM (MANDATORY 5-40)							Service	ATA:57
	MOS	10-May-23	26		10-Jul-25		460 d	FDBCK	
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 57-00-00-210-801								
57-00-00-220-802-01 <sup>S</sup>	DETAILED INSPECTION OF THE WINGS - LH WING							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.0102	AFL	8209	3750						
	PROC. REF: AMM 57-00-00-220-802							PKG:31	
57-00-00-220-802-01C	DETAILED INSPECTION OF THE WINGS - LH WING (CPCP)							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
	PROC. REF: AMM 57-00-00-220-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 57 - WINGS</b>								
<b>57-00-00-220-802-02<sup>S</sup> DETAILED INSPECTION OF THE WINGS - RH WING</b>								
	MOS	25-Feb-21	72 (+2m)					Service ATA:57
	HRS	12299.4						
WC#: 57.0102	AFL	8209	3750					
PROC. REF: AMM 57-00-00-220-802								PKG:31
<b>57-00-00-220-802-02C DETAILED INSPECTION OF THE WINGS - RH WING (CPCP)</b>								
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	Service ATA:57
	HRS	12299.4						CPCP
	AFL	8209						
PROC. REF: AMM 57-00-00-220-802								
<b>57-00-00-760-801-01<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH SIDE WING MOVABLE SURFACE</b>								
	MOS	05-Jun-23	24 (+1m)					Service ATA:57
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 57-00-00-760-801								PKG:16
<b>57-00-00-760-801-02<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH SIDE WING MOVABLE SURFACE</b>								
	MOS	05-Jun-23	24 (+1m)					Service ATA:57
	HRS	13436.3						
	AFL	8866						
PROC. REF: AMM 57-00-00-760-801								PKG:16
<b>57-00-01-900-801-01 REMOVAL / INSTALLATION OF THE WINGS - LH WING</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:57
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-00-01-900-801								
<b>57-00-01-900-801-02 REMOVAL / INSTALLATION OF THE WINGS - RH WING</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component ATA:57
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-00-01-900-801								
<b>57-10-00-290-801-01<sup>S</sup> BORESCOPE INSPECTION OF THE WING TANKS</b>								
	MOS	25-Feb-21	72 (+2m)					Service ATA:57
	HRS	12299.4						
	AFL	8209	3750					
PROC. REF: AMM 57-10-00-290-801								PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-290-801-01C	BORESCOPE INSPECTION OF THE WING TANKS (CPCP)							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)		25-Feb-27	25-Apr-27	1055 d (+59)	CPCP	
	HRS	12299.4							
	AFL	8209							
	PROC. REF: AMM 57-10-00-290-801								
57-10-01-210-801-01	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-01-210-801								
57-10-01-210-801-01A	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-01-210-801								
57-10-01-210-801-02	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-01-210-801								
57-10-01-210-801-02A	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-01-210-801								
57-10-14-220-801-01	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-801								
57-10-14-220-801-01A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-14-220-801-02	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-801								
57-10-14-220-801-02A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-801								
57-10-14-220-802-01	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-802								
57-10-14-220-802-01A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-802								
57-10-14-220-802-02	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-802								
57-10-14-220-802-02A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-220-802								
57-10-14-250-801-01	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-14-250-801-01A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-801								
57-10-14-250-801-02	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-801								
57-10-14-250-801-02A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-801								
57-10-14-250-802-01	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-802								
57-10-14-250-802-01A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-802								
57-10-14-250-802-02	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-802								
57-10-14-250-802-02A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-14-250-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-15-220-801-01	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-801								
57-10-15-220-801-01A	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-801								
57-10-15-220-801-02	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-801								
57-10-15-220-801-02A	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-801								
57-10-15-220-802-01	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-802								
57-10-15-220-802-01A	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-802								
57-10-15-220-802-02	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-15-220-802-02A	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-220-802								
57-10-15-250-801-01	SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-250-801								
57-10-15-250-801-01A	SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-250-801								
57-10-15-250-801-02	SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-250-801								
57-10-15-250-801-02A	SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-250-801								
57-10-15-250-802-01	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-250-802								
57-10-15-250-802-01A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
	PROC. REF: AMM 57-10-15-250-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-15-250-802-02	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 57-10-15-250-802									
57-10-15-250-802-02A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 57-10-15-250-802									
57-10-15-250-803-01	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 57-10-15-250-803									
57-10-15-250-803-01A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 57-10-15-250-803									
57-10-15-250-803-02	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING							Service	ATA:57
	MOS	22-Jan-02							
	HRS	0							
	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 57-10-15-250-803									
57-10-15-250-803-02A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	22-Jan-02						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		2146		
PROC. REF: AMM 57-10-15-250-803									
57-41-13-640-801-01 <sup>S</sup>	LUBRICATION OF THE SLAT MECHANISMS							Service	ATA:57
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
WC#: 27.395	AFL	8866							
PROC. REF: AMM 57-41-13-640-801									

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-45-13-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE SLAT CASINGS - INSPECTION OF LH OUTBOARD SLAT CASINGS AT TRACKS 6 AND 8							Service	ATA:57
	MOS	22-Jan-02	144 (+2m)						
	HRS	0							
	AFL	0	7500						
	PROC. REF: AMM 57-45-13-220-801							PKG:32	
57-45-13-220-801-02 <sup>S</sup>	DETAILED INSPECTION OF THE SLAT CASINGS - INSPECTION OF RH OUTBOARD SLAT CASINGS AT TRACKS 6 AND 8							Service	ATA:57
	MOS	22-Jan-02	144 (+2m)						
	HRS	0							
	AFL	0	7500						
	PROC. REF: AMM 57-45-13-220-801							PKG:32	
57-45-13-280-801-01 <sup>U</sup>	CONDUCTIVITY CHECK OF THE SLATS							Service	ATA:57
	MOS/MSC	22-Jan-02	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF								
57-45-13-900-801-01	REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - LH OUTBOARD SLAT							Component	ATA:57
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 57-45-13-900-801								
57-45-13-900-801-02	REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - RH OUTBOARD SLAT							Component	ATA:57
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 57-45-13-900-801								
57-45-13-960-801-01	REPLACEMENT OF THE OUTBOARD SLATS - LH OUTBOARD SLAT							Service	ATA:57
PN:PN	MOS/MSC	22-Jan-02	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
	PROC. REF: AMM 57-45-13-960-801								
57-45-13-960-801-02	REPLACEMENT OF THE OUTBOARD SLATS - RH OUTBOARD SLAT							Service	ATA:57
PN:PN	MOS/MSC	22-Jan-02	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
	PROC. REF: AMM 57-45-13-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-45-25-250-801-01	EDDY CURRENT INSPECTION OF SLAT TRACKS - INSPECTION OF SLAT TRACKS 5 AND 10							Service	ATA:57
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 57.220	AFL	8209	T:11250		19459		10355		
PROC. REF: AMM 57-45-25-250-801									
57-55-00-700-801-01 <sup>S</sup>	CHECK OF THE FLAP LATERAL CLEARANCE							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.150	AFL	8209	3750						
PROC. REF: AMM 57-55-00-700-801									
57-55-07-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE PROTECTION ON INBOARD / OUTBOARD FLAP JUNCTION FAIRING FRICTION AREAS - LH WING							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.060	AFL	8209	3750						
PROC. REF: AMM 57-55-07-220-801									
57-55-07-220-801-02 <sup>S</sup>	DETAILED INSPECTION OF THE PROTECTION ON INBOARD / OUTBOARD FLAP JUNCTION FAIRING FRICTION AREAS - RH WING							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.060	AFL	8209	3750						
PROC. REF: AMM 57-55-07-220-801									
57-55-11-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE FOREFLAP BRACKETS							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 57-55-11-210-801									
57-55-13-640-801-01 <sup>S</sup>	GREASING / LUBRICATION OF FLAP ROLLERS AND TRACKS - LH WING							Service	ATA:57
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
	AFL	9075							
PROC. REF: AMM 57-55-13-640-801									
57-55-13-640-801-02 <sup>S</sup>	GREASING / LUBRICATION OF FLAP ROLLERS AND TRACKS - RH WING							Service	ATA:57
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
	AFL	9075							
PROC. REF: AMM 57-55-13-640-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-55-21-250-801-01	EDDY-CURRENT INSPECTION OF THE FLAP TRACKS 2 AND 5							Service	ATA:57
	MOS	25-Feb-21							
	HRS	12299.4							
WC#: 57.080	AFL	8209	3750		11959		2855		
PROC. REF: AMM 57-55-21-250-801									
57-55-21-250-801-01A	EDDY-CURRENT INSPECTION OF THE FLAP TRACKS 2 AND 5 (MANDATORY 5-40)							Service	ATA:57
	MOS	25-Feb-21							
	HRS	12299.4							
	AFL	8209	4770		12979		3875		
PROC. REF: AMM 57-55-21-250-801									
57-60-01-900-801-01	REMOVAL / INSTALLATION OF THE AILERONS - LH AILERON							Component	ATA:57
PN:F50B15B9	MOS/MSC	10-Jun-22	O/C						
SN:6671AS1678	HRS	12923.3							
	AFL	8571							
PROC. REF: AMM 57-60-01-900-801									
57-60-05-640-801-01 <sup>S</sup>	PRESSURE LUBRICATION OF THE AILERON BEARINGS - LH AILERON BEARINGS							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.090	AFL	8209	3750						
PROC. REF: AMM 57-60-05-640-801									
57-60-05-640-801-02 <sup>S</sup>	PRESSURE LUBRICATION OF THE AILERON BEARINGS - RH AILERON BEARINGS							Service	ATA:57
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 57.090	AFL	8209	3750						
PROC. REF: AMM 57-60-05-640-801									
57-60-05-640-802-01 <sup>S</sup>	LUBRICATION OF THE AILERON CONTROL SURFACE HINGES - LH AILERON							Service	ATA:57
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
	AFL	9101							
PROC. REF: AMM 57-60-05-640-802									
57-60-05-640-802-02 <sup>S</sup>	LUBRICATION OF THE AILERON CONTROL SURFACE HINGES - RH AILERON							Service	ATA:57
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
	AFL	9101							
PROC. REF: AMM 57-60-05-640-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
57-70-03-640-801-01 <sup>S</sup>	LUBRICATION OF THE AIRBRAKE HINGES							Service	ATA:57
	MOS	28-Feb-24	12 (+1m)						
	HRS	13817.9							
WC#: 27.340	AFL	9101							
PROC. REF: AMM 57-70-03-640-801								PKG:15	
<b>ATA 71 - POWER PLANT</b>									
71-00-00-100-801-01	ENGINE CLEANING - ENGINE 1 (L5EZ)							Service	ATA:71
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00-100-801									
71-00-00-100-801-02	ENGINE CLEANING - ENGINE 2 (R5EZ)							Service	ATA:71
	MOS/MSC	22-Jan-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00-100-801									
71-00-00-910-802-01	ENGINE INSPECTION RUN-UP - ENGINE 1 (L5EZ)							Service	ATA:71
	MOS/MSC		O/C						
	HRS								
	AFL								
PROC. REF: AMM 71-00-00-910-802									
71-00-00-910-802-02	ENGINE INSPECTION RUN-UP - ENGINE 2 (R5EZ)							Service	ATA:71
	MOS/MSC		O/C						
	HRS								
	AFL								
PROC. REF: AMM 71-00-00-910-802									
71-00-00-910-803-01	END OF INSPECTION RUN-UP - ENGINE 1 (L5EZ)							Service	ATA:71
	MOS/MSC		O/C						
	HRS								
	AFL								
PROC. REF: AMM 71-00-00-910-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 71 - POWER PLANT</b>								
<b>71-00-00-910-803-02 END OF INSPECTION RUN-UP - ENGINE 2 (R5EZ)</b>								
	MOS/MSC		O/C					Service ATA:71
	HRS							
	AFL							
PROC. REF: AMM 71-00-00-910-803								
<b>71-20-02-250-801-01 SPECIAL DETAILED INSPECTION OF THE ENGINE FRONT MOUNTS AND FITTINGS - ENGINE 1 FRONT MOUNT ASSEMBLY (L10EZ)</b>								
	MOS	30-Jan-24	216 (+3%)		30-Jan-42	13-Aug-42	6508 d (+195)	Service ATA:71
	HRS	12299.4						
WC#: 54.030	AFL	8209	3750		11959		2855	
PROC. REF: AMM 71-20-02-250-801								
<b>71-20-02-250-801-01A SPECIAL DETAILED INSPECTION OF THE NO.1 ENGINE FRONT MOUNTS AND FITTINGS (MANDATORY 5-40)</b>								
	MOS	30-Jan-24						Service ATA:71
	HRS	12299.4						MANDATORY 5-40
WC#: 54.030	AFL	8209	3750		11959		2855	
PROC. REF: AMM 71-20-02-250-801								
<b>71-20-02-250-801-02 SPECIAL DETAILED INSPECTION OF THE ENGINE FRONT MOUNTS AND FITTINGS - ENGINE 2 FRONT MOUNT ASSEMBLY (R10EZ)</b>								
	MOS	30-Jan-24	216 (+3%)		30-Jan-42	13-Aug-42	6508 d (+195)	Service ATA:71
	HRS	12299.4						
WC#: 54.030	AFL	8209	3750		11959		2855	
PROC. REF: AMM 71-20-02-250-801								
<b>71-20-02-250-801-02A SPECIAL DETAILED INSPECTION OF THE NO.2 ENGINE FRONT MOUNTS AND FITTINGS (MANDATORY 5-40)</b>								
	MOS	30-Jan-24						Service ATA:71
	HRS	12299.4						MANDATORY 5-40
WC#: 54.030	AFL	8209	3750		11959		2855	
PROC. REF: AMM 71-20-02-250-801								
<b>71-20-02-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE FRONT MOUNTS - ENGINE 1 FRONT MOUNT ASSEMBLY (L10EZ)</b>								
PN:3051040-5	MOS/MSC	05-Nov-14	O/C		TSO 0			Component ATA:71
SN:0119031-00132	HRS				TSO 0			
WC#: 54.030	AFL				TSO 0			
PROC. REF: AMM 71-20-02-900-801								
<b>71-20-02-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE FRONT MOUNTS - ENGINE 2 FRONT MOUNT ASSEMBLY (R10EZ)</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C		TSN 0			Component ATA:71
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 54.030	AFL	0			TSN 0			
PROC. REF: AMM 71-20-02-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
71-20-07-250-801-01		SPECIAL DETAILED INSPECTION OF THE ENGINE REAR MOUNTS - ENGINE 1 REAR MOUNT							Service ATA:71
	MOS	14-Aug-14							
	HRS	9594.8							
WC#: 54.040	AFL	6447	3750		11250 (M)		2146		
PROC. REF: AMM 71-20-07-250-801									
71-20-07-250-801-01A		SPECIAL DETAILED INSPECTION OF THE NO.1 ENGINE REAR MOUNTS (MANDATORY 5-40)							Service ATA:71 MANDATORY 5-40
	MOS	14-Aug-14							
	HRS	9594.8							
WC#: 54.040	AFL	6447	3750		11250 (M)		2146		
PROC. REF: AMM 71-20-07-250-801									
71-20-07-250-801-02		SPECIAL DETAILED INSPECTION OF THE ENGINE REAR MOUNTS - ENGINE 2 REAR MOUNT							Service ATA:71
	MOS	19-Apr-13							
	HRS	8891.1							
WC#: 54.040	AFL	5993	3750		11250 (M)		2146		
PROC. REF: AMM 71-20-07-250-801									
71-20-07-250-801-02A		SPECIAL DETAILED INSPECTION OF THE NO.2 ENGINE REAR MOUNTS (MANDATORY 5-40)							Service ATA:71 MANDATORY 5-40
	MOS	19-Apr-13							
	HRS	8891.1							
WC#: 54.040	AFL	5993	3750		11250 (M)		2146		
PROC. REF: AMM 71-20-07-250-801									
710031 <sup>U</sup>		PERFORM ENGINE CHECK FLIGHT							Service ATA:71
	MOS/MSC	22-Jan-02	E/C						
	HRS	0							
WC#: 71.090	AFL	0							
PROC. REF: GENERIC NO REF									
711010		NO. 1 ENGINE - ALUMINUM SPINNER ASSEMBLY							Component ATA:71
PN:PN	MOS/MSC	30-Jun-95	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
711010		NO. 2 ENGINE - ALUMINUM SPINNER ASSEMBLY							Component ATA:71
PN:PN	MOS/MSC	31-Aug-95	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
711011	NO. 1 ENGINE - COMPOSITE SPINNER ASSEMBLY							Component	ATA:71
PN:PN	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
711011	NO. 2 ENGINE - COMPOSITE SPINNER ASSEMBLY							Component	ATA:71
PN:PN	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
711015	NO. 1 ENGINE - INSPECT ALUMINUM SPINNER ASSEMBLY							Service	ATA:71
PN:PN	MOS/MSC	30-Jun-95	C/C						
SN:UNKNOWN	HRS	0							
	ENC	0							
711015	NO. 2 ENGINE - INSPECT ALUMINUM SPINNER ASSEMBLY							Service	ATA:71
PN:PN	MOS/MSC	31-Aug-95	C/C						
SN:UNKNOWN	HRS	0							
	ENC	0							
711016	NO. 1 ENGINE - INSPECT COMPOSITE SPINNER ASSEMBLY							Service	ATA:71
PN:PN	MOS/MSC	30-Jun-95	C/C						
SN:UNKNOWN	HRS	0							
	ENC	0							
711016	NO. 2 ENGINE - INSPECT COMPOSITE SPINNER ASSEMBLY							Service	ATA:71
PN:PN	MOS/MSC	31-Aug-95	C/C						
SN:UNKNOWN	HRS	0							
	ENC	0							
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:3050000-5	MOS/MSC	30-Jun-21	E/C						
SN:P105163	HRS	12299.4							
WC#: 71.EN1	AFL	7268							
								PROC. REF: AMM 71-00-01-900-801	
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:3050000-5	MOS/MSC	30-Jun-21	E/C						
SN:P105160	HRS	12299.4							
WC#: 71.EN2	AFL	7268							
								PROC. REF: AMM 71-00-01-900-801	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - PERFORM ENGINE (MPI) MIDPOINT INSPECTION							Service	ATA:72
	MOS	03-Aug-20							
	HRS	13773.3	2500 (+50)		(16273.3) 14778.9	16323.3	953.5 (+50)		
	ENC	8987							
								PROC. REF: LMM 72-00-00	
720010	NO. 2 ENGINE - PERFORM ENGINE (MPI) MIDPOINT INSPECTION							Service	ATA:72
	MOS	03-Aug-20							
	HRS	13636.7	2500 (+50)		(16136.7) 14815.5	16186.7	990.1 (+50)		
	ENC	8943							
								PROC. REF: LMM 72-00-00	
720020	NO. 1 ENGINE - PERFORM ENGINE (CZI) CORE ZONE INSPECTION							Service	ATA:72
	MOS	19-Mar-14							
	HRS	11255.1	5000 (+50)		(16255.1) 14760.7	16305.1	935.3 (+50)		
	ENC	7501							
								PROC. REF: LMM 72-00-00	
720020	NO. 2 ENGINE - PERFORM ENGINE (CZI) CORE ZONE INSPECTION							Service	ATA:72
	MOS	24-Mar-14							
	HRS	11172.5	5000 (+50)		(16172.5) 14851.3	16222.5	1025.9 (+50)		
	ENC	7430							
								PROC. REF: LMM 72-00-00	
720030 <sup>S</sup>	NO. 1 ENGINE - FUNCTIONAL CHECK OF OVERSPEED SYSTEM							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15257.9	400 (+10%)						
	ENC	9839							
								PROC. REF: LMM 72-00-00	
								PKG:3 ,4 ,6,5	
720030 <sup>S</sup>	NO. 2 ENGINE - FUNCTIONAL CHECK OF OVERSPEED SYSTEM							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15079.7	400 (+10%)						
	ENC	9788							
								PROC. REF: LMM 72-00-00	
								PKG:3 ,4 ,6,5	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720040 <sup>S</sup>	NO. 1 ENGINE - DETAILED INSPECTION OF DEFERRED TIME LIMITED DISPATCH FAULT MESSAGES							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15257.9	400 (+10%)						
	ENC	9839							
					PROC. REF: LMM 72-00-00			PKG:3 ,4 ,6,5	
720040 <sup>S</sup>	NO. 2 ENGINE - DETAILED INSPECTION OF DEFERRED TIME LIMITED DISPATCH FAULT MESSAGES							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15079.7	400 (+10%)						
	ENC	9788							
					PROC. REF: LMM 72-00-00			PKG:3 ,4 ,6,5	
720050 <sup>S</sup>	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FIRE ZONE 1 FOR CONDITION AND SECURITY							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15257.9	400 (+10%)						
	ENC	9839							
					PROC. REF: LMM 72-00-00, LMM CFE-2007-EIT-002			PKG:3 ,4 ,6,5	
720050 <sup>S</sup>	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FIRE ZONE 1 FOR CONDITION AND SECURITY							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15079.7	400 (+10%)						
	ENC	9788							
					PROC. REF: LMM 72-00-00, LMM CFE-2007-EIT-002			PKG:3 ,4 ,6,5	
720060 <sup>S</sup>	NO. 1 ENGINE - DETAILED INSPECTION OF UNDER COWL AREA (FIRE ZONE 2) FOR CONDITION AND SECURITY							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15257.9	1200 (+50)						
	ENC	9839							
					PROC. REF: GENERIC NO REF, LMM CFE-2007-EIT-002, LMM 72-00-00			PKG:5	
720060 <sup>S</sup>	NO. 2 ENGINE - DETAILED INSPECTION OF UNDER COWL AREA (FIRE ZONE 2) FOR CONDITION AND SECURITY							Service	ATA:72
	MOS	12-Jan-24							
	HRS	15079.7	1200 (+50)						
	ENC	9788							
					PROC. REF: GENERIC NO REF, LMM CFE-2007-EIT-002, LMM 72-00-00			PKG:5	
721001	NO. 1 ENGINE - PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	30-Jun-95	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721001	NO. 2 ENGINE - PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	31-Aug-95	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721002	NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service	ATA:72
	MOS/MSC	30-Jun-95	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721002	NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service	ATA:72
	MOS/MSC	31-Aug-95	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721003	NO. 1 ENGINE - DE-PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	30-Jun-95	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721003	NO. 2 ENGINE - DE-PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	31-Aug-95	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721004	NO. 1 ENGINE - SPECIAL(UNSCHEDULED) AND SCHEDULED INSPECTIONS							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721004	NO. 2 ENGINE - SPECIAL(UNSCHEDULED) AND SCHEDULED INSPECTIONS							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721005	NO. 1 ENGINE - INSPECT ENGINES THAT HAVE OPERATED ABOVE THE TEMPATURE LIMITS (OVERTEMPERATURE)							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721005	NO. 2 ENGINE - INSPECT ENGINES THAT HAVE OPERATED ABOVE THE TEMPATURE LIMITS (OVERTEMPERATURE)							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721006	NO. 1 ENGINE - INSPECT ENGINES THAT HAVE OPERATED ABOVE SPEED LIMITS							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721006	NO. 2 ENGINE - INSPECT ENGINES THAT HAVE OPERATED ABOVE SPEED LIMITS							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721007	NO. 1 ENGINE - INSPECT ENGINES THAT SHOW HOT-SECTION DISTRESS (BURN-OUTS)							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721007	NO. 2 ENGINE - INSPECT ENGINES THAT SHOW HOT-SECTION DISTRESS (BURN-OUTS)							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721008	NO. 1 ENGINE - INSPECT ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTNING							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721008	NO. 2 ENGINE - INSPECT ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTNING							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721009	NO. 1 ENGINE - INSPECT ENGINES AFTER A VG SYSTEM MALFUNCTION OR A COMPLESSOR STALL							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721009	NO. 2 ENGINE - INSPECT ENGINES AFTER A VG SYSTEM MALFUNCTION OR A COMPLESSOR STALL							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721010	NO. 1 ENGINE - INSPECT ENGINES FOR METAL CONTAMINATION OF OIL SYSTEM							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721010	NO. 2 ENGINE - INSPECT ENGINES FOR METAL CONTAMINATION OF OIL SYSTEM							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721011	NO. 1 ENGINE - INSPECT ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721011	NO. 2 ENGINE - INSPECT ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721012	NO. 1 ENGINE - INSPECT ENGINES THAT HAVE INGESTED VOLCANIC ASH							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721012	NO. 2 ENGINE - INSPECT ENGINES THAT HAVE INGESTED VOLCANIC ASH							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721013	NO. 1 ENGINE - INSPECT ENGINES OPERATED AT VIBRATION LEVELS BEYOND THE ALLOWED LIMITS LISTED IN TESTING							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721013	NO. 2 ENGINE - INSPECT ENGINES OPERATED AT VIBRATION LEVELS BEYOND THE ALLOWED LIMITS LISTED IN TESTING							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721014	NO. 1 ENGINE - INSPECT ENGINES IMMERSSED IN SALT WATER OR EXPOSED TO FIRE EXINGUISHING MATERIAL							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721014	NO. 2 ENGINE - INSPECT ENGINES IMMERSSED IN SALT WATER OR EXPOSED TO FIRE EXINGUISHING MATERIAL							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721015	NO. 1 ENGINE - INSPECT ENGINES FOR FOD THAT HAVE BIRD STRICKES OR INGEST FOREIGN OBJECTS							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721015	NO. 2 ENGINE - INSPECT ENGINES FOR FOD THAT HAVE BIRD STRICKES OR INGEST FOREIGN OBJECTS							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721016	NO. 1 ENGINE - LUBE OIL PRESSURE SENSOR INSPECTION							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721016	NO. 2 ENGINE - LUBE OIL PRESSURE SENSOR INSPECTION							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721017	NO. 1 ENGINE - COMPRESSOR VANE ACTUATING ASSEMBLY TO STATOR VANE SPINDLE INSPECTION							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721017	NO. 2 ENGINE - COMPRESSOR VANE ACTUATING ASSEMBLY TO STATOR VANE SPINDLE INSPECTION							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721018	NO. 1 ENGINE - GEARBOX RIGID COUPLING SHAFT INSPECTION							Service	ATA:72
	MOS/MSC	30-Jun-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
721018	NO. 2 ENGINE - GEARBOX RIGID COUPLING SHAFT INSPECTION							Service	ATA:72
	MOS/MSC	31-Aug-95	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
722010	NO. 1 ENGINE - NO.1 ROLLER BEARING							Component	ATA:72
PN:3050714-1	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:95199146646	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-71-02									
722010	NO. 2 ENGINE - NO.1 ROLLER BEARING							Component	ATA:72
PN:3050714-1	MOS/MSC	26-Jul-99	O/C	TSN 0					
SN:981991426572	HRS	2879		TSN 0					
	ENC	2088		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-71-02									
722020	NO. 1 ENGINE - NO.2 BALL BEARING							Component	ATA:72
PN:3050114-1	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:9120049294	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722020	NO. 2 ENGINE - NO.2 BALL BEARING							Component	ATA:72
PN:3050114-1	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:951991413119	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722030	NO. 1 ENGINE - NO.2 AFT ROLLER BEARING							Component	ATA:72
PN:3050738-1	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:95199146652	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722030	NO. 2 ENGINE - NO.2 AFT ROLLER BEARING							Component	ATA:72
PN:3050738-1	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:95199146663	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722040	NO. 1 ENGINE - FAN SPINNER ASSEMBLY							Component	ATA:72
PN:3050223-1	MOS	19-Mar-14		TSN 0				LIFE LIMIT	
SN:12-5060-00152	HRS	11255.1		TSN 0					
	ENC	7501	24000	TSN 0	(31501) 30727		21623		
PROC. REF: LMM 72-70-01, LMM 72-70-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
722040	NO. 2 ENGINE - FAN SPINNER ASSEMBLY							Component	ATA:72
PN:3050223-1	MOS	24-Mar-14		TSN 0				LIFE LIMIT	
SN:12-5060-00155	HRS	11172.5		TSN 0					
	ENC	7430	24000	TSN 0	(31430) 30707		21603		
PROC. REF: LMM 72-70-01, LMM 72-70-01									
722050	NO. 1 ENGINE - FAN ROTOR ASSEMBLY							Component	ATA:72
PN:3050753-1	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:5-03229-429	HRS	11255.1		TSN 11255.1, TSO 0					
	ENC	7501		TSN 7501, TSO 0					
PROC. REF: GENERIC NO REF, LMM 72-70-02, LMM 72-70-02									
722050	NO. 2 ENGINE - FAN ROTOR ASSEMBLY							Component	ATA:72
PN:3050753-3	MOS/MSC	24-Mar-14	O/C	TSO 0					
SN:970322903560	HRS	11172.5		TSN 4952.8, TSO 0					
	ENC	7430		TSN 2453, TSO 0					
PROC. REF: GENERIC NO REF, LMM 72-70-02, LMM 72-70-02									
722060	NO. 1 ENGINE - FAN ROTOR DISK							Component	ATA:72
PN:3050745-1	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:5-03229-422	HRS	0		TSN 0					
	ENC	0	24000	TSN 0	(24000) 23226		14122		
PROC. REF: GENERIC NO REF, LMM 72-70-02, LMM 72-71-02									
722060	NO. 2 ENGINE - FAN ROTOR DISK							Component	ATA:72
PN:3050745-1	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:5-03229-429	HRS	0		TSN 0					
	ENC	0	24000	TSN 0	(24000) 23277		14173		
PROC. REF: GENERIC NO REF, LMM 72-70-02, LMM 72-71-02									
722065	NO. 1 ENGINE - INSPECT FAN ROTOR DISK							Service	ATA:72
PN:3050745-1	MOS/MSC	30-Jun-95	C/C						
SN:5-03229-422	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
722065		NO. 2 ENGINE - INSPECT FAN ROTOR DISK							Service ATA:72
PN:3050745-1	MOS/MSC	31-Aug-95	C/C						
SN:5-03229-429	HRS	0							
	ENC	0							
722070		NO. 1 ENGINE - FAN STUB SHAFT							Component ATA:72
PN:3050708-4	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:5-19031-104	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-50-04, LMM 72-50-04									
722070		NO. 2 ENGINE - FAN STUB SHAFT							Component ATA:72
PN:3050708-4	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:5-19031-112	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-50-04, LMM 72-50-04									
722080		NO. 1 ENGINE - CORE MODULE							Component ATA:72
PN:6091T09G01	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:800255	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722080		NO. 2 ENGINE - CORE MODULE							Component ATA:72
PN:6091T09G01	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:800258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722090		NO. 1 ENGINE - NO.3 BALL BEARING							Component ATA:72
PN:5123T93P03	MOS/MSC	19-Mar-14	O/C	TSN 0					
SN:TBCKT356	HRS	11255.1		TSN 0					
	ENC	7501		TSN 0					
PROC. REF: GENERIC NO REF									
722090		NO. 2 ENGINE - NO.3 BALL BEARING							Component ATA:72
PN:6077T91P03	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:MDA072YH	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723010	NO. 1 ENGINE - STAGE 1 COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:6079T68G11	MOS	26-Jul-99		TSN 0				LIFE LIMIT	
SN:GLHJ3839	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 19226		10122		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - STAGE 1 COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:6079T68G11	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:GLHJ3834	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 19277		10173		
PROC. REF: GENERIC NO REF									
723011	NO. 1 ENGINE - INSPECT FIRST STAGE COMPRESSOR ROTOR BLISK							Service	ATA:72
PN:6079T68G11	MOS/MSC	30-Jun-95	C/C						
SN:GLHJ3839	HRS	0							
	ENC	0							
723011	NO. 2 ENGINE - INSPECT FIRST STAGE COMPRESSOR ROTOR BLISK							Service	ATA:72
PN:6079T68G11	MOS/MSC	31-Aug-95	C/C						
SN:GLHJ3834	HRS	0							
	ENC	0							
723015	NO. 1 ENGINE - DETAILED INSPECTION OF THE ACTUATING ASSEMBLIES OF INLET, STAGE 1 AND STAGE 2,GUIDE VANES FOR CONDITION AND SECURITY							Service	ATA:72
	MOS/MSC	03-Jun-19	O/C						
	HRS	13734.5							
	ENC	8951							
PROC. REF: LMM 72-00-00									
723015	NO. 2 ENGINE - DETAILED INSPECTION OF THE ACTUATING ASSEMBLIES OF INLET, STAGE 1 AND STAGE 2,GUIDE VANES FOR CONDITION AND SECURITY							Service	ATA:72
	MOS/MSC	03-Jun-19	O/C						
	HRS	13597.9							
	ENC	8907							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723020	NO. 1 ENGINE - STAGE 2/3 COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:6079T71P06	MOS	11-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN32780	HRS	11255.1		TSN 0					
	ENC	7501	10000	TSN 0	(17501) 16727		7623		
PROC. REF: GENERIC NO REF									
723020	NO. 2 ENGINE - STAGE 2/3 COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:6079T71P06	MOS	21-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN32787	HRS	11172.5		TSN 0					
	ENC	7430	10000	TSN 0	(17430) 16707		7603		
PROC. REF: GENERIC NO REF									
723025	NO. 1 ENGINE - INSPECT STAGE 2/3 COMPRESSOR ROTOR BLISK							Service	ATA:72
PN:6079T71P06	MOS/MSC	30-Jun-95	C/C						
SN:PUN32780	HRS	0							
	ENC	0							
723025	NO. 2 ENGINE - INSPECT STAGE 2/3 COMPRESSOR ROTOR BLISK							Service	ATA:72
PN:6079T71P06	MOS/MSC	31-Aug-95	C/C						
SN:PUN32787	HRS	0							
	ENC	0							
723030	NO. 1 ENGINE - STAGE 4/5 COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:6079T74P09	MOS	11-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN32838	HRS	11255.1		TSN 0					
	ENC	7501	5200	TSN 0	(12701) 11927		2823		
PROC. REF: GENERIC NO REF									
723030	NO. 2 ENGINE - STAGE 4/5 COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:6079T74P09	MOS	21-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN32844	HRS	11172.5		TSN 0					
	ENC	7430	5200	TSN 0	(12630) 11907		2803		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723035	NO. 1 ENGINE - INSPECT STAGE 4/5 COMPRESSOR ROTOR BLISK							Service	ATA:72
PN:6079T74P09	MOS/MSC	30-Jun-95	C/C						
SN:PUN32838	HRS	0							
	ENC	0							
723035	NO. 2 ENGINE - INSPECT STAGE 4/5 COMPRESSOR ROTOR BLISK							Service	ATA:72
PN:6079T74P09	MOS/MSC	31-Aug-95	C/C						
SN:PUN32844	HRS	0							
	ENC	0							
723040	NO. 1 ENGINE - CENTRIFUGAL COMPRESSOR IMPELLER							Component	ATA:72
PN:6079T77P09	MOS	11-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN33610	HRS	11255.1		TSN 0					
	ENC	7501	5300	TSN 0	(12801) 12027		2923		
PROC. REF: GENERIC NO REF									
723040	NO. 2 ENGINE - CENTRIFUGAL COMPRESSOR IMPELLER							Component	ATA:72
PN:6079T77P09	MOS	21-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN33460	HRS	11172.5		TSN 0					
	ENC	7430	5300	TSN 0	(12730) 12007		2903		
PROC. REF: GENERIC NO REF									
723045	NO. 1 ENGINE - INSPECT CENTRIFUGAL COMPRESSOR IMPELLER							Service	ATA:72
PN:6079T77P09	MOS/MSC	30-Jun-95	C/C						
SN:PUN33610	HRS	0							
	ENC	0							
723045	NO. 2 ENGINE - INSPECT CENTRIFUGAL COMPRESSOR IMPELLER							Service	ATA:72
PN:6079T77P09	MOS/MSC	31-Aug-95	C/C						
SN:PUN33460	HRS	0							
	ENC	0							
723050	NO. 1 ENGINE - IMPELLER SHAFT							Component	ATA:72
PN:6079T80P07	MOS	11-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN33068	HRS	11255.1		TSN 0					
	ENC	7501	7100	TSN 0	(14601) 13827		4723		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723050	NO. 2 ENGINE - IMPELLER SHAFT							Component	ATA:72
PN:6079T80P07	MOS	21-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN33063	HRS	11172.5		TSN 0					
	ENC	7430	7100	TSN 0	(14530) 13807		4703		
PROC. REF: GENERIC NO REF									
723055	NO. 1 ENGINE - INSPECT IMPELLER SHAFT							Service	ATA:72
PN:6079T80P07	MOS/MSC	30-Jun-95	C/C						
SN:PUN33068	HRS	0							
	ENC	0							
723055	NO. 2 ENGINE - INSPECT IMPELLER SHAFT							Service	ATA:72
PN:6079T80P07	MOS/MSC	31-Aug-95	C/C						
SN:PUN33063	HRS	0							
	ENC	0							
723060	NO. 1 ENGINE - TIE ROD							Component	ATA:72
PN:5127T26P02	MOS	11-Mar-14		TSN 0				LIFE LIMIT	
SN:FBKCM044	HRS	11255.1		TSN 0					
	ENC	7501	5000	TSN 0	(12501) 11727		2623		
PROC. REF: GENERIC NO REF									
723060	NO. 2 ENGINE - TIE ROD							Component	ATA:72
PN:5127T26P02	MOS	21-Mar-14		TSN 0				LIFE LIMIT	
SN:FBKCM047	HRS	11172.5		TSN 0					
	ENC	7430	5000	TSN 0	(12430) 11707		2603		
PROC. REF: GENERIC NO REF									
723061	NO. 1 ENGINE - INSPECT TIE ROD							Service	ATA:72
PN:5127T26P02	MOS/MSC	30-Jun-95	C/C						
SN:FBKCM044	HRS	0							
	ENC	0							
723061	NO. 2 ENGINE - INSPECT TIE ROD							Service	ATA:72
PN:5127T26P02	MOS/MSC	31-Aug-95	C/C						
SN:FBKCM047	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723065	NO. 1 ENGINE - AIR TUBE							Component	ATA:72
PN:5087T83P02	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723065	NO. 2 ENGINE - AIR TUBE							Component	ATA:72
PN:3050870-1	MOS/MSC	25-Aug-00	O/C	TSN 0					
SN:UNKNOWN	HRS	3740.7		TSN 0					
	ENC	2740		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:6079T99G09	MOS/MSC	19-Mar-14	O/C	TSR 0					
SN:GGAEB258	HRS	11255.1		TSR 0					
	ENC	7501		TSR 0					
PROC. REF: GENERIC NO REF, LMM 72-30-10, LMM 72-30-10									
723070	NO. 2 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:6079T99G09	MOS/MSC	24-Mar-14	O/C	TSR 0					
SN:GGAEB475	HRS	11172.5		TSR 0					
	ENC	7430		TSR 0					
PROC. REF: GENERIC NO REF, LMM 72-30-10, LMM 72-30-10									
723080	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) STATOR ASSEMBLY							Component	ATA:72
PN:5087T42G09	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:GGAED255	HRS	11255.1		TSN 11255.1, TSO 0					
	ENC	7501		TSN 7501, TSO 0					
PROC. REF: GENERIC NO REF, LMM 72-50-08, LMM 72-50-08									
723080	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) STATOR ASSEMBLY							Component	ATA:72
PN:5087T42G09	MOS/MSC	26-May-09	O/C	TSR 0					
SN:GGAED258	HRS	8663.3		TSR 0					
	ENC	6140		TSR 0					
PROC. REF: GENERIC NO REF, LMM 72-50-08, LMM 72-50-08									
723090	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) ROTOR ASSEMBLY							Component	ATA:72
PN:6083T73G15	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:GGAEC255	HRS	11255.1		TSN 11266.1, TSO 0					
	ENC	7501		TSN 7522, TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723090	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) ROTOR ASSEMBLY							Component	ATA:72
PN:6083T73G15	MOS/MSC	24-Mar-14	O/C	TSO 0					
SN:GGAEC258	HRS	11172.5		TSN 11161.5, TSO 0					
	ENC	7430		TSN 7409, TSO 0					
PROC. REF: GENERIC NO REF									
724010	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) INNER CASE							Component	ATA:72
PN:6083T14G06	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:GGDH6391	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) INNER CASE							Component	ATA:72
PN:6083T14G06	MOS/MSC	31-Aug-95	O/C						
SN:UNKNOWN	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
724020	NO. 1 ENGINE - STAGE 1 HIGH PRESSURE TURBINE (HPT) BLADE SET							Component	ATA:72
PN:3056T86P01	MOS	14-Mar-14		TSN 0				LIFE LIMIT	
SN:CAVG1200	HRS	11255.1	5000	TSN 0	(16255.1) 14760.7		935.3		
	ENC	7501		TSN 0					
PROC. REF: GENERIC NO REF									
724020	NO. 2 ENGINE - STAGE 1 HIGH PRESSURE TURBINE (HPT) BLADE SET							Component	ATA:72
PN:3056T86P01	MOS	20-Feb-14		TSN 0				LIFE LIMIT	
SN:CAV61247	HRS	11172.5	5000	TSN 0	(16172.5) 14851.3		1025.9		
	ENC	7430		TSN 0					
PROC. REF: GENERIC NO REF									
724030	NO. 1 ENGINE - STAGE 2 HIGH PRESSURE TURBINE (HPT) BLADE SET							Component	ATA:72
PN:6077T08P06	MOS	30-Jun-21		TSN 0				LIFE LIMIT	
SN:CAV61109	HRS	13797.9	6000	TSN 0	(19797.9) 18303.5		4478.1		
	ENC	8983		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
724030	NO. 2 ENGINE - STAGE 2 HIGH PRESSURE TURBINE (HPT) BLADE SET							Component	ATA:72
PN:6077T08P06	MOS	30-Jun-21		TSN 0				LIFE LIMIT	
SN:CAV61110	HRS	13620.3	6000	TSN 0	(19620.3) 18299.1		4473.7		
	ENC	8943		TSN 0					
PROC. REF: GENERIC NO REF									
724040	NO. 1 ENGINE - COMBUSTION CASE							Component	ATA:72
PN:5083T09G08	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:GEDVH620	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724040	NO. 2 ENGINE - COMBUSTION CASE							Component	ATA:72
PN:6093T03G06	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:GGDH7904	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724041	NO. 1 ENGINE - INLET FAN HOUSING							Component	ATA:72
PN:3050190-3	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-20-01, LMM 72-20-01									
724041	NO. 2 ENGINE - INLET FAN HOUSING							Component	ATA:72
PN:3050190-3	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-20-01, LMM 72-20-01									
724050	NO. 1 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:4106T97G02	MOS/MSC	19-Mar-14	O/C	TSN 0					
SN:GGM9KD99	HRS	11255.1		TSN 0					
	ENC	7501		TSN 0					
PROC. REF: GENERIC NO REF									
724050	NO. 2 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:4106T97G02	MOS/MSC	26-May-09	O/C	TSO 0					
SN:GGM8PR4K	HRS	8663.3		TSO 0					
	ENC	6140		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
724060	NO. 1 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:5087T17G02	MOS/MSC	26-Jul-99	O/C						
SN:GATBGU78	HRS	2890		TSN 2890					
	ENC	2111		TSN 2111					
PROC. REF: GENERIC NO REF									
724060	NO. 2 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:5087T17G02	MOS/MSC	26-Jul-99	O/C						
SN:GATBLB63	HRS	2879		TSN 2879					
	ENC	2088		TSN 2088					
PROC. REF: GENERIC NO REF									
724070	NO. 1 ENGINE - COMPRESSOR ROTOR ASSEMBLY							Component	ATA:72
PN:5088T20G10	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:GGAEA258	HRS	11255.1		TSN 11255.1, TSO 0					
	ENC	7501		TSN 7501, TSO 0					
PROC. REF: GENERIC NO REF									
724070	NO. 2 ENGINE - COMPRESSOR ROTOR ASSEMBLY							Component	ATA:72
PN:5088T20G10	MOS/MSC	24-Mar-14	O/C						
SN:GGAEA255	HRS	11172.5		TSN 11172.5					
	ENC	7430		TSN 7430					
PROC. REF: GENERIC NO REF									
725010 <sup>S</sup>	NO. 1 ENGINE - BORESCOPE INTERNAL COMPONENTS							Service	ATA:72
	MOS	03-Aug-20							
	HRS	13773.3	1600 (+50)						
	ENC	8987							
PROC. REF: LMM 72-00-00									
725010 <sup>S</sup>	NO. 2 ENGINE - BORESCOPE INTERNAL COMPONENTS							Service	ATA:72
	MOS	17-Sep-16							
	HRS	12414.2	1600 (+50)						
	ENC	8193							
PROC. REF: LMM 72-00-00									
725020	NO. 1 ENGINE - STAGE 1 FORWARD HIGH PRESSURE TURBINE (HPT) COOLING PLATE							Component	ATA:72
PN:5087T76P01	MOS	14-Mar-14		TSN 0				LIFE LIMIT	
SN:PUN31179	HRS	11255.1		TSN 0					
	ENC	7501	9700	TSN 0	(17201) 16427		7323		
PROC. REF: GENERIC NO REF, LMM 72-50-08, LMM 72-50-08									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725020	NO. 2 ENGINE - STAGE 1 FORWARD HIGH PRESSURE TURBINE (HPT) COOLING PLATE							Component	ATA:72
PN:5087T76P01	MOS	20-Feb-14						LIFE LIMIT	
SN:PUN17425	HRS	11172.5		TSN 4921.6					
	ENC	7430	9700	TSN 2687	(14443) 13720		4616		
PROC. REF: GENERIC NO REF, LMM 72-50-08, LMM 72-50-08									
725025	NO. 1 ENGINE - INSPECT HPT1 FORWARD COOLING PLATE							Service	ATA:72
PN:5087T76P01	MOS/MSC	30-Jun-95	C/C						
SN:PUN31179	HRS	0							
	ENC	0							
725025	NO. 2 ENGINE - INSPECT HPT1 FORWARD COOLING PLATE							Service	ATA:72
PN:5087T76P01	MOS/MSC	31-Aug-95	C/C						
SN:PUN17425	HRS	0							
	ENC	0							
725030	NO. 1 ENGINE - STAGE 1 HIGH PRESSURE TURBINE (HPT) DISK							Component	ATA:72
PN:5127T27P01	MOS	14-Mar-14		TSN 0				LIFE LIMIT	
SN:CAVG1200	HRS	11255.1		TSN 0					
	ENC	7501	3950	TSN 0	(11451) 10677		1573		
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - STAGE 1 HIGH PRESSURE TURBINE (HPT) DISK							Component	ATA:72
PN:5127T27P01	MOS	20-Feb-14		TSN 0				LIFE LIMIT	
SN:CAVG61247	HRS	11172.5		TSN 0					
	ENC	7430	3950	TSN 0	(11380) 10657		1553		
PROC. REF: GENERIC NO REF									
725035	NO. 1 ENGINE - INSPECT HPT1 DISK							Service	ATA:72
PN:5127T27P01	MOS/MSC	30-Jun-95	C/C						
SN:CAVG1200	HRS	0							
	ENC	0							
725035	NO. 2 ENGINE - INSPECT HPT1 DISK							Service	ATA:72
PN:5127T27P01	MOS/MSC	31-Aug-95	C/C						
SN:CAVG61247	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>725040 NO. 1 ENGINE - STAGE 1 AFT HIGH PRESSURE TURBINE (HPT) COOLING PLATE</b>								Component ATA:72
PN:6083T38P08	MOS/MSC	24-Mar-09	O/C	TSN 0				
SN:NCE310DH	HRS	8708.7		TSN 0				
	ENC	6190		TSN 0				
PROC. REF: GENERIC NO REF, LMM 72-50-08, LMM 72-50-08								
<b>725040 NO. 2 ENGINE - STAGE 1 AFT HIGH PRESSURE TURBINE (HPT) COOLING PLATE</b>								Component ATA:72
PN:6083T38P08	MOS/MSC	20-Feb-14	O/C	TSN 0				
SN:NCE414LA	HRS	11172.5		TSN 0				
	ENC	7430		TSN 0				
PROC. REF: GENERIC NO REF, LMM 72-50-08, LMM 72-50-08								
<b>725045 NO. 1 ENGINE - INSPECT HPT1 AFT COOLING PLATE</b>								Service ATA:72
PN:6083T38P08	MOS/MSC	30-Jun-95	C/C					
SN:NCE310DH	HRS	0						
	ENC	0						
<b>725045 NO. 2 ENGINE - INSPECT HPT1 AFT COOLING PLATE</b>								Service ATA:72
PN:6083T38P08	MOS/MSC	31-Aug-95	C/C					
SN:NCE414LA	HRS	0						
	ENC	0						
<b>725050 NO. 1 ENGINE - TURBINE ROTOR INTERSTAGE SEAL</b>								Component ATA:72
PN:4106T90P01	MOS	14-Mar-14		TSN 0				LIFE LIMIT
SN:TMT2TD77	HRS	11255.1		TSN 0				
	ENC	7501	4600	TSN 0	(12101) 11327		2223	
PROC. REF: GENERIC NO REF								
<b>725050 NO. 2 ENGINE - TURBINE ROTOR INTERSTAGE SEAL</b>								Component ATA:72
PN:4106T90P01	MOS	20-Feb-14		TSN 0				LIFE LIMIT
SN:TMT2TD82	HRS	11172.5		TSN 0				
	ENC	7430	4600	TSN 0	(12030) 11307		2203	
PROC. REF: GENERIC NO REF								
<b>725055 NO. 1 ENGINE - INSPECT (HPT) TURBINE ROTOR INTERSTAGE SEAL</b>								Service ATA:72
PN:4106T90P01	MOS/MSC	30-Jun-95	C/C					
SN:TMT2TD77	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725055	NO. 2 ENGINE - INSPECT (HPT) TURBINE ROTOR INTERSTAGE SEAL							Service	ATA:72
PN:4106T90P01	MOS/MSC	31-Aug-95	C/C						
SN:TMT2TD82	HRS	0							
	ENC	0							
725060	NO. 1 ENGINE - STAGE 2 HIGH PRESSURE TURBINE (HPT) DISK							Component	ATA:72
PN:5127T28P01	MOS	14-Mar-14		TSN 0				LIFE LIMIT	
SN:CAV61110	HRS	11255.1		TSN 0					
	ENC	7501	3950	TSN 0	(11451) 10677		1573		
PROC. REF: GENERIC NO REF									
725060	NO. 2 ENGINE - STAGE 2 HIGH PRESSURE TURBINE (HPT) DISK							Component	ATA:72
PN:5127T28P01	MOS	20-Feb-14		TSN 0				LIFE LIMIT	
SN:CAV61109	HRS	11172.5		TSN 0					
	ENC	7430	3950	TSN 0	(11380) 10657		1553		
PROC. REF: GENERIC NO REF									
725065	NO. 1 ENGINE - INSPECT HPT2 DISK							Service	ATA:72
PN:5127T28P01	MOS/MSC	30-Jun-95	C/C						
SN:CAV61110	HRS	0							
	ENC	0							
725065	NO. 2 ENGINE - INSPECT HPT2 DISK							Service	ATA:72
PN:5127T28P01	MOS/MSC	31-Aug-95	C/C						
SN:CAV61109	HRS	0							
	ENC	0							
725070	NO. 1 ENGINE - STAGE 2 AFT HIGH PRESSURE TURBINE (HPT) COOLING PLATE							Component	ATA:72
PN:6083T39P05	MOS	14-Mar-14		TSN 0				LIFE LIMIT	
SN:NCE187KL	HRS	11255.1		TSN 0					
	ENC	7501	10000	TSN 0	(17501) 16727		7623		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725070	NO. 2 ENGINE - STAGE 2 AFT HIGH PRESSURE TURBINE (HPT) COOLING PLATE							Component	ATA:72
PN:6083T39P05	MOS	20-Feb-14		TSN 0				LIFE LIMIT	
SN:NCE069EM	HRS	11172.5		TSN 0					
	ENC	7430	10000	TSN 0	(17430) 16707		7603		
PROC. REF: GENERIC NO REF									
725075	NO. 1 ENGINE - INSPECT HPT2 AFT COOLING PLATE							Service	ATA:72
PN:6083T39P05	MOS/MSC	30-Jun-95	C/C						
SN:NCE187KL	HRS	0							
	ENC	0							
725075	NO. 2 ENGINE - INSPECT HPT2 AFT COOLING PLATE							Service	ATA:72
PN:6083T39P05	MOS/MSC	31-Aug-95	C/C						
SN:NCE069EM	HRS	0							
	ENC	0							
725080	NO. 1 ENGINE - REAR HIGH PRESSURE TURBINE (HPT) SHAFT							Component	ATA:72
PN:5087T15P05	MOS	09-Apr-09						LIFE LIMIT	
SN:PUN30883	HRS	8708.7		TSN 0					
	ENC	6190	6200	TSN 0	(12390) 11616		2512		
PROC. REF: GENERIC NO REF									
725080	NO. 2 ENGINE - REAR HIGH PRESSURE TURBINE (HPT) SHAFT							Component	ATA:72
PN:5087T15P05	MOS	20-Feb-14		TSN 0				LIFE LIMIT	
SN:PUN33308	HRS	11172.5		TSN 0					
	ENC	7430	6200	TSN 0	(13630) 12907		3803		
PROC. REF: GENERIC NO REF									
725085	NO. 1 ENGINE - INSPECT HPT REAR SHAFT							Service	ATA:72
PN:5087T15P05	MOS/MSC	30-Jun-95	C/C						
SN:PUN30883	HRS	0							
	ENC	0							
725085	NO. 2 ENGINE - INSPECT HPT REAR SHAFT							Service	ATA:72
PN:5087T15P05	MOS/MSC	31-Aug-95	C/C						
SN:PUN33308	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725090	NO. 1 ENGINE - TIE ROD LOCKNUT							Component	ATA:72
PN:5087T92P01	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:TEJ17630	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 9226		122		
PROC. REF: GENERIC NO REF									
725090	NO. 2 ENGINE - TIE ROD LOCKNUT							Component	ATA:72
PN:5087T92P01	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:TEJ17634	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 9277		173		
PROC. REF: GENERIC NO REF									
725091	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE (LPT) ROTOR DISK							Component	ATA:72
PN:3050549-1	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:4-23315-1143	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24226		15122		
PROC. REF: GENERIC NO REF									
725091	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE (LPT) ROTOR DISK							Component	ATA:72
PN:3050549-1	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:4-23315-1135	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24277		15173		
PROC. REF: GENERIC NO REF									
725092	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE (LPT) ROTOR DISK							Component	ATA:72
PN:3050547-1	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:4-23315-1460	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24226		15122		
PROC. REF: GENERIC NO REF									
725092	NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE (LPT) ROTOR DISK							Component	ATA:72
PN:3050547-1	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:4-23315-1453	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24277		15173		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725093	NO. 1 ENGINE - INSPECT TIE ROD LOCKNUT							Service	ATA:72
PN:5087T92P01	MOS/MSC		30-Jun-95	C/C					
SN:TEJ17630	HRS		0						
	ENC		0						
725093	NO. 2 ENGINE - INSPECT TIE ROD LOCKNUT							Service	ATA:72
PN:5087T92P01	MOS/MSC		31-Aug-95	C/C					
SN:TEJ17634	HRS		0						
	ENC		0						
725096	NO. 1 ENGINE - INSPECT LPT1 ROTOR DISK							Service	ATA:72
PN:3050549-1	MOS/MSC		30-Jun-95	C/C					
SN:4-23315-1143	HRS		0						
	ENC		0						
725096	NO. 2 ENGINE - INSPECT LPT1 ROTOR DISK							Service	ATA:72
PN:3050549-1	MOS/MSC		31-Aug-95	C/C					
SN:4-23315-1135	HRS		0						
	ENC		0						
725097	NO. 1 ENGINE - INSPECT LPT2 ROTOR DISK							Service	ATA:72
PN:3050547-1	MOS/MSC		30-Jun-95	C/C					
SN:4-23315-1460	HRS		0						
	ENC		0						
725097	NO. 2 ENGINE - INSPECT LPT2 ROTOR DISK							Service	ATA:72
PN:3050547-1	MOS/MSC		31-Aug-95	C/C					
SN:4-23315-1453	HRS		0						
	ENC		0						
725110	NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE (LPT) ROTOR DISK							Component	ATA:72
PN:3050545-2	MOS		30-Jun-95	TSN 0				LIFE LIMIT	
SN:4-23315-1274	HRS		0	TSN 0					
	ENC		0	25000	TSN 0	(25000) 24226	15122		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725110	NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE (LPT) ROTOR DISK							Component	ATA:72
PN:3050545-2	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:5-23315-360	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24277		15173		
PROC. REF: GENERIC NO REF									
725115	NO. 1 ENGINE - INSPECT LPT3 ROTOR DISK							Service	ATA:72
PN:3050545-2	MOS/MSC	30-Jun-95	C/C						
SN:4-23315-1274	HRS	0							
	ENC	0							
725115	NO. 2 ENGINE - INSPECT LPT3 ROTOR DISK							Service	ATA:72
PN:3050545-2	MOS/MSC	31-Aug-95	C/C						
SN:5-23315-360	HRS	0							
	ENC	0							
725120	NO. 1 ENGINE - STAGE 1/2 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Component	ATA:72
PN:3050548-2	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:5-03190-634	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24226		15122		
PROC. REF: GENERIC NO REF									
725120	NO. 2 ENGINE - STAGE 1/2 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Component	ATA:72
PN:3050548-2	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:5-03160-635	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24277		15173		
PROC. REF: GENERIC NO REF									
725125	NO. 1 ENGINE - INSPECT STAGE 1/2 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Service	ATA:72
PN:3050548-2	MOS/MSC	30-Jun-95	C/C						
SN:5-03190-634	HRS	0							
	ENC	0							
725125	NO. 2 ENGINE - INSPECT STAGE 1/2 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Service	ATA:72
PN:3050548-2	MOS/MSC	31-Aug-95	C/C						
SN:5-03160-635	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725130	NO. 1 ENGINE - STAGE 2/3 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Component	ATA:72
PN:3050546-1	MOS	26-Jul-99		TSN 0				LIFE LIMIT	
SN:5-03160-983	HRS	2890		TSN 0					
	ENC	2111	25000	TSN 0	(27111) 26337		17233		
PROC. REF: GENERIC NO REF									
725130	NO. 2 ENGINE - STAGE 2/3 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Component	ATA:72
PN:3050546-1	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:5-03160-984	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24277		15173		
PROC. REF: GENERIC NO REF									
725135	NO. 1 ENGINE - INSPECT STAGE 2/3 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Service	ATA:72
PN:3050546-1	MOS/MSC	30-Jun-95	C/C						
SN:5-03160-983	HRS	0							
	ENC	0							
725135	NO. 2 ENGINE - INSPECT STAGE 2/3 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Service	ATA:72
PN:3050546-1	MOS/MSC	31-Aug-95	C/C						
SN:5-03160-984	HRS	0							
	ENC	0							
725140	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Component	ATA:72
PN:3050807-1	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:4-23084-117	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24226		15122		
PROC. REF: GENERIC NO REF									
725140	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Component	ATA:72
PN:3050807-1	MOS	22-Jan-02		TSN 0				LIFE LIMIT	
SN:012308400315	HRS	4634.9		TSN 0					
	ENC	3450	25000	TSN 0	(28450) 27727		18623		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725145	NO. 1 ENGINE - INSPECT STAGE 1 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Service	ATA:72
PN:3050807-1	MOS/MSC	30-Jun-95	C/C						
SN:4-23084-117	HRS	0							
	ENC	0							
725145	NO. 2 ENGINE - INSPECT STAGE 1 LOW PRESSURE TURBINE (LPT) ROTATING AIR SEAL							Service	ATA:72
PN:3050807-1	MOS/MSC	31-Aug-95	C/C						
SN:012308400315	HRS	0							
	ENC	0							
725150	NO. 1 ENGINE - LOW PRESSURE TURBINE (LPT) STUB SHAFT							Component	ATA:72
PN:3050867-2	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:5-03229-936	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 9226		122		
PROC. REF: GENERIC NO REF									
725150	NO. 2 ENGINE - LOW PRESSURE TURBINE (LPT) STUB SHAFT							Component	ATA:72
PN:3050867-2	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:5-03229-948	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 9277		173		
PROC. REF: GENERIC NO REF									
725155	NO. 1 ENGINE - INSPECT LP STUB SHAFT							Service	ATA:72
PN:3050867-2	MOS/MSC	30-Jun-95	C/C						
SN:5-03229-936	HRS	0							
	ENC	0							
725155	NO. 2 ENGINE - INSPECT LP STUB SHAFT							Service	ATA:72
PN:3050867-2	MOS/MSC	31-Aug-95	C/C						
SN:5-03229-948	HRS	0							
	ENC	0							
725160	NO. 1 ENGINE - 2ND/3RD LOW PRESSURE TURBINE (LPT) COUPLER SHAFT							Component	ATA:72
PN:3050583-6	MOS	30-Jun-95		TSN 0				LIFE LIMIT	
SN:4-03160-2684	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24226		15122		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725160	NO. 2 ENGINE - 2ND/3RD LOW PRESSURE TURBINE (LPT) COUPLER SHAFT							Component	ATA:72
PN:3050583-6	MOS	31-Aug-95		TSN 0				LIFE LIMIT	
SN:4-03160-2675	HRS	0		TSN 0					
	ENC	0	25000	TSN 0	(25000) 24277		15173		
PROC. REF: GENERIC NO REF									
725165	NO. 1 ENGINE - INSPECT COUPLER SHAFT							Service	ATA:72
PN:3050583-6	MOS/MSC	30-Jun-95	C/C						
SN:4-03160-2684	HRS	0							
	ENC	0							
725165	NO. 2 ENGINE - INSPECT COUPLER SHAFT							Service	ATA:72
PN:3050583-6	MOS/MSC	31-Aug-95	C/C						
SN:4-03160-2675	HRS	0							
	ENC	0							
725170	NO. 1 ENGINE - LOW PRESSURE (LP) SHAFT							Component	ATA:72
PN:3050882-1	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:5-04733-104	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725170	NO. 2 ENGINE - LOW PRESSURE (LP) SHAFT							Component	ATA:72
PN:3050882-1	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:5-04733-101	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725180	NO. 1 ENGINE - TOWER SHAFT ROLLER BEARING							Component	ATA:72
PN:3050182-2	MOS/MSC	30-Jun-95	O/C	TSN 0					
SN:95199141138	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725180	NO. 2 ENGINE - TOWER SHAFT ROLLER BEARING							Component	ATA:72
PN:3050182-2	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:95199141110	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725190	NO. 1 ENGINE - TOWER SHAFT DUPLEX BALL BEARING							Component	ATA:72
PN:3051357-1	MOS/MSC	19-Mar-14	O/C	TSN 0					
SN:14-151725-00022	HRS	11255.1		TSN 0					
	ENC	7501		TSN 0					
PROC. REF: GENERIC NO REF									
725190	NO. 2 ENGINE - TOWER SHAFT DUPLEX BALL BEARING							Component	ATA:72
PN:3051357-1	MOS/MSC	26-May-09	O/C	TSN 0					
SN:08-02330-11356	HRS	8663.3		TSN 0					
	ENC	6140		TSN 0					
PROC. REF: GENERIC NO REF									
725210	NO. 1 ENGINE - NO.4 ROLLER BEARING							Component	ATA:72
PN:3050855-1	MOS/MSC	25-Jan-02	O/C	TSN 0					
SN:011991406590	HRS	4623.9		TSN 0					
	ENC	3429		TSN 0					
PROC. REF: GENERIC NO REF									
725210	NO. 2 ENGINE - NO.4 ROLLER BEARING							Component	ATA:72
PN:3050855-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:011991421904	HRS	4634.9		TSN 0					
	ENC	3450		TSN 0					
PROC. REF: GENERIC NO REF									
725220	NO. 1 ENGINE - NO.5 ROLLER BEARING							Component	ATA:72
PN:3050595-1	MOS/MSC	25-Jan-02	O/C	TSN 0					
SN:011991404730	HRS	4623.9		TSN 0					
	ENC	3429		TSN 0					
PROC. REF: GENERIC NO REF									
725220	NO. 2 ENGINE - NO.5 ROLLER BEARING							Component	ATA:72
PN:3050595-1	MOS/MSC	31-Aug-95	O/C	TSN 0					
SN:95199145507	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725230	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE (LPT) ROTOR ASSEMBLY							Component	ATA:72
PN:3050526-9	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:4-23315-1135	HRS	11255.1		TSN 11255.1, TSO 0					
	ENC	7501		TSN 7501, TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725230	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE (LPT) ROTOR ASSEMBLY							Component	ATA:72
PN:3050526-8	MOS/MSC	24-Mar-14	O/C	TSN 0					
SN:1318248400059	HRS	11172.5		TSN 0					
	ENC	7430		TSN 0					
PROC. REF: GENERIC NO REF									
725240	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE (LPT) ROTOR ASSEMBLY							Component	ATA:72
PN:3050518-3	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:4-23315-1453	HRS	11255.1		TSN 11255.1, TSO 0					
	ENC	7501		TSN 7501, TSO 0					
PROC. REF: GENERIC NO REF									
725240	NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE (LPT) ROTOR ASSEMBLY							Component	ATA:72
PN:3050518-4	MOS/MSC	24-Mar-14	O/C	TSN 0					
SN:12-156103-00906	HRS	11172.5		TSN 0					
	ENC	7430		TSN 0					
PROC. REF: GENERIC NO REF									
725250	NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE (LPT) ROTOR ASSEMBLY							Component	ATA:72
PN:3050509-3	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:5-23315-360	HRS	11255.1		TSN 11255.1, TSO 0					
	ENC	7501		TSN 7501, TSO 0					
PROC. REF: GENERIC NO REF									
725250	NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE (LPT) ROTOR ASSEMBLY							Component	ATA:72
PN:3050509-3	MOS/MSC	24-Mar-14	O/C	TSO 0					
SN:4-23315-1274	HRS	11172.5		TSN 11172.5, TSO 0					
	ENC	7430		TSN 7430, TSO 0					
PROC. REF: GENERIC NO REF									
725260	NO. 1 ENGINE - DETAILED INSPECTION OF THE GENERATOR RIGID COUPLING SHAFT							Service	ATA:72
	MOS/MSC	25-Jan-02	O/C						
	HRS	4623.9							
	ENC	4329							
PROC. REF: LMM 72-00-60									
725260	NO. 2 ENGINE - DETAILED INSPECTION OF THE GENERATOR RIGID COUPLING SHAFT							Service	ATA:72
	MOS/MSC	25-Jan-02	O/C						
	HRS	4634.9							
	ENC	3450							
PROC. REF: LMM 72-00-60									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
726010	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3050601-4	MOS/MSC	09-Jul-09	O/C	TSR 4					
SN:1262	HRS	8769.6		TSR 0					
	ENC	6225		TSR 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60									
726010	NO. 2 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3050601-3	MOS/MSC	24-Mar-14	O/C	TSR 0					
SN:1064	HRS	11172.5		TSR 0					
	ENC	7430		TSR 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60									
727010	NO. 1 ENGINE - DETAILED INSPECTION OF FAIRING CORE MOUNT BRACKETS FOR CONDITION AND SECURITY							Service	ATA:72
	MOS/MSC		O/C						
	HRS								
	ENC								
PROC. REF: LMM 72-70-08									
727010	NO. 2 ENGINE - DETAILED INSPECTION OF FAIRING CORE MOUNT BRACKETS FOR CONDITION AND SECURITY							Service	ATA:72
	MOS/MSC		O/C						
	HRS								
	ENC								
PROC. REF: LMM 72-70-08									
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
73-20-05-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE HMU - LH ENGINE HMU (L5EZ5)							Service	ATA:73
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
WC#: 71.050	AFL	8635							
PROC. REF: AMM 73-20-05-710-801									
73-20-05-710-801-01A	OPERATIONAL TEST OF THE LH ENGINE HYDROMECHANICAL UNIT (HMU) (MANDATORY 5-40)							Service	ATA:73
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
WC#: 71.050	AFL	8635							
PROC. REF: AMM 73-20-05-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
73-20-05-710-801-02 <sup>S</sup>	OPERATIONAL TEST OF THE HMU - RH ENGINE HMU (R5EZ5)							Service	ATA:73
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
	AFL	8635							
PROC. REF: AMM 73-20-05-710-801								PKG:21	
73-20-05-710-801-02A	OPERATIONAL TEST OF THE RH ENGINE HYDROMECHANICAL UNIT (HMU) (MANDATORY 5-40)							Service	ATA:73
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
	AFL	8635							
PROC. REF: AMM 73-20-05-710-801									
73-40-00-700-801-01	INDICATION TEST OF APR							Service	ATA:73
	MOS	22-Sep-23	12 (+1m)		22-Sep-24	22-Oct-24	169 d (+30)		
	HRS	13560.4	400 (+40)	Adj -23.8	13936.6	13976.6	111.2 (+40)		
WC#: 71.040	AFL	8949							
PROC. REF: AMM 73-40-00-700-801									
73-40-00-700-801-01A	TEST OF THE AUTOMATIC POWER RESERVE (APR) INDICATION (MANDATORY 5-40)							Service	ATA:73
	MOS	22-Sep-23						MANDATORY 5-40	
	HRS	13560.4	450		14010.4		185		
WC#: 71.040	AFL	8949							
PROC. REF: AMM 73-40-00-700-801									
73-40-00-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF APR							Service	ATA:73
	MOS	17-Aug-22							
	HRS	13017.2	1600 (+40)						
WC#: 71.070	AFL	8635							
PROC. REF: AMM 73-40-00-710-801								PKG:21	
73-40-00-710-801-01A	OPERATIONAL TEST OF THE AUTOMATIC POWER RESERVE (APR) (MANDATORY 5-40)							Service	ATA:73
	MOS	17-Aug-22						MANDATORY 5-40	
	HRS	13017.2	1800		14817.2		991.8		
WC#: 71.070	AFL	8635							
PROC. REF: AMM 73-40-00-710-801									
73-40-00-710-802-01	OPERATIONAL TEST OF THE ENGINE SHUT-DOWN BY OVERSPEED PROTECTION							Service	ATA:73
	MOS/MSC	10-Feb-17	O/C						
	HRS	10584.7							
WC#: 71.030	AFL	7139							
PROC. REF: AMM 73-40-00-710-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
<b>730010</b>		<b>NO. 1 ENGINE - FUEL FLOW TRANSMITTER</b>						<b>Component</b>	<b>ATA:73</b>
PN:3051203-1	MOS/MSC	03-Jul-14	O/C		TSO 68				
SN:W9195	HRS	11400.2			TSO 0				
	ENC	7587			TSO 0				
PROC. REF: LMM 73-30-01, LMM 73-30-01									
<b>730010</b>		<b>NO. 2 ENGINE - FUEL FLOW TRANSMITTER</b>						<b>Component</b>	<b>ATA:73</b>
PN:3051203-1	MOS/MSC	24-Mar-14	O/C		TSR 0				
SN:W9224	HRS	11172.5			TSR 0				
	ENC	7430			TSR 0				
PROC. REF: LMM 73-30-01, LMM 73-30-01									
<b>731010</b>		<b>NO. 1 ENGINE - FUEL/OIL HEAT EXCHANGER</b>						<b>Component</b>	<b>ATA:73</b>
PN:3051200-1	MOS/MSC	19-Mar-14	O/C		TSO 0				
SN:012409400428	HRS	11255.1			TSO 0				
	ENC	7501			TSO 0				
PROC. REF: LMM 73-10-05, LMM 73-10-05									
<b>731010</b>		<b>NO. 2 ENGINE - FUEL/OIL HEAT EXCHANGER</b>						<b>Component</b>	<b>ATA:73</b>
PN:3051200-1	MOS/MSC	24-Mar-14	O/C		TSO 0				
SN:972409400191	HRS	11172.5			TSO 0				
	ENC	7430			TSO 0				
PROC. REF: LMM 73-10-05, LMM 73-10-05									
<b>732010</b>		<b>NO. 1 ENGINE - (HMU) HYDROMECHANICAL UNIT</b>						<b>Component</b>	<b>ATA:73</b>
PN:5085T40G04	MOS/MSC	19-Mar-14	O/C		TSO 0				
SN:BECH0786	HRS	11255.1			TSO 0				
	ENC	7501			TSO 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01									
<b>732010</b>		<b>NO. 2 ENGINE - (HMU) HYDROMECHANICAL UNIT</b>						<b>Component</b>	<b>ATA:73</b>
PN:5085T40G04	MOS/MSC	24-Mar-14	O/C		TSR 0				
SN:BECH0863	HRS	11172.5			TSR 0				
	ENC	7430			TSR 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01									
<b>732020<sup>S</sup></b>		<b>NO. 1 ENGINE - DISCARD FUEL FILTER ELEMENT</b>						<b>Service</b>	<b>ATA:73</b>
	MOS	12-Jan-24							
	HRS	15257.9	600 (+50)						
	ENC	9839							
PROC. REF: LMM 73-21-01, LMM 73-21-01									

PKG:2 ,5

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
732020 <sup>S</sup>	NO. 2 ENGINE - DISCARD FUEL FILTER ELEMENT							Service	ATA:73
	MOS	12-Jan-24							
	HRS	15079.7	600 (+50)						
	ENC	9788							
	PROC. REF: LMM 73-21-01, LMM 73-21-01							PKG:2 ,5	
732030 <sup>S</sup>	NO. 1 ENGINE - DETAILED INSPECTION OF HMU FOR CONDITION AND SECURITY							Service	ATA:73
	MOS	12-Jan-24							
	HRS	15257.9	400 (+10%)						
	ENC	9839							
	PROC. REF: LMM 72-00-00							PKG:3 ,4 ,6,5	
732030 <sup>S</sup>	NO. 2 ENGINE - DETAILED INSPECTION OF HMU FOR CONDITION AND SECURITY							Service	ATA:73
	MOS	12-Jan-24							
	HRS	15079.7	400 (+10%)						
	ENC	9788							
	PROC. REF: LMM 72-00-00							PKG:3 ,4 ,6,5	
<b>ATA 74 - IGNITION</b>									
740010	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:59501-9044380-3	MOS/MSC	10-May-23	O/C		TSN 59				
SN:UNLP8299	HRS	14934.8			TSN 1809.3				
	ENC	9640			TSN 1034				
	PROC. REF: LMM 74-20-02								
740010	NO. 2 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:4095T13P04	MOS/MSC	10-May-23	O/C						
SN:UNN8104J	HRS	14757.2							
	ENC	9589							
	PROC. REF: LMM 74-20-02								
740020 <sup>S</sup>	NO. 1 ENGINE - DETAILED INSPECTION 4 O'CLOCK IGNITER PLUG FOR CONDITION AND SECURITY							Service	ATA:74
PN:59501-9044380-3	MOS	10-May-23							
SN:UNLP8299	HRS	14934.8	800 (+50)						
	ENC	9640							
	PROC. REF: LMM 74-20-02, LMM 74-20-02							PKG:4 ,6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 74 - IGNITION</b>								
740020 <sup>S</sup> NO. 2 ENGINE - DETAILED INSPECTION 4 O'CLOCK IGNITER PLUG FOR CONDITION AND SECURITY								Service ATA:74
PN:4095T13P04	MOS		10-May-23					
SN:UNN8104J	HRS		14757.2			800 (+50)		
	ENC		9589					
PROC. REF: LMM 74-20-02, LMM 74-20-02								PKG:4 ,6
740030 NO. 1 ENGINE - 8 O'CLOCK IGNITER PLUG								Component ATA:74
PN:59501-9044380-3	MOS/MSC		10-May-23	O/C				
SN:UNLP9550	HRS		14934.8					
	ENC		9640					
PROC. REF: LMM 74-20-02								
740030 NO. 2 ENGINE - 8 O'CLOCK IGNITER PLUG								Component ATA:74
PN:4095T13P04	MOS/MSC		10-May-23	O/C				
SN:UNKNOWN	HRS		14757.2		TSN 8506.3			
	ENC		9589					
PROC. REF: LMM 74-20-02								
740040 <sup>S</sup> NO. 1 ENGINE - DETAILED INSPECTION 8 O'CLOCK IGNITER PLUG FOR CONDITION AND SECURITY								Service ATA:74
PN:59501-9044380-3	MOS		10-May-23					
SN:UNLP9550	HRS		14934.8			800 (+50)		
	ENC		9640					
PROC. REF: LMM 74-20-02, LMM 74-20-02								PKG:4 ,6
740040 <sup>S</sup> NO. 2 ENGINE - DETAILED INSPECTION 8 O'CLOCK IGNITER PLUG FOR CONDITION AND SECURITY								Service ATA:74
PN:4095T13P04	MOS		10-May-23					
SN:UNKNOWN	HRS		14757.2			800 (+50)		
	ENC		9589					
PROC. REF: LMM 74-20-02, LMM 74-20-02								PKG:4 ,6
741010 NO. 1 ENGINE - IGNITION EXCITER								Component ATA:74
PN:3051402-2	MOS/MSC		26-Jul-99	O/C				
SN:9J061339	HRS		2890					
	ENC		2111					
PROC. REF: LMM 74-10-01, LMM 74-10-01								
741010 NO. 2 ENGINE - IGNITION EXCITER								Component ATA:74
PN:3051402-2	MOS/MSC		31-Aug-95	O/C	TSN 0			
SN:95243522	HRS		0		TSN 0			
	ENC		0		TSN 0			
PROC. REF: LMM 74-10-01, LMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 74 - IGNITION</b>									
742010	NO. 1 ENGINE - 4 O'CLOCK IGNITION LEAD							Component	ATA:74
PN:3051406-4	MOS/MSC	26-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	2890		TSN 0					
	ENC	2111		TSN 0					
PROC. REF: LMM 74-20-10, LMM 74-20-01									
742010	NO. 2 ENGINE - 4 O'CLOCK IGNITION LEAD							Component	ATA:74
PN:3051406-4	MOS/MSC	26-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	2879		TSN 0					
	ENC	2088		TSN 0					
PROC. REF: LMM 74-20-10, LMM 74-20-01									
742020	NO. 1 ENGINE - 8 O'CLOCK IGNITION LEAD							Component	ATA:74
PN:3051406-4	MOS/MSC	26-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	2890		TSN 0					
	ENC	2111		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
742020	NO. 2 ENGINE - 8 O'CLOCK IGNITION LEAD							Component	ATA:74
PN:3051406-4	MOS/MSC	26-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	2879		TSN 0					
	ENC	2088		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
<b>ATA 75 - AIR</b>									
751A01 <sup>U</sup>	NO. 1 ENGINE - T2 SENSOR							Component	ATA:75
PN:3051422-1	MOS/MSC	18-Sep-96	O/C						
SN:55083	HRS								
	ENC								
751A01 <sup>U</sup>	NO. 2 ENGINE - T2 SENSOR							Component	ATA:75
PN:3051422-1	MOS/MSC	24-Feb-09	O/C						
SN:M3157	HRS	8609.7							
	ENC	6120							
753010	NO. 1 ENGINE - START BLEED VALVE							Component	ATA:75
PN:3051350-4	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:0217	HRS	11255.1		TSO 0					
	ENC	7501		TSO 0					
PROC. REF: LMM 75-30-04, LMM 75-30-04									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 75 - AIR</b>									
753010	NO. 2 ENGINE - START BLEED VALVE							Component	ATA:75
PN:3051350-4	MOS/MSC	24-Mar-14	O/C	TSO 0					
SN:0246	HRS	11172.5		TSO 0					
	ENC	7430		TSO 0					
PROC. REF: LMM 75-30-04, LMM 75-30-04									
753020	NO. 1 ENGINE - START BLEED VALVE ACTUATOR							Component	ATA:75
PN:3051205-2	MOS/MSC	19-Mar-14	O/C	TSR 0					
SN:BECJ5573	HRS	11255.1		TSR 0					
	ENC	7501		TSR 0					
PROC. REF: LMM 75-30-01, LMM 75-30-01									
753020	NO. 2 ENGINE - START BLEED VALVE ACTUATOR							Component	ATA:75
PN:3051205-2	MOS/MSC	24-Mar-14	O/C	TSR 0					
SN:BECJ5561	HRS	11172.5		TSR 0					
	ENC	7430		TSR 0					
PROC. REF: LMM 75-30-01, LMM 75-30-01									
753030	NO. 1 ENGINE - (VGA) VARIABLE GEOMETRIC ACTUATOR							Component	ATA:75
PN:5077T99P03	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:BECH5339	HRS	11255.1		TSO 0					
	ENC	7501		TSO 0					
PROC. REF: LMM 75-30-10, LMM 75-30-10									
753030	NO. 2 ENGINE - (VGA) VARIABLE GEOMETRIC ACTUATOR							Component	ATA:75
PN:5077T99P03	MOS/MSC	24-Mar-14	O/C	TSO 0					
SN:BECH5275	HRS	11172.5		TSO 0					
	ENC	7430		TSO 0					
PROC. REF: LMM 75-30-10, LMM 75-30-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
76-10-01-900-801-01		REMOVAL / INSTALLATION OF THE THROTTLE CONTROL UNIT - THROTTLE CONTROL UNIT (10EC)					Component	ATA:76	
PN:221900-1M08	MOS/MSC	16-Jul-22	O/C						
SN:227	HRS	12965.4							
WC#: 76.020	AFL	8605							
PROC. REF: AMM 76-10-01-900-801									
76-10-13-900-801-01		REMOVAL / INSTALLATION OF THE ENGINE FUEL SWITCHES - "FUEL ENG 1" SWITCH (L502EF)					Component	ATA:76	
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 76-10-13-900-801									
76-10-13-900-801-02		REMOVAL / INSTALLATION OF THE ENGINE FUEL SWITCHES - "FUEL ENG 2" SWITCH (R502EF)					Component	ATA:76	
PN:412UZ01H	MOS/MSC	11-Nov-19	O/C	TSN 0					
SN:1338	HRS	12077.5		TSN 0					
	AFL	8070		TSN 0					
PROC. REF: AMM 76-10-13-900-801									
760010		NO. 1 ENGINE - FADEC A (FULL AUTHORITY DIGITAL ELECTRONIC CONTROL) UNIT					Component	ATA:76	
PN:4106T48P17	MOS/MSC	25-Feb-99	O/C						
SN:ATUA0121	HRS	2553							
	ENC								
PROC. REF: LMM 76-10-05									
760010		NO. 2 ENGINE - FADEC A (FULL AUTHORITY DIGITAL ELECTRONIC CONTROL) UNIT					Component	ATA:76	
PN:4106T48P17	MOS/MSC	26-Jul-99	O/C						
SN:ATUA0110	HRS	2879		TSN 2879					
	ENC	2088		TSN 2088					
PROC. REF: LMM 76-10-05									
760020		NO. 1 ENGINE - FADEC B (FULL AUTHORITY DIGITAL ELECTRONIC CONTROL) UNIT					Component	ATA:76	
PN:4106T48P17	MOS/MSC	25-Feb-99	O/C						
SN:ATUA0124	HRS	2553							
	ENC								
PROC. REF: LMM 76-10-05, LMM 76-10-05									
760020		NO. 2 ENGINE - FADEC B (FULL AUTHORITY DIGITAL ELECTRONIC CONTROL) UNIT					Component	ATA:76	
PN:4106T48P19	MOS/MSC	01-Jul-05	O/C	TSR 0					
SN:ATUA0628	HRS	6998.6		TSN 2073.9, TSR 0					
	ENC			TSN 1700, TSR 0					
PROC. REF: LMM 76-10-05, LMM 76-10-05									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 77 - ENGINE INDICATING</b>								
77-30-01-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE VIBRATION MONITORING COMPUTER (EVMC) - EVMC (20EA)								Component ATA:77
PN:5010-825-00-14	MOS/MSC	22-Jan-02	O/C	TSN 0				
SN:297	HRS	0		TSN 0				
WC#: 77.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
771010 NO. 1 ENGINE - PERMANENT MAGNETIC STATOR								Component ATA:77
PN:3051401-1	MOS/MSC	11-Apr-19	O/C	TSN 0				
SN:N16020031	HRS	13666.6		TSN 0				
	ENC			TSN 0				
PROC. REF: LMM 77-10-02								
771010 NO. 2 ENGINE - PERMANENT MAGNETIC STATOR								Component ATA:77
PN:3051401-1	MOS/MSC	24-Mar-14	O/C	TSO 0				
SN:0072	HRS	11172.5		TSO 0				
	ENC	7430		TSO 0				
PROC. REF: LMM 77-10-02								
771020 NO. 1 ENGINE - PERMANENT MAGNETIC ROTOR								Component ATA:77
PN:3051400-1	MOS/MSC	30-Jun-95	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02, LMM 77-10-02								
771020 NO. 2 ENGINE - PERMANENT MAGNETIC ROTOR								Component ATA:77
PN:3051400-1	MOS/MSC	31-Aug-95	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02, LMM 77-10-02								
772000 <sup>S</sup> NO. 1 ENGINE - DETAILED INSPECTION OF WIRING HARNESSSES FOR CONDITION AND SECURITY								Service ATA:77
	MOS	12-Jan-24						
	HRS	15257.9	400 (+10%)					
	ENC	9839						
PROC. REF: LMM 72-00-00								
772000 <sup>S</sup> NO. 2 ENGINE - DETAILED INSPECTION OF WIRING HARNESSSES FOR CONDITION AND SECURITY								Service ATA:77
	MOS	12-Jan-24						
	HRS	15079.7	400 (+10%)					
	ENC	9788						
PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
772A01 <sup>U</sup>	NO. 1 ENGINE - HARNESS T4.5 THERMOCOUPLE							Component	ATA:77
PN:3051423-2	MOS/MSC	01-Jul-11	O/C	TSN 0					
SN:1115027700106	HRS	9896.3		TSN 0					
	ENC	6786		TSN 0					
773801	NO. 1 ENGINE VIBRATION SENSOR							Component	ATA:77
PN:6254M5A	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:BH83	HRS	0		TSN 0					
WC#: 77.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
773811	NO. 2 ENGINE VIBRATION SENSOR							Component	ATA:77
PN:6254M5A	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:BH81	HRS	0		TSN 0					
WC#: 77.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 78 - EXHAUST</b>									
78-30-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE THRUST REVERSER - ENGINE 1 THRUST REVERSER							Service	ATA:78
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 78.010	AFL	8866							
PROC. REF: AMM 78-30-00-210-801									
78-30-00-210-801-02 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE THRUST REVERSER - ENGINE 2 THRUST REVERSER							Service	ATA:78
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3	1600 (+40)						
WC#: 78.010	AFL	8866							
PROC. REF: AMM 78-30-00-210-801									
78-30-00-720-801-01 <sup>S</sup>	FUNCTIONAL TEST OF THE THRUST REVERSER SYSTEM WITH ENGINE SHUT DOWN							Service	ATA:78
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
	AFL	8209	3750						
PROC. REF: AMM 78-30-00-720-801									
78-31-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE THRUST REVERSER LOCKING SYSTEM - ENGINE 1 THRUST REVERSER							Service	ATA:78
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 78.180	AFL	8209							
PROC. REF: AMM 78-31-00-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-31-00-220-801-02 <sup>S</sup>	DETAILED INSPECTION OF THE THRUST REVERSER LOCKING SYSTEM - ENGINE 2 THRUST REVERSER							Service	ATA:78
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
WC#: 78.180	AFL	8209							
	PROC. REF: AMM 78-31-00-220-801								PKG:21
78-31-00-280-801-01 <sup>S</sup>	SPECIAL DETAILED INSPECTION OF THRUST REVERSER DOOR HINGE FITTINGS AND LINK RODS - ENGINE 1 THRUST REVERSER							Service	ATA:78
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 78.170	AFL	8209	3750						
	PROC. REF: AMM 78-31-00-280-801								PKG:31
78-31-00-280-801-02 <sup>S</sup>	SPECIAL DETAILED INSPECTION OF THRUST REVERSER DOOR HINGE FITTINGS AND LINK RODS - ENGINE 2 THRUST REVERSER							Service	ATA:78
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 78.170	AFL	8209	3750						
	PROC. REF: AMM 78-31-00-280-801								PKG:31
78-31-00-640-802-01 <sup>S</sup>	GREASING OF THE THRUST REVERSER DOOR HINGE BOLTS							Service	ATA:78
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 78.170	AFL	8209	3750						
	PROC. REF: AMM 78-31-00-640-802								PKG:31
78-31-00-640-803-01 <sup>S</sup>	GREASING OF THE LINK ROD HINGE BOLTS AND DOOR LATCH HOOKS - LINK ROD HINGE BOLTS							Service	ATA:78
	MOS	25-Feb-21	72 (+2m)						
	HRS	12299.4							
WC#: 78.050	AFL	8209	3750						
	PROC. REF: AMM 78-31-00-640-803								PKG:31
78-31-00-640-803-02 <sup>S</sup>	GREASING OF THE LINK ROD HINGE BOLTS AND DOOR LATCH HOOKS - DOOR LATCH HOOKS							Service	ATA:78
	MOS	05-Jun-23	24 (+1m)						
	HRS	13436.3							
	AFL	8866							
	PROC. REF: AMM 78-31-00-640-803								PKG:16
78-31-13-210-801-01	GENERAL VISUAL INSPECTION OF THE MAIN THRUST REVERSER ACTUATORS - ENGINE 1 TR INBOARD ACTUATOR (L195ER1)							Service	ATA:78
	MOS/MSC	12-May-06	O/C						
	HRS	4026.5							
	AFL	2711							
	PROC. REF: AMM 78-31-13-210-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-31-13-210-801-02	GENERAL VISUAL INSPECTION OF THE MAIN THRUST REVERSER ACTUATORS - ENGINE 1 TR OUTBOARD ACTUATOR (L195ER2)								Service ATA:78
	MOS/MSC	23-Jul-18	O/C						
	HRS	11206.8							
	AFL	7543							
PROC. REF: AMM 78-31-13-210-801									
78-31-13-210-801-03	GENERAL VISUAL INSPECTION OF THE MAIN THRUST REVERSER ACTUATORS - ENGINE 2 TR INBOARD ACTUATOR (R195ER1)								Service ATA:78
	MOS/MSC	18-Oct-16	O/C						
	HRS	10504.7							
	AFL	7104							
PROC. REF: AMM 78-31-13-210-801									
78-31-13-210-801-04	GENERAL VISUAL INSPECTION OF THE MAIN THRUST REVERSER ACTUATORS - ENGINE 2 TR OUTBOARD ACTUATOR (R195ER2)								Service ATA:78
	MOS/MSC	09-Mar-11	O/C						
	HRS	7611.1							
	AFL	5134							
PROC. REF: AMM 78-31-13-210-801									
78-31-13-900-801-01	REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 1 TR INBOARD ACTUATOR (L195ER1)								Component ATA:78
PN:F2MA581717-015	MOS/MSC	03-Oct-22	O/C		TSN 0				
SN:6637	HRS	13075.5			TSN 0				
WC#: 78.110	AFL	8672			TSN 0				
PROC. REF: AMM 78-31-13-900-801									
78-31-13-900-801-02	REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 1 TR OUTBOARD ACTUATOR (L195ER2)								Component ATA:78
PN:F2MA581717-015	MOS/MSC	22-Jan-02	O/C		TSN 0				
SN:5830	HRS	0			TSN 0				
WC#: 78.110	AFL	0			TSN 0				
PROC. REF: AMM 78-31-13-900-801									
78-31-13-900-801-03	REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 2 TR INBOARD ACTUATOR (R195ER1)								Component ATA:78
PN:F2MA581717-015	MOS/MSC	18-Oct-16	O/C		TSO 0				
SN:5368	HRS	10504.7			TSO 0				
WC#: 78.120	AFL	7104			TSO 0				
PROC. REF: AMM 78-31-13-900-801									
78-31-13-900-801-04	REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 2 TR OUTBOARD ACTUATOR (R195ER2)								Component ATA:78
PN:F2MA581717-015	MOS/MSC	09-Mar-11	O/C						
SN:89	HRS	7611.1							
WC#: 78.120	AFL	5134							
PROC. REF: AMM 78-31-13-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>78-31-13-960-801-01 DISCARD OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 1 TR INBOARD ACTUATOR (L195ER1) Service ATA:78</b>								
PN:F2MA581717-015	MOS/MSC	03-Oct-22	O/C					
SN:6637	HRS	13075.5						
WC#: 78.110	AFL	8672						
PROC. REF: AMM 78-31-13-960-801								
<b>78-31-13-960-801-02 DISCARD OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 1 TR OUTBOARD ACTUATOR (L195ER2) Service ATA:78</b>								
PN:F2MA581717-015	MOS/MSC	22-Jan-02	O/C					
SN:5830	HRS	0						
WC#: 78.110	AFL	0						
PROC. REF: AMM 78-31-13-960-801								
<b>78-31-13-960-801-03 DISCARD OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 2 TR INBOARD ACTUATOR (R195ER1) Service ATA:78</b>								
PN:F2MA581717-015	MOS/MSC	18-Oct-16	O/C					
SN:5368	HRS	10504.7						
WC#: 78.120	AFL	7104						
PROC. REF: AMM 78-31-13-960-801								
<b>78-31-13-960-801-04 DISCARD OF THE THRUST REVERSER DOOR ACTUATORS - ENGINE 2 TR OUTBOARD ACTUATOR (R195ER2) Service ATA:78</b>								
PN:F2MA581717-015	MOS/MSC	09-Mar-11	O/C					
SN:89	HRS	7611.1						
WC#: 78.120	AFL	5134						
PROC. REF: AMM 78-31-13-960-801								
<b>78-32-00-760-801-01<sup>S</sup> TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - RELAY PCB (413JE) Service ATA:78</b>								
	MOS	26-Oct-22						
	HRS	13123.7	1600 (+40)					
	AFL	8702						
PROC. REF: AMM 78-32-00-760-801								
<b>78-32-00-760-801-01A TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - RELAY PCB (MANDATORY 5-40) Service ATA:78</b>								
	MOS	26-Oct-22						MANDATORY 5-40
	HRS	13123.7	1800		14923.7		1098.3	
	AFL	8702						
PROC. REF: AMM 78-32-00-760-801								
<b>78-32-00-760-801-02<sup>S</sup> TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - PCB (414JE) Service ATA:78</b>								
	MOS	26-Oct-22						
	HRS	13123.7	1600 (+40)					
	AFL	8702						
PROC. REF: AMM 78-32-00-760-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-32-00-760-801-02A	TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - PCB (MANDATORY 5-40)							Service	ATA:78
	MOS	26-Oct-22						MANDATORY 5-40	
	HRS	13123.7	1800		14923.7		1098.3		
	AFL	8702							
PROC. REF: AMM 78-32-00-760-801									
78-32-00-760-801-03 <sup>S</sup>	TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - LH TRCU (L40ER)							Service	ATA:78
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 78-32-00-760-801									
78-32-00-760-801-03A	TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - LH TRCU (MANDATORY 5-40)							Service	ATA:78
	MOS	25-Feb-21						MANDATORY 5-40	
	HRS	12299.4	2670		14969.4		1144		
	AFL	8209							
PROC. REF: AMM 78-32-00-760-801									
78-32-00-760-801-04 <sup>S</sup>	TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - RH TRCU (R40ER)							Service	ATA:78
	MOS	25-Feb-21							
	HRS	12299.4	1600 (+40)						
	AFL	8209							
PROC. REF: AMM 78-32-00-760-801									
78-32-00-760-801-04A	TEST OF THE GROUND / FLIGHT RELAY AND TRCU INPUT CIRCUIT - RH TRCU (MANDATORY 5-40)							Service	ATA:78
	MOS	25-Feb-21						MANDATORY 5-40	
	HRS	12299.4	2670		14969.4		1144		
	AFL	8209							
PROC. REF: AMM 78-32-00-760-801									
78-32-09-780-801-01	CHECK OF THE THRUST REVERSER ACCUMULATOR CAPACITY - LH TR ACCUMULATOR (L120ER)							Service	ATA:78
	MOS	22-Sep-22							
	HRS	13057.6	1600 (+40)	Adj -282.1	14375.5	14415.5	550.1 (+40)		
	AFL	8662							
PROC. REF: AMM 78-32-09-780-801									
78-32-09-780-801-02	CHECK OF THE THRUST REVERSER ACCUMULATOR CAPACITY - RH TR ACCUMULATOR (R120ER)							Service	ATA:78
	MOS	22-Sep-22							
	HRS	13057.6	1600 (+40)	Adj -282.1	14375.5	14415.5	550.1 (+40)		
	AFL	8662							
PROC. REF: AMM 78-32-09-780-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>78-32-09-900-801-01      REMOVAL / INSTALLATION OF THE THRUST REVERSER HYDRAULIC ACCUMULATOR - LH TR ACCUMULATOR (L120ER)</b>								
PN:47723-1500	MOS/MSC	22-Jan-02	O/C	TSN 0				Component    ATA:78
SN:046	HRS	0		TSN 0				
WC#: 78.150	AFL	0		TSN 0				
PROC. REF: AMM 78-32-09-900-801								
<b>78-32-09-900-801-02      REMOVAL / INSTALLATION OF THE THRUST REVERSER HYDRAULIC ACCUMULATOR - RH TR ACCUMULATOR (R120ER)</b>								
PN:47723-1500	MOS/MSC	22-Jan-02	O/C	TSN 0				Component    ATA:78
SN:045	HRS	0		TSN 0				
WC#: 78.150	AFL	0		TSN 0				
PROC. REF: AMM 78-32-09-900-801								
<b>78-32-45-900-801-01      REMOVAL / INSTALLATION OF THE THRUST REVERSER CONTROL UNIT (TRCU) - LH TRCU (L40ER)</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component    ATA:78
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-45-900-801								
<b>78-32-45-900-801-02      REMOVAL / INSTALLATION OF THE THRUST REVERSER CONTROL UNIT (TRCU) - RH TRCU (R40ER)</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component    ATA:78
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-45-900-801								
<b>783811      LH INBOARD THRUST REVERSER LATCH ACTUATOR ASSEMBLY</b>								
PN:CA18112-5TS	MOS/MSC	07-Sep-07	O/C	TSN 0				Component    ATA:78
SN:UNKNOWN	HRS	5398.6		TSN 0				
WC#: 78.130	AFL	3623		TSN 0				
PROC. REF: AMM 78-32-25-900-801								
<b>783812      RH INBOARD THRUST REVERSER LATCH ACTUATOR ASSEMBLY</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component    ATA:78
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.140	AFL	0		TSN 0				
PROC. REF: AMM 78-32-25-900-801								
<b>783813      LH OUTBOARD THRUST REVERSER LATCH ACTUATOR ASSEMBLY</b>								
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0				Component    ATA:78
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.130	AFL	0		TSN 0				
PROC. REF: AMM 78-32-25-900-801								

?-Insufficient Information    S-Suppressed Requirement    \*-Estimated Due(New Requirement)    (EFF)-Effective C/W    (M)-Manual Due    U-User Task    Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
783814	RH OUTBOARD THRUST REVERSER LATCH ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.140	AFL	0		TSN 0					
PROC. REF: AMM 78-32-25-900-801									
783831	LH THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:PN	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783832	RH THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:F2MA581792-007	MOS/MSC	13-Jun-23	O/C						
SN:A30040182	HRS	13436.3							
WC#: 78.180	AFL	8866							
PROC. REF: GENERIC NO REF									
<b>ATA 79 - OIL</b>									
79-30-01-900-801-01	REMOVAL / INSTALLATION / CALIBRATION OF ENGINE OIL LEVEL GAUGES - LH ENGINE OIL GAUGE (L20EL)							Component	ATA:79
PN:768-344-1	MOS/MSC	20-Apr-15	O/C	TSN 0					
SN:664	HRS	9923.1		TSN 0					
WC#: 79.070	AFL	6687		TSN 0					
PROC. REF: AMM 79-30-01-900-801									
79-30-01-900-801-02	REMOVAL / INSTALLATION / CALIBRATION OF ENGINE OIL LEVEL GAUGES - RH ENGINE OIL GAUGE (R20EL)							Component	ATA:79
PN:768-344-1	MOS/MSC	10-Oct-22	O/C	TSN 0					
SN:696	HRS	13099.2		TSN 0					
WC#: 79.070	AFL	8685		TSN 0					
PROC. REF: AMM 79-30-01-900-801									
790010 <sup>S</sup>	NO. 1 ENGINE - DISCARD ENGINE OIL							Service	ATA:79
	MOS	12-Jan-24							
	HRS	15257.9	600 (+50)						
	ENC	9839							
PROC. REF: LMM 72-00-00									
								PKG:2 ,5	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790010 <sup>S</sup>	NO. 2 ENGINE - DISCARD ENGINE OIL							Service	ATA:79
	MOS	12-Jan-24							
	HRS	15079.7	600 (+50)						
	ENC	9788							
	PROC. REF: LMM 72-00-00							PKG:2 ,5	
790020 <sup>S</sup>	NO. 1 ENGINE - DETAILED INSPECTION OF MAGNETIC CHIP DETECTOR FOR CONDITION AND SECURITY							Service	ATA:79
	MOS	12-Jan-24							
	HRS	15257.9	600 (+50)						
	ENC	9839							
	PROC. REF: LMM 79-30-02, LMM 79-30-02, LMM 72-00-00							PKG:2 ,5	
790020 <sup>S</sup>	NO. 2 ENGINE - DETAILED INSPECTION OF MAGNETIC CHIP DETECTOR FOR CONDITION AND SECURITY							Service	ATA:79
	MOS	12-Jan-24							
	HRS	15079.7	600 (+50)						
	ENC	9788							
	PROC. REF: LMM 79-30-02, LMM 79-30-02, LMM 72-00-00							PKG:2 ,5	
790030 <sup>S</sup>	NO. 1 ENGINE - VISUALLY CHECK OIL LEVEL							Service	ATA:79
	MOS	12-Jan-24							
	HRS	15257.9	200 (+10%)						
	ENC	9839							
	PROC. REF: GENERIC NO REF, LMM 72-00-00							PKG:1 ,2 ,5,3 ,4 ,6	
790030 <sup>S</sup>	NO. 2 ENGINE - VISUALLY CHECK OIL LEVEL							Service	ATA:79
	MOS	12-Jan-24							
	HRS	15079.7	200 (+10%)						
	ENC	9788							
	PROC. REF: GENERIC NO REF, LMM 72-00-00							PKG:1 ,2 ,5,3 ,4 ,6	
792010	NO. 1 ENGINE - OIL SURFACE TYPE COOLER							Component	ATA:79
PN:160450-2	MOS/MSC	19-Mar-14	O/C		TSR 0				
SN:16-184	HRS	11255.1			TSR 0				
	ENC	7501			TSR 0				
	PROC. REF: LMM 79-20-08, LMM 79-20-08								
792010	NO. 2 ENGINE - OIL SURFACE TYPE COOLER							Component	ATA:79
PN:160450-2	MOS/MSC	24-Mar-14	O/C		TSR 0				
SN:104-125	HRS	11172.5			TSR 0				
	ENC	7430			TSR 0				
	PROC. REF: LMM 79-20-08, LMM 79-20-08								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 79 - OIL</b>									
792020	NO. 1 ENGINE - OIL FILTER AND REGULATOR ADAPTER							Component	ATA:79
PN:3050603-1	MOS/MSC	19-Mar-14	O/C	TSR 0					
SN:9306451C0128	HRS	11255.1		TSR 0					
	ENC	7501		TSR 0					
792020	NO. 2 ENGINE - OIL FILTER AND REGULATOR ADAPTER							Component	ATA:79
PN:3050603-1	MOS/MSC	24-Mar-14	O/C	TSR 0					
SN:98-314	HRS	11172.5		TSR 0					
	ENC	7430		TSR 0					
792030	NO. 1 ENGINE - OIL TEMPERATURE CONTROL VALVE							Component	ATA:79
PN:160448-2	MOS/MSC	19-Mar-14	O/C	TSR 0					
SN:48-297	HRS	11255.1		TSR 0					
	ENC	7501		TSR 0					
PROC. REF: LMM 79-20-08									
792030	NO. 2 ENGINE - OIL TEMPERATURE CONTROL VALVE							Component	ATA:79
PN:160448-2	MOS/MSC	24-Mar-14	O/C	TSN 0					
SN:634	HRS	11172.5		TSN 0					
	ENC	7430		TSN 0					
PROC. REF: LMM 79-20-08									
792040	NO. 1 ENGINE - OIL PUMP							Component	ATA:79
PN:3050615-2B	MOS/MSC	01-Apr-24	O/C						
SN:P123	HRS	15319.8							
	ENC	9878							
PROC. REF: LMM 79-20-04, LMM 79-20-04									
792040	NO. 2 ENGINE - OIL PUMP							Component	ATA:79
PN:3050615-2	MOS/MSC	16-Feb-23	O/C						
SN:342	HRS	14635.6							
	ENC	9525							
PROC. REF: LMM 79-20-04, LMM 79-20-04									
793010	NO. 1 ENGINE - DISCARD OIL FILTER ELEMENT							Service	ATA:79
	MOS	12-Jan-24						SERVICE LIFE LIMIT	
	HRS	15257.9	300 (+10%)		(15557.9) 14063.5	15587.9	238.1 (+30)		
	ENC	9839							
PROC. REF: LMM 79-20-01, LMM 79-20-01									
PKG:1 ,2 ,5,3 ,4 ,6									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 79 - OIL</b>									
793010	NO. 2 ENGINE - DISCARD OIL FILTER ELEMENT							Service	ATA:79
	MOS	12-Jan-24						SERVICE LIFE LIMIT	
	HRS	15079.7	300 (+10%)		(15379.7) 14058.5	15409.7	233.1 (+30)		
	ENC	9788							
					PROC. REF: LMM 79-20-01, LMM 79-20-01			PKG:1 ,2 ,5,3 ,4 ,6	
793030	NO. 1 ENGINE - MAGNETIC CHIP DETECTOR							Component	ATA:79
PN:PN	MOS/MSC	30-Jun-95	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: GENERIC NO REF				
793030	NO. 2 ENGINE - MAGNETIC CHIP DETECTOR							Component	ATA:79
PN:PN	MOS/MSC	31-Aug-95	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: GENERIC NO REF				
793A02 <sup>U</sup>	NO. 1 ENGINE - OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:3051103-2	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	ENC								
793A02 <sup>U</sup>	NO. 2 ENGINE - OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:3051103-1	MOS/MSC	19-Oct-22	O/C		TSN 0				
SN:011533800083	HRS	14444.6			TSN 0				
	ENC	9427			TSN 0				
<b>ATA 80 - STARTING</b>									
80-10-05-610-801-01 <sup>S</sup>	ENGINE PNEUMATIC STARTER OIL CHANGE - LH ENGINE PNEUMATIC STARTER (L10EX)							Service	ATA:80
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
WC#: 80.010	AFL	9075							
					PROC. REF: AMM 80-10-05-610-801			PKG:5	
80-10-05-610-801-02 <sup>S</sup>	ENGINE PNEUMATIC STARTER OIL CHANGE - RH ENGINE PNEUMATIC STARTER (R10EX)							Service	ATA:80
	MOS	30-Jan-24	12 (+1m)						
	HRS	13780	800 (+40)						
WC#: 80.010	AFL	9075							
					PROC. REF: AMM 80-10-05-610-801			PKG:5	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 2000 Serial: 174 RegNo: N53NJ HRS: 13825.4 AFL: 9104 As Of: 02-Apr-2024

06-Apr-2024 11:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 80 - STARTING</b>									
80-10-05-700-801-01	OIL LEVEL CHECK OF THE ENGINE PNEUMATIC STARTER - LH ENGINE PNEUMATIC STARTER (L10EX)							Service	ATA:80
	MOS	02-Jan-24							
	HRS	13736.2	200 (+10%)	Adj -38.2	13898	13918	72.6 (+20)		
	AFL	9052							
PROC. REF: AMM 80-10-05-700-801									
80-10-05-700-801-02	OIL LEVEL CHECK OF THE ENGINE PNEUMATIC STARTER - RH ENGINE PNEUMATIC STARTER (R10EX)							Service	ATA:80
	MOS	02-Jan-24							
	HRS	13736.2	200 (+10%)		13936.2	13956.2	110.8 (+20)		
	AFL	9052							
PROC. REF: AMM 80-10-05-700-801									
80-10-05-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTERS - LH ENGINE PNEUMATIC STARTER (L10EX)							Component	ATA:80
PN:3505656-6	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:478	HRS	0		TSN 0					
WC#: 80.010	AFL	0		TSN 0					
PROC. REF: AMM 80-10-05-900-801									
80-10-05-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTERS - RH ENGINE PNEUMATIC STARTER (R10EX)							Component	ATA:80
PN:3505656-7	MOS/MSC	26-Jul-22	O/C	TSO 0					
SN:592C	HRS	12983.9		TSO 0					
WC#: 80.010	AFL	8616		TSO 0					
PROC. REF: AMM 80-10-05-900-801									
80-10-13-900-801-01	REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTER CONTROL VALVES - LH ENGINE STARTING VALVE (L20EX)							Component	ATA:80
PN:3290862-1	MOS/MSC	22-Jan-02	O/C	TSN 0					
SN:466	HRS	0		TSN 0					
WC#: 80.020	AFL	0		TSN 0					
PROC. REF: AMM 80-10-13-900-801									
80-10-13-900-801-02	REMOVAL / INSTALLATION OF THE ENGINE PNEUMATIC STARTER CONTROL VALVES - RH ENGINE STARTING VALVE (R20EX)							Component	ATA:80
PN:3290862-1	MOS/MSC	06-Aug-15	O/C						
SN:356	HRS	10102.6							
WC#: 80.020	AFL	6810							
PROC. REF: AMM 80-10-13-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task